



Leading UK manufacturer of fencing and gates

Delta Gates

Vertical Bar Cantilever Sliding Gates



www.heras.co.uk

Delta Gates

Suitable for manual or electrical operation the Delta Gate provides a high level of security protection.

Performance

The Delta Gate, unlike many gates in this field, does not require great effort to install and set, therefore can be easily operated by all potential users. The gate is designed in a unique way that the running wheels cannot be blocked by dirt, leaves or snow. In combination with the patented cantilever construction, the wheels provide enormous stability and operational reliability. Delta Gates are designed to be user friendly and virtually maintenance free.

Elegantly attractive

The Delta Gate has been designed to be aesthetically pleasing as well as eminently functional, and to create a stylish entrance that will enhance any corporate image. As well as the basic model with aluminium girder and galvanised bars, the Delta Gate is also available in coated finishes. There is a choice of seven standard colours: white, black, two grey and three shades of green.




High Level of Security

- The Delta Gate is extremely secure.
- The girder does away with the need for diagonal struts.
- No foothold by which to climb over the gate.
- The security lock is tamper-proof.
- The running wheels are shielded and positioned on the inside of the fencing.
- All the nuts and bolts are countersunk which rules out sabotage.

Delta Gates can also be supplied to be used in conjunction with single leaf swing gates. The Delta Gate slam post is utilised and also becomes the receiving post of the single leaf gate.


Choice of Styles

The Delta Gate is available in three different styles: Heracles, Atlas and Olympus.









Olympus

















Versatility

The unique construction and light weight gate means that only minimal anchoring is required, giving great flexibility with regard to positioning. The modular concept of the gate, with separate girder, bars and guide posts, makes it quick and economical to repair in the event of damage, involving little or no disruption of trade through restricted access during installation.



The Delta Gate offers you the convenience of remote control, from the gatehouse or central surveillance desk for example. You can choose this option now or later, as the gate is adaptable for electric power as standard. The Delta Gate can be supplied with an assortment of security and automatic functions, such as safety cutoff mechanisms, cameras, flashlights and barriers. The applied components, control and power systems can be combined with other functions for security, registration, authorisation and suchlike.





► Heracles style Delta Gate

Delta Gate Size and Openings

ТУРЕ	GATE HEIGHT	FREE OPENINGS	TOTAL SPACE REQUIRED
Delta 30/150	1.5mtr	2925mm	8560mm
Delta 30/180	1.8mtr	2925mm	8560mm
Delta 30/200	2.0mtr	2925mm	8560mm
Delta 30/250	2.5mtr	2925mm	8560mm
Delta 40/150	1.5mtr	3975mm	10660mm
Delta 40/180	1.8mtr	3975mm	10660mm
Delta 40/200	2.0mtr	3975mm	10660mm
Delta 40/250	2.5mtr	3975mm	10660mm
Delta 50/150	1.5mtr	4875mm	12960mm
Delta 50/180	1.8mtr	4875mm	12960mm
Delta 50/200	2.0mtr	4875mm	12960mm
Delta 50/250	2.5mtr	4875mm	12960mm
Delta 60/150	1.5mtr	5775mm	14760mm
Delta 60/180	1.8mtr	5775mm	14760mm
Delta 60/200	2.0mtr	5775mm	14760mm
Delta 60/250	2.5mtr	5775mm	14760mm
Delta 70/150	1.5mtr	7075mm	17860mm
Delta 70/180	1.8mtr	7075mm	17860mm
Delta 70/200	2.0mtr	7075mm	17860mm
Delta 70/250	2.5mtr	7075mm	17860mm
Delta 85/150	1.5mtr	8275mm	20260mm
Delta 85/180	1.8mtr	8275mm	20260mm
Delta 85/200	2.0mtr	8275mm	20260mm
Delta 85/250	2.5mtr	8275mm	20260mm
Delta 95/150	1.5mtr	9175mm	22060mm
Delta 95/180	1.8mtr	9175mm	22060mm
Delta 95/200	2.0mtr	9175mm	22060mm

Other Heras Gates

As well as the Delta Sliding Gate, Heras also manufactures tracked and swing gates to match all our fencing systems. Please see our complete brochure pack.

Full specification details and drawings are available on request, please contact our sales office for more information.











Leading UK manufacturer of fencing and gates

Herons Way, Off Carr Hill, Doncaster, South Yorkshire, England, DN4 8WA

Tel: 01302 364 551 **Fax:** 01302 322 401

Email: heras.sales@herasuk.co.uk

Connect with us











Accreditations

As part of CRH Fencing & Security Group (UK) Ltd Heras UK Fencing Systems are accredited by:













