

Satin chrome with polished **ribbon** arms and clear glass. The arms of this range are adjustable.



1 311 8 chrome
D (mm) 750 P (mm) 300
Wattage 8 x 20
Lamp Holder G4
☞ Low Pressure. Included

2 311 8FL chrome
D (mm) 600 H (mm) 1650
Wattage 8 x 10
Lamp Holder G4
☞ Low Pressure. Included


3 311 5 chrome
D (mm) 560 P (mm) 300
Wattage 5 x 20
Lamp Holder G4
☞ Low Pressure. Included


4 311 2 chrome
D (mm) 560 P (mm) 140
Wattage 2 x 20
Lamp Holder G4
☞ Low Pressure. Included


5 311 5TL chrome
D (mm) 560 H (mm) 500
Wattage 5 x 10
Lamp Holder G4
☞ Low Pressure. Included




Elegant, polished chrome
sphere with crystal decoration.

1 206 6TL chrome & crystal
D (mm) 200 H (mm) 400
Wattage 6 x 10
Lamp Holder G4
 Low Pressure. Included

2 206 20 chrome & crystal
D (mm) 320 H (mm) 780 Adjustable
Wattage 20 x 10
Lamp Holder G4
 Low Pressure. Included

3 206 12 chrome & crystal
D (mm) 300 H (mm) 760 Adjustable
Wattage 12 x 10
Lamp Holder G4
 Low Pressure. Included

4 206 15F chrome & crystal
D (mm) 300 H (mm) 260
Wattage 15 x 10
Lamp Holder G4
 Low Pressure. Included

2



3



4





1




2



3

Polished chrome with
crystal decoration.




4

- 1 1902 6TLCH** chrome
D (mm) 270 H (mm) 650
Wattage 6 x 10
Lamp Holder G4
☞ Low Pressure. Included

- 2 1902 10CH** chrome
D (mm) 620 H (mm) 440
Wattage 10 x 20
Lamp Holder G4
☞ Low Pressure. Included

- 3 1902 6FLCH** chrome
D (mm) 450 H (mm) 1650
Wattage 6 x 20
Lamp Holder G4
☞ Low Pressure. Included

- 4 1902 3WBCH** chrome
D (mm) 300 H (mm) 310 P (mm) 150
Wattage 3 x 20
Lamp Holder G4
☞ Low Pressure. Included



Chrome, intertwined
branches, decorated with
exquisite crystal drops.

- 1 1402 24** chrome
D (mm) 630
H (mm) Max/Min 1630/1130
Wattage 24 x 10
Lamp Holder G4
⊞⊞⊞ Low pressure. Included

- 2 1402 5WB** chrome
D (mm) 230 H (mm) 400 P (mm) 300
Wattage 5 x 20
Lamp Holder G4
⊞⊞⊞ Low pressure. Included


- 3 1402 7FL** chrome
D (mm) 400 H (mm) 1940
Wattage 7 x 20
Lamp Holder G4
⊞⊞⊞ Low pressure. Included


- 4 1402 12** chrome
D (mm) 700
H (mm) Max/Min 1475/975
Wattage 12 x 20
Lamp Holder G4
⊞⊞⊞ Low pressure. Included




A **stylish**, modern design with flexible chrome stems and crystal beads.




1 1401 7FL chrome
D (mm) 350 H (mm) 1650
Wattage 7 x 20
Lamp Holder G4
 Low pressure. Included


2 1401 20 chrome
D (mm) 800 H (mm) Max/Min 1400/900
Wattage 20 x 10
Lamp Holder G4
 Low pressure. Included


3 1401 5WB chrome
D (mm) 350 H (mm) 500 P (mm) 270
Wattage 5 x 20
Lamp Holder G4
 Low pressure. Included



4 1401 7TL chrome
D (mm) 470 H (mm) 500
Wattage 7 x 20
Lamp Holder G4
 Low pressure. Included




1 0705 24F polished chrome
 D (mm) 850
 H (mm) 410/550 (min/max)
 Wattage 24 x 10
 Lamp Holder G4
 Low Pressure. Included


2 0705 7F polished chrome
 D (mm) 460 P (mm) 120
 Wattage 7 x 20
 Lamp Holder G4
 Low Pressure. Included



3 0705 12FL polished chrome
 D (mm) 700 H (mm) 1850
 Wattage 12 x 10
 Lamp Holder G4
 Low Pressure. Included



Swirling polished
 chrome arms give this range
 a fan-like appearance.

4 0705 6TL polished chrome
 D (mm) 460 H (mm) 620
 Wattage 6 x 10
 Lamp Holder G4
 Low Pressure. Included


5 0705 4WB polished chrome
 D (mm) 430
 H (mm) 430 P (mm) 75
 Wattage 4 x 10
 Lamp Holder G4
 Low Pressure. Included




1




A contemporary collection in polished chrome with **branching** arms.


1 0706 24F polished chrome
D (mm) 720 H (mm) 170
Wattage 24 x 10
Lamp Holder G4
 Low Pressure. Included

3 0706 12TL polished chrome
D (mm) 560 H (mm) 790
Wattage 12 x 10
Lamp Holder G4
 Low Pressure. Included

2 0706 18FL polished chrome
D (mm) 570 H (mm) 1850
Wattage 18 x 10
Lamp Holder G4
 Low Pressure. Included

4 0706 8WB polished chrome
D (mm) 260 H (mm) 540 P (mm) 130
Wattage 8 x 10
Lamp Holder G4
 Low Pressure. Included

2



3



4





Satin chrome plated range with elegant swirling arms and one piece glass, clear outer and acid inner. Suitable for low ceilings.



1 1807 10SC satin chrome
D (mm) 585 H (mm) 340
Wattage 10 x 20
Lamp Holder G4
=ESD Low Pressure. Included

2 1807 3WBSC satin chrome
D (mm) 380 H (mm) 300 P (mm) 170
Wattage 3 x 20
Lamp Holder G4
=ESD Low Pressure. Included



3 1807 5TLSC satin chrome
D (mm) 340 H (mm) 470
Wattage 5 x 20
Lamp Holder G4
=ESD Low Pressure. Included





1

Satin chrome with attractive, swirl arms and **star** shaped clear glass.

This design is
registered with
A.O.I.D.



2



3



4


- 1 1008 6FLSC** satin chrome
D (mm) 360 H (mm) 1680
Wattage 6 x 20
Lamp Holder G4
 Low pressure. Included

- 2 1008 10SC** satin chrome
D (mm) 460 P (mm) 450
Wattage 10 x 20
Lamp Holder G4
 Low Pressure. Included

- 3 1008 6TLSC** satin chrome
D (mm) 290 H (mm) 605
Wattage 6 x 20
Lamp Holder G4
 Low Pressure. Included

- 4 1008 3WBSC** satin chrome
D (mm) 260 H (mm) 350 P (mm) 175
Wattage 3 x 20
Lamp Holder G4
 Low Pressure. Included



1 1801 8AN antique
5 1801 8SC satin chrome
 D (mm) 520 H (mm) 260
 Wattage 8 x 20
 Lamp Holder G4
 Low Pressure. Included

2 1801 5FLAN antique
3 1801 5FLSC satin chrome
 D (mm) 420 H (mm) 1660
 Wattage 5 x 20
 Lamp Holder G4
 Low Pressure. Included

4 1801 2TLAN antique
6 1801 2TLSC satin chrome
 D (mm) 310 H (mm) 400
 Wattage 2 x 20
 Lamp Holder G4
 Low Pressure. Included




Gently sweeping arms with delicate glass petals. Finished in satin chrome or antique brass plate.

7



8

7 1801 5SC satin chrome
9 1801 5AN antique
D (mm) 500 H (mm) 250
Wattage 5 x 20
Lamp Holder G4
 Low Pressure. Included

8 1801 2SC satin chrome
10 1801 2AN antique
D (mm) 260 H (mm) 135 P (mm) 190
Wattage 2 x 20
Lamp Holder G4
 Low Pressure. Included

9




10






A **modern** range in satin chrome or antique brass plate with opal glass. Suitable for low ceilings as the fittings can be converted to flush fixing as shown.



- 1 197 3AN** antique
2 197 3SC satin chrome
 D (mm) 450 H (mm) 330
 Wattage 3 x 40
 Lamp Holder G9
 Included

- 3 197 1AN** antique
4 197 1SC satin chrome
 D (mm) 140 H (mm) 190
 P (mm) 210
 Wattage 1 x 40
 Lamp Holder G9
 Included

- 5 197 2LAN** antique
6 197 2LSC satin chrome
 D (mm) 350 H (mm) 430
 Wattage 2 x 40
 Lamp Holder G9
 Included

7 197 5SC satin chrome

10 197 5AN antique

D (mm) 485

H (mm) min/max 330/660

Wattage 5 x 40

Lamp Holder G9

 Included


8 197 3FLSC satin chrome

9 197 3FLAN antique

D (mm) 390 H (mm) 1680

Wattage 3 x 40

Lamp Holder G9

 Included

11 197 2SC satin chrome

12 197 2AN antique

D (mm) 290 H (mm) 250

P (mm) 180

Wattage 2 x 40

Lamp Holder G9

 Included







1

Elegant bamboo style arms and acid/clear glass.

This antique plated range is an addition to the popular 283 satin brass and satin chrome range. Suitable for low ceilings.


1 283 5AN antique
D (mm) 480 H (mm) 320
Wattage 5 x 40
Lamp Holder G9
 Included

2 283 3AN antique
D (mm) 450 H (mm) 320
Wattage 3 x 40
Lamp Holder G9
 Included

3 283 2AN antique
D (mm) 200 H (mm) 500
P (mm) 75
Wattage 2 x 40
Lamp Holder G9
 Included



2





3

4



5

4 283 5FLAN antique
D (mm) 260 H (mm) 1650
Wattage 5 x 40
Lamp Holder G9
 Included

5 283 3TLAN antique
D (mm) 280 H (mm) 540
Wattage 3 x 40
Lamp Holder G9
 Included



Satin chrome with **telescopic** centre tube,
one piece glass with clear outer and acid inner.

1 299 5SC satin chrome
D (mm) 570
H (mm) min/max 395/600
Wattage 5 x 40
Lamp Holder G9
 Included


2 299 1SC satin chrome
D (mm) 125
H (mm) 240 P (mm) 210
Wattage 1 x 40
Lamp Holder G9
 Included

3 299 3SC satin chrome
D (mm) 510
H (mm) min/max 400/565
Wattage 3 x 40
Lamp Holder G9
 Included





A simple, **sophisticated** range with gentle curving arms and matt **opal** glass. Suitable for low ceilings.




1 1507 5CH satin chrome

D (mm) 560 H (mm) 300

Wattage 5 x 40

Lamp Holder G9

 Included


2 1507 2CH satin chrome

D (mm) 330 H (mm) 170

P (mm) 135

Wattage 2 x 40

Lamp Holder G9

 Included


3 1507 3CH satin chrome

D (mm) 550 H (mm) 300

Wattage 3 x 40


Lamp Holder G9


 Included




Satin chrome range with opal glass.




1 232 1P satin chrome
 D (mm) 250
 H Adjustable max (mm) 1200
 Wattage 1 x 40
 Lamp Holder G9
 Included


2 232 WB satin chrome
 D (mm) 165 H (mm) 120
 P (mm) 220
 Wattage 1 x 40
 Lamp Holder G9
 Included

3 232 3P satin chrome
 D (mm) 740
 H Adjustable max (mm) 1000
 Wattage 3 x 40
 Lamp Holder G9
 Included



4 232 FL satin chrome
 D (mm) 310 H (mm) 1500
 Wattage 1 x 40
 Lamp Holder G9
 Included

5 232 TL satin chrome
 D (mm) 270 H (mm) 490
 Wattage 1 x 40
 Lamp Holder G9
 Included

6 232 3F satin chrome
 D (mm) 405 H (mm) 140
 Wattage 3 x 40
 Lamp Holder G9
 Included





1

Semi-flush fitting with matching wall bracket in chrome, with elegant **bowed** arms and matt, opal glass. Suitable for low ceilings.



2

1 1508 6CH chrome
D (mm) 530 H (mm) 135
Wattage 6 x 40
Lamp Holder G9
☑️ Included

2 1508 2CH chrome
D (mm) 250 H (mm) 180 P (mm) 90
Wattage 2 x 40
Lamp Holder G9
☑️ Included

Contemporary **polished** chrome fitting and wall bracket with hexagon crystal glass. Suitable for low ceilings.



3



4

3 1703 2 polished chrome
D (mm) 240 H (mm) 160 P (mm) 165
Wattage 2 x 20
Lamp Holder G4
☑️ Low pressure. Included

4 1703 8 polished chrome
D (mm) 470 H (mm) 390
Wattage 8 x 20
Lamp Holder G4
☑️ Low pressure. Included

- 1 1509 5SC** satin chrome
 D (mm) 465 H (mm) 470
 Wattage 5 x 20
 Lamp Holder G4
 Low pressure. Included

- 2 1509 5FLSC** satin chrome
 D (mm) 390 H (mm) 1650
 Wattage 5 x 20
 Lamp Holder G4
 Low pressure. Included

1



2



Satin chrome with **sweeping**
 arms and opal sphere glass.


3



4



- 3 1509 3TLSC** satin chrome
 D (mm) 255 H (mm) 475
 Wattage 3 x 20
 Lamp Holder G4
 Low pressure. Included

- 4 1509 2SC** satin chrome
 D (mm) 230 H (mm) 220
 P (mm) 160
 Wattage 2 x 20
 Lamp Holder G4
 Low pressure. Included

Modern satin chrome range with two piece glass, acid etched and clear glass plate.




1





2




3

- 1 0175 5** chrome
D (mm) 510 H (mm) 265
Wattage 5 x 40
Lamp Holder G9
 Included

- 2 0175 3** chrome
D (mm) 420 P (mm) 250
Wattage 3 x 40
Lamp Holder G9
 Included

- 3 0175 SC** chrome
D (mm) 150
H (mm) Adjustable (1200mm max)
L (mm) 750
Wattage 4 x 40
Lamp Holder G9
 Included

- 4 0175 1** chrome
D (mm) 155 H (mm) 105 P (mm) 210
Wattage 1 x 40
Lamp Holder G9
 Included



4



Satin **chrome** plated ranges supplied with white leaded glass shades. Suitable for low ceilings as the fittings can be converted to flush fixing as shown.



1 3004 3SC satin chrome
D (mm) 410 H (mm) 300
Wattage 3 x 40
Lamp Holder G9
☞ Included

3 3004 1SC satin chrome
D (mm) 125 P (mm) 175
H (mm) 180
Wattage 1 x 40
Lamp Holder G9
☞ Included

5 3005 TLSC satin chrome
D (mm) 170 H (mm) 370
Wattage 1 x 40
Lamp Holder G9
☞ Included

2 3004 5SC satin chrome
D (mm) 500 H (mm) 300
Wattage 5 x 40
Lamp Holder G9
☞ Included

4 3005 1SC satin chrome
D (mm) 100 H (mm) 210
P (mm) 200
Wattage 1 x 40
Lamp Holder G9
☞ Included

6 3005 3SC satin chrome
D (mm) 330 P (mm) 350
Wattage 3 x 40
Lamp Holder G9
☞ Included



7 3005 5SC satin chrome
H (mm) 350 D (mm) 350
Wattage 5 x 40
Lamp Holder G9
☞ Included






3




A unique satin chrome range with
spun aluminium spheres.


1 1404 6P chrome

D (mm) 320
H (mm) Max/Min 1130/adjustable
Wattage 6 x 40
Lamp Holder G9
 Included


2 1404 1WB chrome


D (mm) 105
H (mm) 220 P (mm) 160
Wattage 1 x 40
Lamp Holder G9
 Included

3 1404 3P chrome

D (mm) 240
H (mm) Max/Min 1130/adjustable
Wattage 3 x 40
Lamp Holder G9
 Included

4 1404 TL chrome

D (mm) 105 H (mm) 330
Wattage 1 x 40
Lamp Holder G9
 Included





5



6

This design is
registered with
AOID



7

This design is
registered with
AOID

5 1404 3FL chrome
D (mm) 255 H (mm) 1660
Wattage 3 x 40
Lamp Holder G9
☐➔ Included

6 1404 5 chrome
D (mm) 500
H (mm) 340
Wattage 5 x 40
Lamp Holder G9
☐➔ Included

7 1404 3 chrome
D (mm) 440
H (mm) 335
Wattage 3 x 40
Lamp Holder G9
☐➔ Included



Silver string pendant
with opal sphere.

1

Silver string pendant with
opal glass diffuser.

1 1501 P

D (mm) 400
H (mm) Max/Min 1300/800
Wattage 1 x 100
Lamp Holder ES



2 1502 P

D (mm) 405
H (mm) Max/Min 1150/650
Wattage 3 x 60
Lamp Holder ES



3 1702 7P aluminium

D (mm) 400 H (mm) Max/Min
1460/960
Wattage 7 x 40
Lamp Holder G9



4 1701 7P aluminium

D (mm) 400
H (mm) Max/Min 1340/ 840
Wattage 7 x 40
Lamp Holder G9



2

3

Aluminium sphere
and cube pendants
suspended
from adjustable
cable.



4





1



2

- 1 NE 55**
- 2 NE 56**
- D (mm) 240
- H (mm) 210
- Wattage 1 x 100

Non electric glass pendants.



3

This design is registered with AOID



5



4



6

- 3 NE ROCKET**
- 4 NE BOAT**
- D (mm) 190
- H (mm) 260
- Wattage 1 x 100


- 5 NE TRAIN**
- 6 NE BALL**
- D (mm) 270
- W (mm) 90
- Wattage 1 x 100

Wattages shown are maximum recommended and are dependent on lamp holder rating.

1



- 1 1903 5SB** satin brass
 D (mm) 410 H (mm) 350
 Wattage 5 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included

- 2 1903 1SC** satin chrome
 D (mm) 110 H (mm) 290 P (mm) 230
 Wattage 1 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included

- 3 1903 3SC** satin chrome
 D (mm) 380 H (mm) 350
 Wattage 3 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included



This is a certification mark

Satin brass or satin **chrome** plated.

2



3



4



5






These products are suitable for low ceilings and are classed as energy efficient and can be used to comply with part L of the Building Regulations. Fitted with E-line lamp holders with electronic ballast for use with 10/13 watt G24 compact fluorescent lamp. This reduces the power consumption by a factor of 5 compared with an incandescent lamp. The light output of a 10 watt compact fluorescent is equivalent to a 60 watt incandescent lamp with an approximate life of a minimum of six times longer than its equivalent incandescent lamp.

6



This is a certification mark

- 4 1903 5SC** satin chrome
 D (mm) 410 H (mm) 350
 Wattage 5 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included
- 5 1903 1SB** satin brass
 D (mm) 110 H (mm) 290 P (mm) 230
 Wattage 1 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included
- 6 1903 3SB** satin brass
 D (mm) 380 H (mm) 350
 Wattage 3 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included

1


1 **1904 5AN** antique2 **1904 5BL** black

D (mm) 440 H (mm) 410

Wattage 5 x 10

Lamp Holder G24

With integrated electronic ballast


 included


This is a certification mark

Black or antique brass plated. This **energy saving** range is suitable for low ceilings as the fittings can be converted to flush fixing as shown.

2



- 3 1904 3AN** antique
4 1904 3BL black
 D (mm) 415 H (mm) 415
 Wattage 3 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included

This is a certification mark

- 5 1904 1AN** antique
6 1904 1BL black
 D (mm) 110 H (mm) 290 P (mm) 230
 Wattage 1 x 10
 Lamp Holder G24
 With integrated electronic ballast
 included



These products are classed as energy efficient and can be used to comply with part L of the Building Regulations. Fitted with E-line lamp holders with electronic ballast for use with 10/13 watt G24 compact fluorescent lamp. This reduces the power consumption by a factor of 5 compared with an incandescent lamp. The light output of a 10 watt compact fluorescent is equivalent to a 60 watt incandescent lamp with an approximate life of a minimum of six times longer than its equivalent incandescent lamp.

A **unique** range of table lamps combining wood and mirrors, supplied complete with lampshades.




1



2



3

1 0193 LW light wood
2 0193 CR cream
 D (mm) 255 H (mm) 400
 Wattage 1 x 60
 Lamp Holder SES


3 0196 DW dark wood
4 0196 CR cream
 D (mm) 325 H (mm) 460
 Wattage 1 x 60
 Lamp Holder BC


5 0194 DW dark wood
6 0194 CR cream
 D (mm) 300 H (mm) 510
 Wattage 1 x 60
 Lamp Holder BC




5

4

6

A collection of wood, chrome and copper table lamps, supplied complete with lampshades.

0197 is fitted with a touch dimmer.



1



2



3

- 1 0191 CH** chrome
2 0191 CO copper
 D (mm) 230 H (mm) 545
 Wattage 1 x 60
 Lamp Holder BC



- 3 0192 DW** dark wood
 D (mm) 220 H (mm) 435
 Wattage 1 x 60
 Lamp Holder BC



- 4 0195 DW** dark wood
 D (mm) 360 H (mm) 590
 Wattage 1 x 60
 Lamp Holder BC



- 5 0197 DW** dark wood
 D (mm) 210 H (mm) 340
 Wattage 1 x 60
 Lamp Holder BC



4



5



1



Beautiful **plate glass**
display floor lamp.

Polished chrome and glass
matching table and floor lamp,
supplied complete with lampshade.



2



3

1 CONCERTO plate glass
D (mm) 300 H (mm) 1660
Wattage 1 x 100
Lamp Holder ES
Ornaments not included.

2 069 TL
D (mm) 310 H (mm) 610
Wattage 1 x 60
Lamp Holder BC
Lamp Holder BC

3 069 FL
D (mm) 350 H (mm) 1520
Wattage 1 x 100
Lamp Holder BC
Lamp Holder BC


Swing arm matching table and floor lamps in antique bronze or polished chrome. Table lamps are fitted with touch switches and floor lamps with in-line switch.



1 185 TLCH polished chrome

3 185 TLBR antique bronze
D (mm) 305/430 H (mm) 350
Wattage 1 x 40
Lamp Holder G9
 Included

2 185 FLCH polished chrome

4 185 FLBR antique bronze
D (mm) Adjustable H (mm) 1310
Wattage 1 x 40
Lamp Holder G9
 Included

claire

- 6"** D (mm) 153 H (mm) 110
- 10"** D (mm) 255 H (mm) 185
- 12"** D (mm) 305 H (mm) 220
- 14"** D (mm) 355 H (mm) 250
- 16"** D (mm) 410 H (mm) 285
- 18"** D (mm) 460 H (mm) 315
- 22"** D (mm) 560 H (mm) 350



Simple yet **exquisite**, white string shades.

carol

- 5.5"** D (mm) 140 H (mm) 135
- 10"** D (mm) 255 H (mm) 185
- 12"** D (mm) 305 H (mm) 235
- 14"** D (mm) 355 H (mm) 280
- 16"** D (mm) 410 H (mm) 300
- 20"** D (mm) 510 H (mm) 380

