

HEATRAE SADIA

The quality name in water heating

Trade price list 2006 ISSUE 1



New Electromax

Electromax provides wet central heating and domestic hot water with the comfort and controllability of a gas central heating boiler. For ease of installation, Electromax is a fully packaged, pre-plumbed unit which includes an electric boiler, a Duplex stainless steel unvented hot water cylinder, circulating pump, safety valves, expansion vessels and central heating and hot water controls.



New Supreme SS

Supreme SS is a stylish new range of instant boiling water dispensers for hot drinks and snacks with finger-print resistant stainless steel casing and satin chrome die-cast tap levers. Through improved *IntelliBoil™Plus* management, Supreme SS offers faster heat recovery and more cups per hour. For very high demand applications, 25 and 40 litre capacity models have been added to the range.

Effective from 1st March 2006 Issue 1 All prices exclusive of VAT

	Weight empty (kg)	Weight full (kg)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Drinking water							
SuperChill							
SuperChill 25F	29	34	0.207	f	2	95:200:225	750.00
SuperChill 25W	26	27	0.207	w	2	95:200:226	750.00
SuperChill 25B	24	25	0.180	u	2	95:200:228	550.00

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Supreme							
Supreme 140 (15 cups)	0.6	2.5	2.5	w c*	2	95:200:140	536.40
Supreme 155 (30 cups)	1.1	5.0	2.5	w c**	2	95:200:141	638.64
Supreme 170 (45 cups)	1.7	7.5	2.5	w c**	2	95:200:142	705.98
New Supreme 150 SS (15 cups)***	0.6	2.5	2.5	w c*	2	95:200:240	547.13
New Supreme 165 SS (30 cups)***	1.1	5.0	2.5	w c**	2	95:200:241	651.42
New Supreme 180 SS (45 cups)***	1.7	7.5	2.5	w c**	2	95:200:242	720.10
New Supreme 220 SS (60 cups)	2.2	10.0	3.0	w	2	95:200:243	863.25
New Supreme 250 SS (90 cups)	3.3	15.0	3.0	w	2	95:200:244	1038.51
New Supreme 310 SS (150 cups)	5.5	25.0	3.0	w	2	95:200:245	1305.00
New Supreme 560 SS (240 cups)	8.8	40.0	6.0	w	2	95:200:246	1725.00

*When fitted with counter stand accessory 95:970:132
 **When fitted with counter stand accessory 95:970:133
 ***Available 1st January 2006

	Product Code	Trade price (£)
Drinking water accessories		
Drip tray and waste (Supreme, Supreme SS & SuperChill 25B)	95:970:123	75.33
Drip tray (no waste) (Supreme, Supreme SS & SuperChill 25B)	95:970:128	62.57
7 day digital programmer (Supreme and Supreme SS (excluding 560 SS))	95:970:124	56.79
Cup holder	95:970:127	33.54
Filter kit (Supreme, Supreme SS and SuperChill 25B)	95:970:129	74.24
Replacement filter for Supreme, Supreme SS and SuperChill (all models)	95:970:130	37.12
Counter Stand Supreme 140 / 150 SS	95:970:132	89.25
Counter Stand Supreme 155 / 170 / 165 SS / 180 SS	95:970:133	94.50
Additional tap for Supreme 220 SS / 250 SS / 310 SS / 560 SS	95:970:402	55.00

Hand hygiene

	Product Code	Trade price (£)
Concept		
Concept - complete with spray nozzle	95:020:042	94.63
Handy		
Handy 3	95:020:111	63.99
Handy 7	95:020:112	70.68
Handy Dri		
Handy Dri 14	95:020:081	164.24
Handy Dri 14E	95:020:082	198.90
Handy Dri 18	95:020:083	198.90
Vandal Resistant Handy Dri		
Handy Dri 23 (White)	95:020:086	296.40
Handy Dri 23 (Chrome)	95:020:087	332.80
Hair Drier		
Hair Drier	95:020:084	178.36

Electric showers

All shower heaters supplied complete with handset, flexible hose and riser rail

	Product Code	Trade price (£)
7.2kW models		
Cameo	95:021:645	74.81
Sapphire	95:021:517	107.53
Carousel	95:021:598	137.33
8.5kW models		
Sapphire	95:021:638	116.60
Carousel	95:021:639	146.39
Accolade	95:021:641	204.70
9.8kW models		
Carousel	95:021:545	163.24
Accolade	95:021:548	228.02
10.8kW models		
Carousel	95:021:546	194.33
Accolade	95:021:549	257.84

Point of use

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Express							
Express 7	1.5	7	1	w o u	2	95:010:160	133.39
Express 7	1.5	7	3	w o u	2	95:010:161	133.39
Express 15	3.3	15	3	w o u	2	95:010:162	250.26

	Product Code	Trade price (£)
Express accessories		
Express telescopic spout 15"/24"	95:970:103	36.84
Express straight pushfit connector 15mm x 15mm	95:970:110	2.91

Also see option packs below.

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
UTC							
UTC 99	3.3	15	1.5	w o u f	2	95:010:702	367.19
UTC 99	3.3	15	3	w o u f	2	95:010:703	367.19

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
B3M							
B3M	6.6	30	3	w o u f	2	95:030:103	479.03

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
C3M							
C3M	11	50	3	w o u f	2	95:030:104	531.94

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Streamline complete with spout and valve (i.e. pack B)							
Streamline 7/1	1.5	7	1	w o	2	95:010:181	166.58
Streamline 7/3	1.5	7	3	w o	2	95:010:183	166.58
Streamline 10/1	2.2	10	1	w o	2	95:010:185	205.56
Streamline 10/3	2.2	10	3	w o	2	95:010:187	205.56

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Streamline heater only, for use with option packs							
Streamline 7/1	1.5	7	1	w o u	2	95:010:180	137.87
Streamline 7/3	1.5	7	3	w o u	2	95:010:182	137.87
Streamline 10/1	2.2	10	1	w o u	2	95:010:184	176.84
Streamline 10/3	2.2	10	3	w o u	2	95:010:186	176.84

Option packs for use with open outlet heaters. Packs J, K, M, P, Q, R, S, T can be used with Express

	Product Code	Trade price (£)
Streamline 1000 - monobloc mixer tap	95:970:344	167.44
Streamline 2000 - monobloc mixer tap with waste fitting	95:970:345	203.71
Streamline 2000 - monobloc mixer tap/waste fitting/elbow lever	95:970:346	248.00
Pack B - standard spout and valve	95:970:327	27.13
Pack C - telescopic spout and valve	95:970:329	39.50
Pack J - 2 hole mixer tap	95:970:295	145.14
Pack K - monobloc mixer tap	95:970:296	75.94
Pack M - elbow pillar taps (pair)	95:970:298	415.14
Pack P - elbow basin taps (pair)	95:970:299	406.84
Pack Q - 2 hole elbow mixer tap	95:970:310	461.75
Pack R - pillar taps (pair)	95:970:311	151.91
Pack S - basin tap (hot)	95:970:312	74.47
Pack T - basin tap (cold)	95:970:313	46.61
Pack Z - undersink adaptor unit	95:970:319	12.44
Flow reducer for Streamline	95:970:115	15.81

Unvented (mains pressure)

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Multipoint							
Multipoint 10	2.2	10	3	w f	5	95:050:143	346.91
Multipoint 10	2.2	10	4.5	w f	5	95:050:145	361.06
Multipoint 15	3.3	15	3	w f	5	95:050:144	397.51
Multipoint 15	3.3	15	4.5	w f	5	95:050:146	413.71
Multipoint 30	6.6	30	3	w	5	95:050:150	485.62
Multipoint 30	6.6	30	1	w	5	95:050:152	485.62
Multipoint 50	11	50	3	w	5	95:050:151	511.25
Multipoint 50	11	50	1	w	5	95:050:153	511.25
Multipoint 30 (horizontal)	6.6	30	3	w	5	95:050:154	621.05
Multipoint 50 (horizontal)	11	50	3	w	5	95:050:157	697.10
New Multipoint 75*	16.5	75	3	w	5	95:050:170	945.00
New Multipoint 75*	16.5	75	6	w	5	95:050:171	1006.00
New Multipoint 100*	22	100	3	w	5	95:050:172	1080.00
New Multipoint 100*	22	100	6	w	5	95:050:173	1150.00

*Available 1st February 2006

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Hotflo							
Hotflo 10	2.2	10	2.2	w f	2	95:050:148	245.20
Hotflo 15	3.3	15	2.2	w f	2	95:050:149	272.47

	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Multipoint/Hotflo accessories							
Pack U1 - Combined pressure reducing valve & strainer					2	95:970:352	58.96
Pack U2 - Expansion vessel, check valve, pressure relief (expansion) valve (Multipoint 10 & 15)					2	95:970:351	112.21
Pack U3 - TMV2 Thermostatic blending valve					2	95:970:354	97.73
Pack U5 - Expansion vessel, check valve (Hotflo)					2	95:970:356	84.22
Pack U6 - Temperature and pressure relief valve (Hotflo 99)					2	95:970:359	68.68
Pack U7 - TMV3 Thermostatic blending valve					2	95:970:360	102.50

Megaflo HE							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Megaflo D70HE	15.8	70	3	f	25	95:050:360	499.71
Megaflo CL70HE	15.8	70	3	f	25	95:050:361	634.09
Megaflo DD125HE	27.5	125	3 (x2)	f	25	95:050:362	581.89
Megaflo CL125HE	27.5	125	3	f	25	95:050:363	724.10
Megaflo DD145HE	31.9	145	3 (x2)	f	25	95:050:364	721.50
Megaflo CL145HE	31.9	145	3	f	25	95:050:365	807.60
Megaflo DD170HE	37.4	170	3 (x2)	f	25	95:050:366	755.43
Megaflo CL170HE	37.4	170	3	f	25	95:050:367	868.92
Megaflo DD210HE	46.2	210	3 (x2)	f	25	95:050:368	805.00
Megaflo DDD210HE	46.2	210	3 (x3)	f	25	95:050:380	832.22
Megaflo CL210HE	46.2	210	3	f	25	95:050:369	1017.66
Megaflo DD250HE	55	250	3 (x2)	f	25	95:050:370	880.67
Megaflo DDD250HE	55	250	3 (x3)	f	25	95:050:371	932.85
Megaflo CL250HE	55	250	3	f	25	95:050:372	1084.20
Megaflo DD300HE	66	300	3 (x2)	f	25	95:050:373	949.81
Megaflo DDD300HE	66	300	3 (x3)	f	25	95:050:374	1002.00
Megaflo CL300HE	66	300	3	f	25	95:050:375	1205.54

Megaflo HE SystemFit							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Megaflo HE SystemFit CL125 S	27.5	125	3	f	25	95:050:382	1180.14
Megaflo HE SystemFit CL145 S	31.9	145	3	f	25	95:050:384	1263.65
Megaflo HE SystemFit CL170 S28	37.4	170	3	f	25	95:050:393	1376.91
Megaflo HE SystemFit CL210 S28	46.2	210	3	f	25	95:050:394	1524.58
Megaflo HE SystemFit CL250 S28	55	250	3	f	25	95:050:395	1590.05
Megaflo HE SystemFit CL300 S28	66	300	3	f	25	95:050:396	1711.39

Megaflo accessories							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Megaflo swept tee (22 x 15 x 22)					2	95:970:509	12.77
Megaflo immersion heater with thermostat (upper straight)					2	95:970:510	61.23

Series 2000							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Series 2000/45	102	450	36 max	f	1	2000/45	
Series 2000/55	124	550	36 max	f	1	2000/55	
Series 2000/70	158	700	48 max	f	1	2000/70	
Series 2000/90	203	900	48 max	f	1	2000/90	
Series 2000/125	282	1250	54 max	f	1	2000/125	
Series 2000/150	339	1500	54 max	f	1	2000/150	
Series 2000/175	395	1750	54 max	f	1	2000/175	
Series 2000/200	451	2000	54 max	f	1	2000/200	
Series 2000/250	564	2500	72 max	f	1	2000/250	
Series 2000/300	677	3000	72 max	f	1	2000/300	

For price details of Series 2000 storage water heaters, please contact Heatrae Industrial Tel: 01274 362798

Cistern type (self venting)

FBM							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
FBM 25	5.5	25	3	w	2	95:040:200	641.41
FBM 50	11	50	3	w	2	95:040:201	794.66
FBM 75	16.5	75	3	w	2	95:040:202	944.88
FBM 125	27.5	125	3	w	2	95:040:203	1081.39
FBM 125	27.5	125	6	w	2	95:040:204	1149.28

FBM accessories							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Pack CT1 - thermostatic blending valve					2	95:970:357	84.47
Pack CT2 - pressure reducing valve					2	95:970:358	45.15

Cistern fed

Megalife HE							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Megalife HE 100 direct	22	100	3	f	25	95:030:700	393.06
Megalife HE 100 indirect	22	100	3	f	25	95:030:710	494.48
Megalife HE 120 direct	26.4	120	3	f	25	95:030:704	437.43
Megalife HE 120 indirect	26.4	120	3	f	25	95:030:714	545.20
Megalife HE 150 direct	33	150	3	f	25	95:030:701	621.27
Megalife HE 150 indirect	33	150	3	f	25	95:030:711	665.66
Megalife HE 170 direct	37.4	170	3 (x2)	f	25	95:030:702	646.64
Megalife HE 170 indirect	37.4	170	3	f	25	95:030:712	760.75
Megalife HE 210 direct	46.2	210	3 (x2)	f	25	95:030:703	710.03
Megalife HE 210 indirect	46.2	210	3	f	25	95:030:713	836.81

Series 1000 - Max. head 15 metres							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Series 1000/25	55	250	18 max	f	1	1000/25	
Series 1000/35	77	350	18 max	f	1	1000/35	
Series 1000/45	102	450	36 max	f	1	1000/45	
Series 1000/55	124	550	36 max	f	1	1000/55	
Series 1000/70	158	700	48 max	f	1	1000/70	
Series 1000/90	203	900	48 max	f	1	1000/90	
Series 1000/125	282	1250	54 max	f	1	1000/125	
Series 1000/150	339	1500	54 max	f	1	1000/150	
Series 1000/175	395	1750	54 max	f	1	1000/175	
Series 1000/200	451	2000	54 max	f	1	1000/200	
Series 1000/250	564	2500	72 max	f	1	1000/250	
Series 1000/300	677	3000	72 max	f	1	1000/300	

For price details of Series 1000 cistern fed storage water heaters, please contact Heatrae Industrial Tel: 01274 362798

Electric Boilers

Ampotec Boiler								
	Standard/ Under floor	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Ampotec Boiler C400	Standard			4			95:022:001	405.43
Ampotec Boiler C600	Standard			6			95:022:002	405.43
Ampotec Boiler C900	Standard			9			95:022:003	565.60
Ampotec Boiler C1100	Standard			11			95:022:004	672.00
Ampotec Boiler C1200	Standard			12			95:022:005	687.68
Ampotec Boiler U401	Underfloor			4			95:022:101	405.43
Ampotec Boiler U601	Underfloor			6			95:022:102	405.43
Ampotec Boiler U901	Underfloor			9			95:022:103	565.60
Ampotec Boiler U1101	Underfloor			11			95:022:104	672.00
Ampotec Boiler U1201	Underfloor			12			95:022:105	687.68

Accessories							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Ampotec Relay RL1						95:970:134	75.03
Ampotec Relay RL2						95:970:135	104.32
Ampotec Relay RL3						95:970:136	133.58

Electromax							
	Nom. cap (galls)	Nom. cap (litres)	Rating at 240V (kW)	Mounting	Guarantee (years)	Product Code	Trade price (£)
Combined electric boiler and domestic hot water store							
New Electromax	39.6	180	9 6	f	2 10	95:022:203	1500.00

	Immersed length (ins) (mm)	Rating at 240V (kW)	RDT Thermostat length (ins)	Immersion guarantee (years)	Product Code	Trade price (£)
11" Gold Dot imm + RDT stat (fit horizontal only)	11 280	3	7	2†	95:110:302R	26.63
14" Gold Dot imm + RDT stat (fit horizontal only)	14 356	3	7	2†	95:110:303R	26.63
27" Gold Dot imm + RDT stat (fit vertical only)	27 686	3	18	2†	95:110:306R	29.01
30" Gold Dot imm + RDT stat (fit vertical only)	30 762	3	18	2†	95:110:307R	29.23
36" Gold Dot imm + RDT stat (fit vertical only)	36 914	3	18	2†	95:110:308R	29.79
11" Superloy 800 imm + RDT stat (fit horizontal only)	11 280	3	7	2	95:110:901R	33.00
27" Superloy 800 imm + RDT stat (fit vertical only)	27 686	3	18	2	95:110:905R	35.10
36" Superloy 800 imm + RDT stat (fit vertical only)	36 914	3	18	2	95:110:907R	36.05

†Heatrae Sadia Gold Dot immersion heaters are suitable for normal water situations. In aggressive water conditions, Maxistore or Superloy 800 should be used. Titanium immersion heaters are suitable where the water is hard or very aggressive. Please contact your local water supplier for details of water quality in your area. *All Thermostats supplied with Heatrae Sadia Immersion Heaters are guaranteed for two years.

	Immersed length (ins) (mm)	Rating at 240V (A)	Thermostat length(s) (ins)	Immersion guarantee (years)	Product Code	Trade price (£)
Maxistore 14" + RDT stat	14 356	3	11	2	95:110:721R	40.00
Titanium 11" + RDT stat (fit horizontal only)	11 280	3	7	5*	95:110:400R	40.68
Titanium 14" + RDT stat (fit horizontal only)	14 356	3	7	5*	95:110:403R	43.62
Titanium 27" + RDT stat (fit vertical only)	27 686	3	18	5*	95:110:401R	49.78

†Heatrae Sadia Gold Dot immersion heaters are suitable for normal water situations. In aggressive water conditions, Maxistore or Superloy 800 should be used. Titanium immersion heaters are suitable where the water is hard or very aggressive. Please contact your local water supplier for details of water quality in your area. *All Thermostats supplied with Heatrae Sadia immersion heaters are guaranteed for two years.

Thermostats

RDT combined thermostat and safety cut-out

	Rating at 240V (A)	Thermostat length (ins) (mm)	Guarantee (years)	Product Code	Trade price (£)
RDT 7" horizontal thermostat	16	7 178	2	95:980:034	10.09
RDT 11" horizontal thermostat	16	11 280	2	95:980:035	10.97
RDT 11" vertical thermostat	16	11 280	2	95:980:043	10.97
RDT 18" vertical thermostat	16	18 458	2	95:980:036	11.85

Industrial immersion heaters

2" B.S.P. head (rod type)*

	Immersed length (ins)	Rating at 240V (kW)	Guarantee (years)	Product Code	Trade price (£)
5R111	11	1	1	97:136:101	
5R215	15	2	1	97:136:102	
5R311	11	3	1	97:136:103	
5R615	15	6	1	97:136:105	
5R926	26	9	1	97:136:107	
5R1234	34	12	1	97:136:108	

2½" B.S.P. head (rod type)*

	Immersed length (ins)	Rating at 240V (kW)	Guarantee (years)	Product Code	Trade price (£)
6R111	11	1	1	97:136:111	
6R215	15	2	1	97:136:112	
6R311	11	3	1	97:136:113	
6R330	30	3	1	97:136:114	
6R411	11	4	1	97:136:119	
6R415	15	4	1	97:136:120	
6R615	15	6	1	97:136:115	
6R630	30	6	1	97:136:116	
6R642	42	6	1	97:136:121	
6R724	24	7	1	97:136:122	
6R916	16	9	1	97:136:126	
6R923	23	9	1	97:136:125	
6R926	26	9	1	97:136:117	
6R936	36	9	1	97:136:123	
6R1223	23	12	1	97:136:124	
6R1234	34	12	1	97:136:118	

For price details of Industrial immersion heaters, please contact Heatrae Industrial Tel: 01274 362798

	Immersed length (ins)	Rating at 240V (kW)	Guarantee (years)	Product Code	Trade price (£)
--	-----------------------	---------------------	-------------------	--------------	-----------------

2" B.S.P. head (core type)*

5C219	19	2	1	97:138:001	
5C327	27	3	1	97:138:002	
5C438	38	4	1	97:138:003	
5C650	50	6	1	97:138:004	

2½" B.S.P. head (core type)*

6C219	19	2	1	97:138:005	
6C327	27	3	1	97:138:006	
6C438	38	4.5	1	97:138:007	
6C650	50	6	1	97:138:008	

For price details of Industrial immersion heaters, please contact Heatrae Industrial Tel: 01274 362798

*All rod-type immersion heaters supplied with a control thermostat 40/88°C

Guarantees: For further details regarding product guarantees, please refer to specific product literature or contact your local sales manager.

Goods are sold subject to our standard conditions of sale, copies of which are available on request.

All prices shown are carriage paid in the U.K. mainland only. Carriage extra (plus VAT where applicable) for Isle of Wight, Isle of Man, Northern Ireland and the outer islands of Scotland.

VAT Registration No. 604 665 837. All prices exclusive of VAT

Notes

HEATRAE SADIA

The quality name in water heating

Products

APPROVED SPARES STOCKISTS

Electric Water Heating Co.
2 Horsecroft Place, Pinnacles,
Harlow, Essex CM19 5BT
Tel: 0845 0553811
E-mail: sales@ewh.co.uk

Eyre & Elliston
Unit 12, Spitfire Way,
Airlinks Industrial Estate,
Heston, Middlesex,
TW5 9NR
Tel: 020 8573 0574

Parts Center
Network 65 Business Park,
Bentley Wood Way, Burnley,
Lancashire BB11 5ST
Tel: 01282 834403
www.partscenter.co.uk

Newey & Eyre
Specialists Products Division
Please contact your local branch.

UK Spares Ltd
Tower Lane, Warmley, Bristol
BS30 8XT
Tel: 0117 961 6670

William Wilson Ltd
Unit 3A, 780 South Street,
Whiteinch, Glasgow G14 0SY
Tel: 0141 4341530

Boiling water Supreme | Supreme SS

Chilled water SuperChill

Cistern-fed water heating MegaLife HE

Cistern-type water heating FBM

Electric flow boiler Amptec | Electromax

Electric showers Accolade | Carousel | Sapphire | Cameo

Hand hygiene Handy | Concept | Hair Drier | Handy Dri

Immersion heaters Titanium | Superloy | Gold Dot | Maxistore | RDT Thermostats

Point of use Streamline | Express | UTC 99 | B3M | C3M | Vented tap range

Small unvented water heating Hotflo | Multipoint

Unvented water heating Megaflo HE | Megaflo HE SystemFit

For free product brochure(s) call our literature hotline on 01603 420127

Contact

Specification T: 01603 420220 F: 01603 420229 E: specifier@heatraesadia.com

Sales T: 01603 420110 F: 01603 420149 E: sales@heatraesadia.com

Service T: 01603 420330 F: 01603 420349 E: service@heatraesadia.com

Credit control T: 01603 420320 F: 01603 420329

Web www.heatraesadia.com

National service network

Heatrae Sadia products are inherently reliable and are designed to meet the demanding needs of all users.

A nationwide network of experienced engineers is available to provide fast and efficient on-site service support.

In addition, spare parts for the complete range of products are readily available through a wide variety of stockists.



Heatrae Sadia Heating
Hurricane Way Norwich Norfolk NR6 6EA

Heatrae Sadia Heating may introduce modifications to their products from time to time. Consequently, the details given in this brochure are subject to alteration without notice. Errors and omissions excepted.

95 900 853