

stone effect ceramic floor tiles replicate the natural beauty of stone flooring without the inherent problems associated with a natural product.

bali



Bali Nieve



Ciottoli Bali Nieve



Mosaico Bali Nieve

Description

Ceramic stone effect floor tiles in a matt finish. Recommended matching wall tiles include the Bali ranges (please refer to section 3.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Bali Antracita	316 x 316	9.0	20.02	2	G54	P11109211
Bali Arena	316 x 316	9.0	20.02	4	G54	P11109221
Bali Nieve	316 x 316	9.0	20.02	4	G54	P11109201
Ciottoli Bali Antracita*	316 x 316	9.0	20.02	2	G56	P11101111
Ciottoli Bali Arena*	316 x 316	9.0	20.02	4	G56	P11101121
Ciottoli Bali Nieve*	316 x 316	9.0	20.02	4	G56	P11101101
Mosaico Bali Antracita*	316 x 316	9.0	19.72	2	G56	P11108111
Mosaico Bali Arena*	316 x 316	9.0	19.72	4	G56	P11108121
Mosaico Bali Nieve*	316 x 316	9.0	19.72	4	G56	P11108101


Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.16%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 *Needs to be grouted.

4 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).



Bali Arena




Ciottoli Bali Arena




Mosaico Bali Arena



Bali Antracita



Ciottoli Bali Antracita



Mosaico Bali Antracita

sants

Description

Ceramic stone effect, rectified floor tiles in a matt finish. Recommended matching wall tiles include the Sarria range (please refer to section 3.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).



Sants Gris



Sants Pulpis



Sants Crema

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Sants Crema	333 x 333	10.5	18.80	4	G105	V1286800
Sants Pulpis	333 x 333	10.5	18.80	3	G105	V1286801
Sants Gris	333 x 333	10.5	18.80	3	G105	V1286802

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).

bonn/bavaria

Description

Ceramic stone effect, rectified floor tiles in a matt finish. Recommended matching wall tiles include the Germania range (please refer to section 3.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Bonn Ambar	333 x 333	10.5	–	4	G40	V23184001
Bavaria Ambar	446 x 446	–	23.33	4	G44	V2447300

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).



Bavaria Ambar



Bonn Ambar



Bavaria Ambar

lama

Description

Ceramic stone effect floor tiles in a matt finish. Recommended matching wall tiles include the Sherpa-Lhasa range (please refer to section 3.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Lama Blanco	333 x 333	9.5	23.40	4	G40	V2330400
Lama Beige	333 x 333	9.5	23.40	4	G40	V23104011
Lama Rojo	333 x 333	9.5	23.40	3	G40	V23104021
Lama Verde	333 x 333	9.5	23.40	4	G40	V23104031
Lama Negro	333 x 333	9.5	23.40	3	G40	V2330404

Notes


1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).



Lama Blanco



Lama Beige



Lama Rojo



Lama Verde



Lama Negro

sidon

Description

Ceramic stone effect, rectified floor tiles in a gloss finish.

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Sidon Silver	446 x 446	9.6	22.34	3	G40	V2440200
Sidon Pulpis	446 x 446	9.6	22.34	3	G40	V2440201
Sidon Dune	446 x 446	9.6	22.34	3	G40	V2440202
Sidon Jade	446 x 446	9.6	22.34	3	G40	V2440203

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).



Sidon Dune

sidon



Sidon Silver



Sidon Pulpis



Sidon Dune



Sidon Jade


Staircase pieces

Description	Key*	Size (mm)	Thickness (mm)	Laid wt. (kg/m ²)	Price code	Product code
Huella Sidon Silver	a	350 x 446	9.6	26.19	29	V4412800
Huella Sidon Pulpis	a	350 x 446	9.6	26.19	29	V4412801
Huella Sidon Dune	a	350 x 446	9.6	26.19	29	V4412802
Huella Sidon Jade	a	350 x 446	9.6	26.19	29	V4412803
Huella Esq. RH Sidon Silver	b	350 x 460	9.6	27.94	34	V4372800
Huella Esq. RH Sidon Pulpis	b	350 x 460	9.6	27.94	34	V4372801
Huella Esq. RH Sidon Dune	b	350 x 460	9.6	27.94	34	V4372802
Huella Esq. RH Sidon Jade	b	350 x 460	9.6	27.94	34	V4372803
Huella Esq. LH Sidon Silver	b	350 x 460	9.6	27.94	34	V4372810
Huella Esq. LH Sidon Pulpis	b	350 x 460	9.6	27.94	34	V4372811
Huella Esq. LH Sidon Dune	b	350 x 460	9.6	27.94	34	V4372812
Huella Esq. LH Sidon Jade	b	350 x 460	9.6	27.94	34	V4372813
Zanquin RH Sidon Silver	c	100 x 446	9.6	17.37	20	V4852045
Zanquin RH Sidon Pulpis	c	100 x 446	9.6	17.37	20	V4852046
Zanquin RH Sidon Dune	c	100 x 446	9.6	17.37	20	V4852047
Zanquin RH Sidon Jade	c	100 x 446	9.6	17.37	20	V4852048
Zanquin LH Sidon Silver	c	100 x 446	9.6	17.37	20	V4852545
Zanquin LH Sidon Pulpis	c	100 x 446	9.6	17.37	20	V4852546
Zanquin LH Sidon Dune	c	100 x 446	9.6	17.37	20	V4852547
Zanquin LH Sidon Jade	c	100 x 446	9.6	17.37	20	V4852548
Zocalo Sidon Silver	d	100 x 446	9.6	19.75	13	V4850545
Zocalo Sidon Pulpis	d	100 x 446	9.6	19.75	13	V4850546
Zocalo Sidon Dune	d	100 x 446	9.6	19.75	13	V4850547
Zocalo Sidon Jade	d	100 x 446	9.6	19.75	13	V4850548

Notes

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.16 to 0.30%, thickness +/- 4%.
- 2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.
- 3 Staircases may also use Zocalo pieces (d).
- 4 Risers are cut from main tiles (e).

*Key to stair pieces



ninive



Ninive Pulpis

Description

Ceramic stone effect, rectified floor tiles in a gloss finish.

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Ninive Silver	433 x 433	9.6	21.93	3	G54	V2431800
Ninive Pulpis	433 x 433	9.6	21.93	3	G54	V2431801
Ninive Dune	433 x 433	9.6	21.93	3	G54	V2431802
Ninive Jade	433 x 433	9.6	21.93	3	G54	V2431803

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).

ninive



Ninive Silver



Ninive Pulpis



Ninive Dune



Ninive Jade


Staircase pieces

Description	Key*	Size (mm)	Thickness (mm)	Laid wt. (kg/m ²)	Price code	Product code
Huella Ninive Silver	a	350 x 433	9.6	26.63	141	V4432800
Huella Ninive Pulpis	a	350 x 433	9.6	26.63	141	V4432801
Huella Ninive Dune	a	350 x 433	9.6	26.63	141	V4432802
Huella Ninive Jade	a	350 x 433	9.6	26.63	141	V4432803
Huella Esq. RH Ninive Silver	b	350 x 450	9.6	28.00	142	V4452800
Huella Esq. RH Ninive Pulpis	b	350 x 450	9.6	28.00	142	V4452801
Huella Esq. RH Ninive Dune	b	350 x 450	9.6	28.00	142	V4452802
Huella Esq. RH Ninive Jade	b	350 x 450	9.6	28.00	142	V4452803
Huella Esq. LH Ninive Silver	b	350 x 450	9.6	28.00	142	V4452810
Huella Esq. LH Ninive Pulpis	b	350 x 450	9.6	28.00	142	V4452811
Huella Esq. LH Ninive Dune	b	350 x 450	9.6	28.00	142	V4452812
Huella Esq. LH Ninive Jade	b	350 x 450	9.6	28.00	142	V4452813
Zocalo Ninive Silver	d	100 x 433	9.6	19.70	17	V4840545
Zocalo Ninive Pulpis	d	100 x 433	9.6	19.70	17	V4840546
Zocalo Ninive Dune	d	100 x 433	9.6	19.70	17	V4840547
Zocalo Ninive Jade	d	100 x 433	9.6	19.70	17	V4840548

Notes

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.16 to 0.30%, thickness +/- 4%.
- 2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.
- 3 Staircases may also use Zocalo pieces (d).
- 4 Risers are cut from main tiles (e).

*Key to stair pieces



eglab



Eglab Amarillo

Description

Ceramic stone effect, rectified floor tiles in a matt finish.

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Eglab Gris	433 x 433	10.2	23.40	4	G48	V2430700
Eglab Amarillo	433 x 433	10.2	23.40	4	G48	V2430701
Eglab Caliza	433 x 433	10.2	23.40	4	G48	V2430702

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.


2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).

eglab



Eglab Gris



Eglab Amarillo



Eglab Caliza


Staircase pieces

Description	Key*	Size (mm)	Thickness (mm)	Laid wt. (kg/m ²)	Price code	Product code
Huella Eglab Gris	a	350 x 433	10.2	26.62	32	V4430500
Huella Eglab Amarillo	a	350 x 433	10.2	26.62	32	V4430501
Huella Eglab Caliza	a	350 x 433	10.2	26.62	32	V4430502
Huella Esq. RH Eglab Gris	b	350 x 450	10.2	28.00	55	V4450500
Huella Esq. RH Eglab Amarillo	b	350 x 450	10.2	28.00	55	V4450501
Huella Esq. RH Eglab Caliza	b	350 x 450	10.2	28.00	55	V4450502
Huella Esq. LH Eglab Gris	b	350 x 450	10.2	28.00	55	V4450510
Huella Esq. LH Eglab Amarillo	b	350 x 450	10.2	28.00	55	V4450511
Huella Esq. LH Eglab Caliza	b	350 x 450	10.2	28.00	55	V4450512
Zanquin RH Eglab Gris	c	100 x 446	9.4	17.37	20	V4851080
Zanquin RH Eglab Amarillo	c	100 x 446	9.4	17.37	20	V4851081
Zanquin RH Eglab Caliza	c	100 x 446	9.4	17.37	20	V4851082
Zanquin LH Eglab Gris	c	100 x 446	9.4	17.37	20	V4851580
Zanquin LH Eglab Amarillo	c	100 x 446	9.4	17.37	20	V4851581
Zanquin LH Eglab Caliza	c	100 x 446	9.4	17.37	20	V4851582
Zocalo Eglab Gris	d	100 x 433	9.4	20.83	17	V4840140
Zocalo Eglab Amarillo	d	100 x 433	9.4	20.83	17	V4840141
Zocalo Eglab Caliza	d	100 x 433	9.4	20.83	17	V4840142

Notes

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.16 to 0.30%, thickness +/- 4%.
- 2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.
- 3 Staircases may also use Zocalo pieces (d).
- 4 Risers are cut from main tiles (e).

*Key to stair pieces



buckingham and inverness

Description

Ceramic coloured floor tiles in a matt finish. Matching Buckingham wall tiles are available (please refer to section 3.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Buckingham	316 x 316	10	19.06	2	G54	P11120621
Inverness	316 x 316	10	19.06	3	G54	P11120631

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).



Buckingham



Inverness

seo



Seo Natural (with Tapetto Seo Natural and Tacos Sardis Natura)

Description

Ceramic stone effect floor tiles in a matt finish.

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

seo



Seo Bianco



Tapetto Seo Bianco



Mosaico Seo Bianco



Losanga Seo Bianco



Taco Seo Bianco

Tacos Sardis Bianco

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Seo Bianco	333 x 333	10.6	24.25	4	G40	V2319001
Seo Natural	333 x 333	10.6	24.25	4	G40	V23190011
	446 x 446	10.6	24.25	4	G44	V2448301
Seo Nero	333 x 333	10.6	24.25	2	G40	V23190031
Seo Musgo	333 x 333	10.6	24.25	3	G40	V23190041
Seo Barro	333 x 333	10.6	24.25	3	G40	V23190051
Tapetto Seo Bianco	333 x 333	10.6	24.25	4	G40	V2319020
Tapetto Seo Natural	333 x 333	10.6	24.25	4	G40	V2319021
Tapetto Seo Nero	333 x 333	10.6	24.25	2	G40	V2319023
Tapetto Seo Musgo	333 x 333	10.6	24.25	3	G40	V2319024
Tapetto Seo Barro	333 x 333	10.6	24.25	3	G40	V2319025
Mosaico Seo Bianco	333 x 333	10.6	24.25	4	G40	V2319040
Mosaico Seo Natural	333 x 333	10.6	24.25	4	G40	V2319041
Mosaico Seo Nero	333 x 333	10.6	24.25	2	G40	V2319043
Mosaico Seo Musgo	333 x 333	10.6	24.25	3	G40	V2319044
Mosaico Seo Barro	333 x 333	10.6	24.25	3	G40	V2319045

Notes

1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.5%.

2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.

3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).

Dimensions and shapes

Description	Size (mm)	Thickness (mm)	Weight (kg/m ²)	Class. of glazing [†]	Price code	Product code
Tacos Sardis Bianco	162.5 x 162.5	-	24.25	G8		V4160900
Tacos Sardis Natural	162.5 x 162.5	-	24.25	G8		V4160901
Tacos Sardis Musgo	162.5 x 162.5	-	24.25	G8		V4160904
Tacos Sardis Barro	162.5 x 162.5	-	24.25	G8		V4160905
Tacos Telde Natural	223 x 223	-	-	G22		V4220411
Losanga Seo Bianco	53 x 333	-	24.24	G11		V4640100
Losanga Seo Natural	53 x 333	-	24.24	G11		V4640101
Losanga Seo Nero	53 x 333	-	24.24	G11		V4640103
Losanga Seo Musgo	53 x 333	-	24.24	G11		V4640104
Losanga Seo Barro	53 x 333	-	24.24	G11		V4640105
Taco Seo Bianco	53 x 53	-	24.64	G3		V4820300
Taco Seo Natural	53 x 53	-	24.64	G3		V4820301
Taco Seo Nero	53 x 53	-	24.64	G3		V4820303
Taco Seo Musgo	53 x 53	-	24.64	G3		V4820304
Taco Seo Barro	53 x 53	-	24.64	G3		V4820305

seo



Seo Natural



Tapetto Seo Natural



Mosaico Seo Natural



Tacos Sardis Natural



Taco Seo Natural




Losanga Seo Natural




Seo Barro



Tapetto Seo Barro



Mosaico Seo Barro



Tacos Sardis Barro



Taco Seo Barro



Losanga Seo Barro



Seo Musgo



Tapetto Seo Musgo



Mosaico Seo Musgo



Tacos Sardis Musgo



Taco Seo Musgo




Losanga Seo Musgo



Seo Nero



Tapetto Seo Nero



Mosaico Seo Nero



Taco Seo Nero



Losanga Seo Nero

seo

Staircase pieces

Description	Key*	Size (mm)	Thickness (mm)	Laid wt. (kg/m ²)	Price code	Product code
Huella Seo Bianco	a	333 x 350	-	27.87	28	V4314600
Huella Seo Natural	a	333 x 350	-	27.87	28	V4314601
Huella Seo Nero	a	333 x 350	-	27.87	28	V4314603
Huella Seo Musgo	a	333 x 350	-	27.87	28	V4314604
Huella Seo Barro	a	333 x 350	-	27.87	28	V4314605
Huella Esquina Seo Bianco	a	353 x 350	-	29.80	33	V4294600
Huella Esquina Seo Natural	a	353 x 350	-	29.80	33	V4294601
Huella Esquina Seo Nero	a	353 x 350	-	29.80	33	V4294603
Huella Esquina Seo Musgo	a	353 x 350	-	29.80	33	V4294604
Huella Esquina Seo Barro	a	353 x 350	-	29.80	33	V4294605
Zanquin RH Seo Bianco	c	295 x 446	-	22.72	29	V4950200
Zanquin RH Seo Natural	c	295 x 446	-	22.72	29	V4950201
Zanquin RH Seo Nero	c	295 x 446	-	22.72	29	V4950203
Zanquin RH Seo Musgo	c	295 x 446	-	22.72	29	V4950204
Zanquin RH Seo Barro	c	295 x 446	-	22.72	29	V4950205
Zanquin LH Seo Bianco	c	295 x 446	-	22.72	29	V4951100
Zanquin LH Seo Natural	c	295 x 446	-	22.72	29	V4951101
Zanquin LH Seo Nero	c	295 x 446	-	22.72	29	V4951103
Zanquin LH Seo Musgo	c	295 x 446	-	22.72	29	V4951104
Zanquin LH Seo Barro	c	295 x 446	-	22.72	29	V4951105
Zocalo Seo Bianco	d	115 x 333	-	18.96	14	V4860340
Zocalo Seo Natural	d	115 x 333	-	18.96	14	V4860341
Zocalo Seo Nero	d	115 x 333	-	18.96	14	V4860343
Zocalo Seo Musgo	d	115 x 333	-	18.96	14	V4860344
Zocalo Seo Barro	d	115 x 333	-	18.96	14	V4860345

Notes

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.16 to 0.30%, thickness +/- 4%.
- 2 Price code refers to price grouping structure. Refer to Porcelanosa for more information.
- 3 Staircases may also use Zocalo pieces (d).
- 4 Risers are cut from main tiles (e).

*Key to stair pieces

