wood effect floor tiles are easy to install ceramic tiles that replicate the natural appearance of wood with the ability to be used in a wider variety of applications.

floor tiles wood effect

roble

2.5.1

Description

Ceramic wood effect, rectified floor tiles in a matt finish. Recommended matching wall tiles include the Space and Tecnos ranges (please refer to section 3.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).



Roble Miel

roble

Dimensions and shapes

| Description | Size (mm) | Thickness (mm) | Weight (kg/m²) | Class. | Price | Product code |
|----------------------|--------------|-------------------|----------------|--------|-------|-----------------|
| Roble Castano | 180 x 1100 | 11.0 | 25.57 | 3 | G110 | P15001021 |
| | | | | | | |
| Roble Rojo | 180 x 1100 | 11.0 | 25.57 | 2 | G110 | P15001011 |
| Zocalo Roble Castano | 100 x 435 | 9.0 | 20.46 | | G11 | P80302051 |
| Zocalo Roble Rojo | 100 x 435 | 9.0 | 20.46 | | G11 | P80302041 |
| Roble Cognac | 180 x 659 | 10.0 | 21.82 | 3 | G85 | P19101021 |
| Roble Vecchio | 180 x 659 | 10.0 | 21.82 | 3 | G85 | P19101101 |
| Roble Miel | 180 x 659 | 10.0 | 21.82 | 3 | G85 | P19101001 |
| Roble Natural | 180 x 659 | 10.0 | 21.82 | 3 | G85 | P19101071 |
| Roble Antico | 180 x 659 | 10.0 | 21.82 | 3 | G85 | P19101091 |
| Zocalo Roble Cognac | 100 x 435 | 9.0 | 18.98 | | G11 | P80301371 |
| Zocalo Roble Vecchio | 100 x 435 | 9.0 | 18.98 | | G11 | P80301291 |
| Zocalo Roble Miel | 100 x 435 | 9.0 | 18.98 | | G11 | P80301351 |
| Zocalo Roble Natural | 100 x 435 | 9.0 | 18.98 | | G11 | P80301301 |
| Zocalo Roble Antico | 100 x 435 | 9.0 | 18.98 | | G11 | P80301321 |
| | | | | | | |

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.1 to 0.13%.
- $2\ \mathsf{Price}\ \mathsf{code}\ \mathsf{refers}\ \mathsf{to}\ \mathsf{price}\ \mathsf{grouping}\ \mathsf{structure}.\ \mathsf{Refer}\ \mathsf{to}\ \mathsf{Porcelanosa}\ \mathsf{for}\ \mathsf{more}\ \mathsf{information}.$
- 3 † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).





Roble Rojo



Zocalo Roble Rojo




Roble Castaño



Zocalo Roble Castaño

haya and arce



Ceramic wood effect floor tiles in a matt finish.

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made by Butech (please refer to section 6.0).

Dimensions and shapes

| Description | Size (mm) | Thickness (mm) | Weight (kg/m²) | Class. of glazing [†] | Price code | Product code |
|---------------------|--------------|-------------------|-------------------|-----------------------------------|---------------|-----------------|
| Arce | 180 x 659 | 11.0 | 21.82 | 4 | G85 | P19101011 |
| | 1100 x 546 | 11.0 | 21.82 | 4 | G105 | P15101301 |
| Haya Natural | 180 x 659 | 11.0 | 21.82 | 4 | G85 | P19101051 |
| Haya Nordico | 180 x 659 | 11.0 | 21.82 | 4 | G85 | P19101031 |
| Zocalo Arce | 100 x 435 | 9.0 | 21.82 | | G10 | P80301361 |
| Zocalo Haya Natural | 100 x 435 | 9.0 | 18.98 | | G10 | P80301381 |
| Zocalo Haya Nordico | 100 x 435 | 9.0 | 18.98 | | G10 | P80301331 |
| | | | | | | |

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.1 to 0.13%.
- ${\small 2\ Price\ code\ refers\ to\ price\ grouping\ structure.\ Refer\ to\ Porcelanosa\ for\ more\ information.}$
- 3 $\dagger\,\text{To}$ BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).



Haya Natural



Zocalo Haya Natural



Haya Nordico



Zocalo Haya Nordico



Arce



Zocalo Arce

teka



Description

Ceramic wood effect floor tiles in a matt finish.

by Butech (please refer to section 6.0).

Typical applications

See 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance.

For full descriptions of tests, dimensional tolerances and other performance data (please refer to section 5.0).

Recommended adhesives and grouts for this product are made

Dimensions and shapes

| | • | | | | | |
|---------------------|--------------|-------------------|-------------------|-----------------------------------|---------------|-----------------|
| Description | Size (mm) | Thickness (mm) | Weight (kg/m²) | Class. of glazing [†] | Price code | Product code |
| Teka Cognac | 373 x 659 | 11.0 | 22.00 | 3 | G63 | P17103021 |
| Teka Miel | 373 x 659 | 11.0 | 22.00 | 3 | G63 | P17103011 |
| Teka Natural | 373 x 659 | 11.0 | 22.00 | 4 | G63 | P17103001 |
| Teka Tabaco | 373 x 659 | 11.0 | 22.00 | 3 | G63 | P17103031 |
| Zocalo Teka Cognac | 100 x 435 | 9.0 | 20.46 | | G11 | P80302021 |
| Zocalo Teka Miel | 100 x 435 | 9.0 | 20.46 | | G11 | P80302011 |
| Zocalo Teka Natural | 100 x 435 | 9.0 | 20.46 | | G11 | P80302001 |
| Zocalo Teka Tabaco | 100 x 435 | 9.0 | 20.46 | | G11 | P80302031 |
| | | | | | | |

Notes

- 1 Tolerances: Tested to BS EN ISO 10545-2, size +/- 0.1 to 0.13%.
- ${\small 2\ Price\ code\ refers\ to\ price\ grouping\ structure.\ Refer\ to\ Porcelanosa\ for\ more\ information.}\\$
- $3\,$ † To BS EN ISO 10545-7 (refer to section 5.1 testing and performance for classification of glazed tiles for floors according to their abrasion resistance).

teka



Teka Cognac



Teka Natural



Zocalo Teka Cognac



Zocalo Teka Natural



Teka Miel



Teka Tabaco



Zocalo Teka Miel



Zocalo Teka Tabaco