





















# Decorative Curtain Poles




# Application Chart

Specification	Dimensions		Operation	Application		Profile		Features / Options			Fitting Options		Fitting Surfaces		System		
	Weight Range	max. kg		Single Stack	Pair Stack	Profile Number	Dimensions in mm	Gliding Channel	Min. Bending Radius (mm)	Various Finials / Midials available	Intermediate Pulley available	Wave Glider Cord	Ceiling Fix	Wall Fix		Wood	Concrete
 kg				●	●	1003		3.7	150	●		●	●	●	●	●	<b>1003 M Metropole</b>
 kg				●	●	6101		5.4	300			●	●	●	●	●	<b>6100 M Metroflat</b>
 kg				●	●	6103		5.4	300	●		●	●	●	●	●	<b>6130 M Metropole</b>
 kg				●	●	0700		5.4	500	●		●	●	●	●	●	<b>6140 M Metropole</b>
 kg	6m	14kg		●	●	6106		5.4	450	●	●	●	●	●	●	●	<b>6120 M Metropole</b>
 kg	6m	14kg		●	●	0701		5.4	600	●		●	●	●	●	●	<b>6160 M Metropole</b>


 kg Light-weight applications

 kg Medium-weight applications

 kg Heavy-duty applications

## Hand Operated Curtain Pole System

# Silent Gliss® 1003M Metropole 23mm




### Product Information

- Hand operated decorative curtain poles for domestic and contract applications.
- Ideal for bay windows.
- For light to medium weight curtains.
- Made to measure.
- Profile length 6m (chrome effect 3.95m).
- Five different finishes - black, silver, chrome effect, gunmetal and white.
- Range of decorative finial and midial designs in different styles and colours.
- Midial designs can also be used with holdback arms to create an attractive additional feature.
- Wall fix with standard or ultra brackets or ceiling fix.
- Unlike other poles, 1003 can be bent to a small radius for bay windows etc. whilst retaining efficient operation



1003M

## Profile, Bending and Specification Information



1003




Std. radius 150mm

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).


Silent Gliss 1003 curtain track, hand drawn, aluminium, assembled complete with gliders 3533 at 16/m, 2 endcovers 0706 and 2 endstops 3070. Face fix with brackets 3134/6. Top fix with support 6138P. Available in black, white, silver, gunmetal and chrome effect.

## Design Options

### Finials



Finials are decorative elements that fit at the end of the pole.



- A: 0774 Paddle 90mm (dark beech, pale beech)
- B: 0768 Pepito 95mm (amber, purple)
- C: 0783 Hepworth clear glass 140mm
- D: 0884 Crystal 33mm (black, grey, green)
- E: 0888 Coral 130mm (cream, black, clear, red)
- F: 0894 Crystal cylinder 55mm (green, black, brown)


Without finial, endcaps with matching colour of the pole will be applied. Please refer to the specific Metropole brochure for more detail and colour descriptions.




1003M

## Fitting Information

Bracket positioning when using standard brackets 3134-3136 or Ultra brackets 6133/6134




## Fitting of track to brackets





- A: Using brackets 3134/2 - 3136/2  
 B: Using Ultra brackets 6133 and 6134  
 C: Using midial bracket 0797A

## Fitting Options


### Wall fix with brackets 3134-36/2





	X (mm)
3134/2	52
3135/2	72
3136/2	92




### Wall fix with ultra brackets 6133 and 6134




	X (mm)
6133	65
6134	115



### Ceiling fix with support 6138P



X (mm)
80-100




1003M



Please note: for ceiling fixing with midials, use bracket 3134/b

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

### Wall fix with adjustable bracket 0537



	X (mm)
0537	80-100



## Standard Accessories


0706	End cover (1003)		1003	Profile	
3070	Twist eye endstop		3133	Bracket cover (60mm)	
3534	Glider 3533 in strip form		6141	Track insert (uses screw 6784)	
6784	Machine screw (for 6141 insert)		3134/2	Pole extension bracket (60mm - all colours)	

## Optional Accessories

0537	Adjustable bracket		0732	Hexagonal nut		
0733	M6 washer for midial		0768	Pepito finial		
0774	Paddle finial		0783	Hepworth glass finial		
0884	Crystal square (23mm pole)		0888	Coral		
0894	Crystal cylinder (23mm)		HB1	Bamboo holdback		
1003M	HB2	Mother-of-pearl holdback		HB4	Glass discus holdback	
HB7	Leather woodend holdback		HB8	Vega square holdback		
HB9	Vega circle holdback		M8	Vega square midial		
M9	Vega circle midial		3582	Hook		
6133	Ultra bracket (70mm)		6134	Ultra bracket (120mm)		
0797A	Midial bracket		3134/b	Midial ceiling fix bracket		
3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)		
6138p	Ceiling Support Set					

## Hand Operated Curtain Pole System

# Silent Gliss® 6100M Metroflat 36mm




### Product Information

- Hand operated system for domestic and contract applications.
- Attractive contemporary appearance for modern interiors.
- Can be bent to a small radius for bay windows.
- Available in 4 finishes - chrome effect, silver, black and gunmetal.
- Accessorised with matching endcaps and brackets / bracket covers.
- Easy fitting to wall or ceiling with choice of standard or ultra brackets.
- For light to medium curtains.
- Profile length 6m (chrome effect 4m).
- Suitable for Wave Standard and Wave XL curtain heading systems.



6100M

## Profile, Bending and Specification Information



6101



Std. radius 200mm  
Min. radius Wave XL: 500mm

Standard radius is recommended for optimal operation. The minimum possible radius is 150mm.


**Note:** It is important to observe the above minimum bending radius for Wave XL. The system will not function with a smaller radius.

### Specification Information - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk)

Silent Gliss 6100M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0710. Ceiling fix with bracket 6138P each screwed to timber/plugged and screwed to block-work/concrete at 600mm centres. Finished in black, silver, gunmetal or chrome effect.

## How To Measure

### Stack size calculation Wave XL




a = Stack depth 35cm  
b = Stack size  
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)

## System Options


### Wave Standard curtain heading system



The Wave curtain heading system is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m.






The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 6007 End stop


Additional optional Wave components:

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain

### Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:

- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod




6100M

### Fitting Information

Bracket positioning when using brackets 3134/2-3136/2 or Ultra brackets 6133/6134




## Fitting of track to brackets




A: Using brackets 3134/2 - 3136/2  
 B: Using ultra brackets 6133 and 6134

## Fitting Options


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2  
Extension brackets




6141  
Track insert (uses screw 6784)


### Wall fix with ultra brackets 6133 and 6134



	X (mm)
6133	65
6134	105




6133-34  
Ultra brackets




6117  
Track insert

6100M

### Ceiling fix with support 6138P



X (mm)
80-100




6138p  
Ceiling Support Set


The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.


## Wall fix with adjustable bracket 0537



X (mm)  
0537 80-100










0537  
Adjustable bracket























6141  
Track insert (uses  
screw 6784)






## Standard Accessories

0710	Endcap		3133	Bracket cover (60mm)	
3134	Extension bracket (60mm)		6065	Twist eye endstop	
6101	Profile		6141	Track insert (uses screw 6784)	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	

## Optional Accessories

0537	Adjustable bracket		2216	Cord	
2255	Adjustable brake		3582	Hook	
3582	Hook		6007	Endstop	
6007	Endstop		6117	Track insert	
6133	Ultra bracket (70mm)		6134	Ultra bracket (120mm)	
6283	Roller glider		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Wave curtain heading tape	
6363	Top hemming tape		6364	Extension	
6365	Hanger		6366	Carrier for draw rod	
6391	Hanger		6392	Heading film	

6100M

6393	Glider	
6398	Clip	
10075	Lead weight 50 gr/m	
3135/2	Pole extension bracket (80mm - all colours)	
6138p	Ceiling Support Set	


6395	Extension	
6399	Carrier for Draw rod	
10076	Fabric weight	
3136/2	Pole extension bracket (100mm - all colours)	



6100M

## Cord Operated Curtain Pole System

# Silent Gliss® 6120M Metropole 30mm




### Product Information

- Cord operated system for domestic and contract applications.
- 6120 can be bent to a small radius for bay windows etc..
- For light to medium weight curtains.
- Made to measure.
- Profile length 6m (chrome effect and classic gold in 4m, wood effects 5m).
- Choice of 13 different finishes - chrome effect, gunmetal, anodised silver, black, white, steel grey, diva gold, classic gold and wood effects; wenge, mahogany, oak and beech.
- Wide range of finials, midials and holdbacks in contemporary or traditional styles.
- Easily fitted to wall or ceiling with choice of standard or ultra brackets (for chrome effect, gunmetal, white and black only).
- Certain finials can also be used as midials.
- Suitable for use with Wave Standard and Wave XL curtain heading systems.



6120M

## Profile, Bending and Specification Information



6106




Std. radius 450mm  
Wave XL: Min. radius 500mm

**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).**


Silent Gliss 6120 curtain track, cord drawn, aluminium, assembled complete with gliders 6143 at 10/m. Metal overlap arm 6003, pulley set 6119, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 3134/top fix with bracket 6139P each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in black, white, steel grey, diva gold, classic gold, gunmetal, chrome effect, anodised silver and wood effects; wenge, mahogany, oak and beech.

## How To Measure



A: system width  
B: cord height

## Stack size calculation Wave XL



a = Stack depth 35cm  
b = Stack size  
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
	b	73	78	83	88	93	98			
	b	154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

## System Dimensions

## Maximum curtain weights

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4


(kg max.)

## Wave and Wave XL maximum curtain weights

Maximum curtain weight when using Wave/ Wave XL curtain heading is 2.5kg/m unless the weight in above table is less in which case follow table.

## Design Options

### Finials



Finials are decorative elements that fit on at the end of the pole. Metropole corded is available with the finial options of ball end, cross-grain, urn, spear or any of the Woodend finials.


Please refer to the specific Metropole brochure for more detailed and colour descriptions.

- A: Without finials, endsets matching the colour of the pole will be applied.
- B: 0737 Woodend Alpha (oak/walnut) 30mm
- C: 0739 Woodend Beta (oak/walnut) 67mm
- D: 0719 Real Wood Spear (available in a wide range of finishes) 135mm
- E: 0556 Ball End (available in a wide range of finishes) 70mm
- F: 0891 Strata 73mm (available in all pole finishes)




6120M

### Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.



- A: M1 Bamboo Disc (90mm)
- B: M2 Mother of Pearl Disc (90mm)
- C: M4 Discus Glass (100mm - red, white, amber, purple, lilac)
- D: M7 Wood/Leather Discus (100mm - oak, walnut)
- E: M8 Vega Square 80mm
- F: M9 Vega Circle 80mm

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.

- A: HB1 Bamboo Disc 90mm
- B: HB2 Mother of Pearl Disc 90mm
- C: HB4 Discus Glass (red, white, amber, purple, lilac) 100mm
- D: HB7 Wood/Leather Discus (oak, walnut) 100mm
- E: HB8 Vega Square 80mm
- F: HB9 Vega Circle 80mm


## Wave Standard curtain heading system



Wave Standard is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m.

6120M



The Wave Standard components are:


- 6345 Glider cord 60mm
- 6346 Glider cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron on top hemming tape
- 6007 End stop
- 6315 Pilot runner

Additional optional Wave components:


- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain



## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.




The Wave XL components are:

- 2216 Cord 0.85 mm
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron-on tape
- 6383 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension
- 6398 Clip


## Fitting Information

### Bracket positioning




The fixing points for both bracket styles are identical.

For the standard bracket 3134/2-3136/2 or the ultra brackets 6133 and 6134




### Fitting of track to brackets




- A: Using brackets 3134/2 - 3136/2
- B: Using ultra brackets 6133 and 6134
- C: Using midial bracket 0797A

## Fitting Options


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2  
Extension brackets




6141  
Track insert (uses  
screw 6784)


### Wall fix with ultra brackets 6133 and 6134



	X (mm)
6133	65
6134	115




6133-34  
Ultra brackets




6117  
Track insert

### Ceiling fix with support 6138P2



X (mm)
80-100



6138P2  
Ceiling support set




6120M

Please note: for ceiling fixing with midials, use bracket 3134/b


The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

For Wave XL fix the track at least 22cm from the wall.


### Wall fix with adjustable bracket 0537



	X (mm)
0537	80-100





0537  
Adjustable bracket




6141  
Track insert (uses  
screw 6784)

## Wall fix with Pillar bracket 0674











0674  
Pillar bracket



6141  
Track insert (uses  
screw 6784)

## Standard Accessories

3091	Cord		3133	Bracket cover (60mm)	
6063	Metal overlap arm		6065	Twist eye endstop	
6106	Profile		6141	Track insert (uses screw 6784)	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	
3134/2	Pole extension bracket (60mm - all colours)				

## Sets



6119	Guide returns, containing; Depending on finials used this set may vary (6119F, 6119F/2)		0709	Endset cover for wood	2		
			3827	Bearing	2		
			6113	Case	2		
			6114	Cover (ø 40mm)	2		
			6354	Pilot runner	2		

## Optional Accessories

### Single Parts


0537	Adjustable bracket		0556	Ball end finial		
------	--------------------	-------------------------------------------------------------------------------------	------	-----------------	--	---------------------------------------------------------------------------------------


0674	Pillar bracket	
0719	Spear finial	
0739	Woodend beta finial	
0786	Cross grain finial	
HB1	Bamboo holdback	
HB4	Glass discus holdback	
HB8	Vega square holdback	
M1	Bamboo disc midial	
M4	Glass discus midial	
M8	Vega square midial	
2216	Cord	
3582	Hook	
6133	Ultra bracket (70mm)	
6283	Roller glider	
6346	Wave glider cord (80mm)	
6363	Top hemming tape	
6365	Hanger	
6391	Hanger	
6393	Glider	
6395	Extension	


0704	Urn finial	
0737	Woodend alpha finial	
0770	Finial connecting bracket	
0891	Strata (cord operated)	
HB2	Mother-of-pearl holdback	
HB7	Leather woodend holdback	
HB9	Vega circle holdback	
M2	Mother of pearl midial	
M7	Wood/leather discus midial	
M9	Vega circle midial	
3340	Cord/Chain weight (not for use with 4845 metal bead chain)	
6007	Endstop	
6134	Ultra bracket (120mm)	
6345	Wave glider cord (60mm)	
6349	Wave curtain heading tape	
6364	Extension	
6383	Limit stop	
6392	Heading film	
6394	Carrier	
6398	Clip	


  
6120M

10075 Lead weight 50 gr/m 

10076 Fabric weight 

3134/b Midial ceiling fix bracket 


3135/2 Pole extension bracket (80mm - all colours) 


3136/2 Pole extension bracket (100mm - all colours) 


6138P2 Ceiling support set 


Sets


6165 Intermediate pulley, containing

0708 Intermediate pulley cover 1 


3810 Pulley 2 

6103 Profile 1 

6164 Clamping piece 1 

6169 Holder 1 

Useful measurements

6063 Metal overlap arm 


  
6120M



6120M

## Hand Operated Curtain Pole System

# Silent Gliss® 6130M Metropole 30mm




### Product Information


- Hand operated system for domestic and contract applications.
- Unlike other poles, 6130 can be bent to a small radius for bay windows.
- Choice of 13 different finishes - gunmetal, black, steel grey, white, diva gold, classic gold, chrome effect, anodised silver and wood effects; wenge, mahogany, oak and beech.
- Metropole is available with a range of finials and midials offering a contemporary or traditional finish.
- Poles, finials and midials can be mixed and matched from these moods.
- Accessorised with matching end caps and co-ordinated or matching brackets/bracket covers.
- A wide range of finials is available for the 6130 hand operated system.
- A range of midials - a decoration projecting in front of the pole - is available for Metropole. All midials can also be used as holdbacks.
- Easy fitting to wall or ceiling with a choice of standard or ultra brackets (for black, gunmetal, chrome effect, anodised silver and white only).
- For medium to heavy curtains.
- Profile Length 6m (classic gold and chrome effect 3.95m, wood effect 5m).
- Suitable for use with Wave Standard and Wave XL curtain heading systems.



6130M

## Profile and Bending Information



  
 Std. radius 300mm  
 Wave XL: Min. radius 500mm


**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).




Silent Gliss 6130 curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0707. Face fix with bracket 3134P/top fix with bracket 6138P each screwed to timber/plugged and screwed to block-work/concrete at 600mm centres. Finished in black, white, diva gold, classic gold, gunmetal, chrome effect and anodised silver and a range of wood effects.

## How To Measure

### Stack size calculation Wave XL



a = Stack depth 35cm  
 b = Stack size  
 c = Min. distance 22cm


System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)

6130M

## Design Options


### Finials



Finials are decorative elements that fit on at the end of the pole.


Please refer to the specific Metropole brochure for more detailed and colour descriptions.






- A: Matching endcap
- B: 0556 Ball End 70mm
- C: 0719 Spear 135mm
- D: 0737 Woodend Alpha (oak or walnut) 30mm
- E: 0739 Woodend Beta (oak or walnut) 67mm
- F: 0779 Trail Glass 80mm
- G: 0782 Clear Glass Iris 190mm
- H: 0906 Strata 65mm
- I: 0882 Vega Cylinder 80mm
- J: 0881 Vega Cube 60mm
- K: 0886 Crystal Cube 55mm
- L: 0888 Coral 145mm
- M: 0896 Crystal Cylinder 55mm

### Midials




Midials are a curtain pole decoration projecting in front of the pole.


Please refer to the specific Metropole brochure for more detailed and colour descriptions.



- A: M1 Bamboo Disc (90mm)
- B: M2 Mother of Pearl Disc (90mm)
- C: M4 Discus Glass (100mm - red, white, amber, purple, lilac)
- D: M7 Wood/Leather Discus (100mm - oak, walnut)
- E: M8 Vega Square (80mm)
- F: M9 Vega Circle (80mm)



### Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.

- A: HB1 Bamboo Disc 90mm
- B: HB2 Mother of Pearl Disc 90mm
- C: HB4 Discus Glass (red, white, amber, purple, lilac) 100mm
- D: HB7 Wood/Leather Discus (oak, walnut) 100mm
- E: HB8 Vega Square 80mm
- F: HB9 Vega Circle 80mm

## Wave Standard curtain heading system



Wave Standard is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.


When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m.

The Wave standard components are:


- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 6007 End stop

Additional optional Wave components:

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain




## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.

The Wave XL components are:


- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod



6130M

## Fitting Information


### Bracket positioning when using standard brackets 3134-3136



The fixing points are identical for both available brackets.

For the standard bracket 3134/2-36/2 or the ultra brackets 6133 and 6134.

### Fitting of track to brackets




A: Using brackets 3134/2 - 3136/2

B: Using ultra brackets 6133 and 6134


C: Using midial bracket 0797A

## Fitting Options


### Wall fix with brackets 3134/2-36/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2  
Extension brackets




6141  
Track insert (uses  
screw 6784)


### Wall fix with ultra brackets 6133 and 6134



	X (mm)
6133	65
6134	115




6133-34  
Ultra brackets




6117  
Track insert

### Ceiling fix with support 6138P



X (mm)
80-100



6138p  
Ceiling Support Set




6130M

Please note: for ceiling fixing with midials, use bracket 3134/b


The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.


### Wall fix with adjustable bracket 0537



	X (mm)
0537	80-100





0537  
Adjustable bracket




6141  
Track insert (uses screw 6784)

### Wall fix with Pillar bracket 0674



0674  
Pillar bracket



6141  
Track insert (uses screw 6784)

## Standard Accessories

0707 End cover (6130)



3133 Bracket cover (60mm)



6065 Twist eye endstop



6103 Profile



6141 Track insert (uses screw 6784)



6143 Glider 6144 in strip form




6784 Machine screw (for 6141 insert)

3134/2 Pole extension bracket (60mm - all colours)



## Optional Accessories

0537 Adjustable bracket



0556 Ball end finial



0674 Pillar bracket



0719 Spear finial




0737 Woodend alpha finial



0739 Woodend beta finial











0770 Finial connecting bracket



0779 Trail glass finial



0782	Iris finial		0881	Vega cube	
0882	Vega cylinder		0886	Crystal square (30mm pole)	
0888	Coral		0896	Crystal cylinder (30mm)	
0901	Strata (hand operated)		HB1	Bamboo holdback	
HB2	Mother-of-pearl holdback		HB4	Glass disc holdback	
HB7	Leather woodend holdback		HB8	Vega square holdback	
HB9	Vega circle holdback		M1	Bamboo disc midial	
M2	Mother of pearl midial		M4	Glass disc midial	
M7	Wood/leather discus midial		M8	Vega square midial	
M9	Vega circle midial		2216	Cord	
2255	Adjustable brake		3582	Hook	
6007	Endstop		6007	Endstop	
6133	Ultra bracket (70mm)		6134	Ultra bracket (120mm)	
6283	Roller glider		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Wave curtain heading tape	
6363	Top hemming tape		6364	Extension	
6365	Hanger		6366	Carrier for draw rod	
6391	Hanger		6392	Heading film	
6393	Glider		6395	Extension	
6398	Clip		6399	Carrier for Draw rod	

6130M

0797A Midial bracket



10076 Fabric weight



3135/2 Pole extension bracket (80mm - all colours)



6138p Ceiling Support Set



10075 Lead weight 50 gr/m



3134/b Midial ceiling fix bracket




3136/2 Pole extension bracket (100mm - all colours)



6130M

## Hand Operated Curtain Pole System

# Silent Gliss® 6140M Metropole 50mm




### Product Information

- Hand operated system for domestic and contract applications.
- Can be bent for bay windows.
- Choice of 7 different finishes - black, white, steel grey, diva gold, silver and wood effects; mahogany and oak.
- Accessorised with matching end caps and co-ordinated or matching brackets/bracket covers.
- A selection of finials are available.
- Easy fitting to wall with adjustable brackets.
- For medium to heavy curtains.
- Suitable for use with Wave Standard and Wave XL curtain heading system.
- Profile length 6m (wood effect 5m).



6140M

## Profile and Bending Information




**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Guide - download [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required)**

Silent Gliss 6140M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0714. Face fix with bracket 0537 each screwed to timber /plugged and screwed to block-work/concrete at 600mm centres. Finished in black, white, steel grey, diva gold, silver and wood effects honey maple or mahogany.

## How To Measure

### Stack size calculation Wave XL



a = Stack depth 35cm  
b = Stack size  
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		


(dimensions in cm)



6140M

## Design Options

### Finials




Finials are decorative elements that fit on at the end of the pole.

- A: 0714 Matching endcaps
- B: 0717 Ball End 125mm
- C: 0718 Real Wood Spear 150mm
- D: 0697 Strata 65mm

All finials are made of real wood.


### Midials



Midials are a curtain pole decoration projecting in front of the pole.


Please refer to the specific Metropole brochure for more detail and colour descriptions.





- A: M1 Bamboo Disc (90mm)
- B: M2 Mother of Pearl Disc (90mm)
- C: M4 Discuss Glass (100mm - red, white purple, lilac)
- D: M7 Wood/Leather Disc (100mm - oak, walnut)
- E: M8 Vega Square 80mm
- F: M9 Vega Circle 80mm

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed information and colour descriptions.

- A: HB1 Bamboo Disc 90mm
- B: HB2 Mother of Pearl Disc 90mm
- C: HB4 Discus Glass (Red, white, amber, purple, lilac) 100mm
- D: HB7 Wood/Leather Disc (oak/walnut) 100mm
- E: HB8 Vega Square 80mm
- F: HB9 Vega Circle 80mm

## Wave Standard curtain heading system




Wave is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m.



6140M




The Wave standard components are:

- 2255 Adjustable brake
- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 6007 End stop


Additional optional Wave components:

- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain

## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:


- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod

## Fitting Information




### Bracket positioning when using adjustable brackets 0537

6140M



Note: If using 0731 Vela brackets spacing increases to 1 bracket per metre starting 7cm in from each end.


### Fitting of track to bracket




Using adjustable bracket 0537.

## Fitting Options


### Wall fix with adjustable brackets 0537



	X (mm)
0537	80-100




0537  
Adjustable bracket




6141  
Track insert (uses  
screw 6784)

### Wall fix with brackets 3134/2-3136/2




	X (mm)
3134/2	52
3135/2	72
3136/2	92

3134/b  
Midial ceiling fix  
bracket




6141  
Track insert (uses  
screw 6784)


### Wall fix with ultra brackets 6133 and 6134



	X (mm)
6133	65
6134	115




6133-34  
Ultra brackets




6117  
Track insert

### Wall fix with Vela bracket



0731  
Vela bracket




6141  
Track insert (uses  
screw 6784)




6140M

## Ceiling fix with 6138P2



X (mm)

80-100



















6138P2  
Ceiling support set

Min. distance from wall when using Wave XL: 220mm.

## Standard Accessories

0537	Adjustable bracket		0700	Profile 50mm	
0714	End cap 50mm		3133	Bracket cover (60mm)	
6065	Twist eye endstop		6141	Track insert (uses screw 6784)	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	

## Optional Accessories

6140M	0697	Strata hand (50mm)		0713	Midial connecting bracket	
	0717	Ball end finial (50mm pole)		0718	Spear finial (50mm pole)	
	0731	Vela bracket		HB1	Bamboo holdback	
	HB2	Mother-of-pearl holdback		HB4	Glass discus holdback	
	HB7	Leather woodend holdback		HB8	Vega square holdback	
	HB9	Vega circle holdback		M1	Bamboo disc midial	
	M2	Mother of pearl midial		M3	Veneer disc midial	
	M4	Glass discus midial		M7	Wood/leather discus midial	

M8	Vega square midial		M9	Vega circle midial	
2216	Cord		2255	Adjustable brake	
3582	Hook		6007	Endstop	
6007	Endstop		6133	Ultra bracket (70mm)	
6134	Ultra bracket (120mm)		6283	Roller glider	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Wave curtain heading tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
6366	Carrier for draw rod		6391	Hanger	
6392	Heading film		6393	Glider	
6394	Carrier		6395	Extension	
6398	Clip		6399	Carrier for Draw rod	
10075	Lead weight 50 gr/m		10076	Fabric weight	
3134/2	Pole extension bracket (60mm - all colours)		3134/b	Midial ceiling fix bracket	
3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)	
6138P2	Ceiling support set				


6140M



6140M

## Cord Operated Curtain Pole System

# Silent Gliss® 6160M Metropole




### Product Information

- Cord operated system for domestic and contract applications.
- 6160M can be bent for bay windows etc.
- For medium to heavy weight curtains.
- Made to measure.
- Choice of 7 different finishes - anodised silver, black, white, steel grey, diva gold and wood effects; oak and mahogany.
- Accessorised with matching endsets and coordinated or matching brackets/bracket covers.
- A selection of finials are available
- Easy fitting to wall with adjustable brackets.
- Suitable for use with Wave Standard and Wave XL curtain heading systems.
- Maximum profile length 6m (wood effect 5m).



6160M

## Profile, Bending and Specification Information




**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.


**Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).**

Silent Gliss 6160M curtain track, cord drawn, aluminium, assembled with gliders 6143 10/m. Metal overlap arm 6003, pulley set 0644, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 0537/top fix with bracket 6138P2 each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in black, diva gold, silver, steel grey, white and wood effects; oak and mahogany.




## How to Measure



## Stack size calculation Wave XL



a = Stack depth 35cm  
b = Stack size  
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	73	78	83	88	93	98			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

## System Dimensions



## Maximum curtain weights


	Standard Application with Glider						Standard Application with Roller						
	1 m	2 m	3 m	4 m	5 m	6 m	1 m	2 m	3 m	4 m	5 m	6 m	
	9	9	8	8	7	7		12	11	11	11	10	10
	10	10	9	9	8	8		13	13	12	11	11	10
	7	7	6	6	5	5		9	8	8	8	7	7
	8	8	7	7	6	6		10	9	9	9	8	8
	4	4	3	3	2	2		6	5	5	5	4	4
	5	5	4	4	3	3		7	6	6	6	5	5
	3	3	2	2	1	1		5	4	4	4	3	3
	4	4	3	3	2	2		6	5	5	5	4	4
	(kg max.)						(kg max.)						

## Wave and Wave XL maximum curtain weights

Maximum curtain weight when using Wave / Wave XL curtain heading is 2.5kg/m unless the weight in the above table is less in which case follow table.

## Design Options

### Finials



Finials are decorative elements that fit on at the end of the pole. 6160 corded metropole is available with the finial options of ball end, spear and strata.


Please refer to the Metropole brochure for more detailed information and colour descriptions.

- A: 0644 Standard endset
- B: 0717 Ball end finial
- C: 0718 Spear finial
- D: 0699 Strata finial




6160M

### Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.



- A: M1 Bamboo Disc (90mm)
- B: M2 Mother of Pearl Disc (90mm)
- C: M4 Discuss Glass (100mm - red, white purple, lilac)
- D: M7 Wood/Leather Discus (100mm - oak, walnut)
- E: M8 Vega Square 80mm
- F: M9 Vega Circle 80mm

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed information and colour descriptions.

- A: HB1 Bamboo Disc 90mm
- B: HB2 Mother of Pearl Disc 90mm
- C: HB4 Discuss Glass (red, white, amber, purple, lilac) 100mm
- D: HB7 Wood/Leather Discus (oak, walnut) 100mm
- E: HB8 Vega Square 80mm
- F: HB9 Vega Circle 80mm


## Wave Standard curtain heading system



Wave Standard is an exciting new contemporary heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m.

6160M




The Wave Standard components are:

- 6345 Glider cord 60mm
- 6346 Glider cord 80mm
- 3582 hook
- 6349 Curtain tape
- 6363 Iron on top hemming tape
- 6007 End stop
- 6315 Pilot runner


Additional optional Wave components:

- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain

## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.




The Wave XL components are:


- 2216 Cord 0.85mm
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron-on tape
- 6383 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension
- 6398 Clip

## Fitting Information

### Bracket positioning



### Fitting of track to bracket




Using adjustable bracket 0537.




6160M

## Fitting Options


### Wall fix with adjustable brackets 0537



	X (mm)
0537	80-100




0537  
Adjustable bracket




6141  
Track insert (uses  
screw 6784)


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2  
Pole extension  
bracket (60mm - all  
colours)




6141  
Track insert (uses  
screw 6784)


### Wall fix with ultra brackets 6133 and 6134



	X (mm)
6133	65
6134	115





6133-34  
Ultra brackets




6117  
Track insert

### Wall fix with Vela bracket




0731  
Vela bracket




6141  
Track insert (uses  
screw 6784)

### Ceiling fix with 6138P2

6160M



X (mm)
80-100




6138P2  
Ceiling support set

Min. distance from wall when using Wave XL: 220mm

## Standard Accessories

### Parts

0537 Adjustable bracket



0701 Profile 50mm (corded)



0998 Safety Cord Retainer



3091 Cord



























3133	Bracket cover (60mm)		6065	Twist eye endstop	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	
<b>Sets</b>					
0644	Guide returns, containing: (Depending on finials used this set may vary).		0642	Cover	2
			0641	Case	2
			0643	Endset cover 50mm (wood/steel grey finish)	2
			3827	Bearing	2
			6354	Pilot runner	2

## Optional Accessories

### Parts







0647	Strata (cord) unslotted end set		0699	Strata 50mm (slotted end)	
0717	Ball end finial (50mm pole)		0718	Spear finial (50mm pole)	
0731	Vela bracket		HB1	Bamboo holdback	
HB2	Mother-of-pearl holdback		HB4	Glass discus holdback	
HB7	Leather woodend holdback		HB8	Vega square holdback	
HB9	Vega circle holdback		M2	Mother of pearl midial	
M3	Veneer disc midial		M4	Glass discus midial	
M7	Wood/leather discus midial		M8	Vega square midial	
M9	Vega circle midial		3340	Cord/Chain weight (not for use with 4845 metal bead chain)	

6160M

3582	Hook		6007	Endstop	
6133	Ultra bracket (70mm)		6134	Ultra bracket (120mm)	
6283	Roller glider		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Curtain tape	
6363	Top hemming tape		6364	Extension	
6365	Hanger		6383	Limit stop	
6391	Hanger		6392	Heading film	
6393	Glider		6394	Carrier	
6395	Extension		6398	Clip	
10075	Lead weight 50 gr/m		3134/2	Pole extension bracket (60mm - all colours)	
3134/b	Midial ceiling fix bracket		3135/2	Pole extension bracket (80mm - all colours)	
3136/2	Pole extension bracket (100mm - all colours)		6138P2	Ceiling support set	

6160M


Sets

6165	Intermediate pulley, containing:	0700	Profile 50mm	1	
		0645	Intermediate pulley cover	1	
		6632	Connector	2	
		3810	Pulley	2	
		6164	Clamping piece	1	
		6169	Holder	1	

0698 Strata (50mm) Corded Finial set containing:


0647 Strata (cord) unslotted end set

1




0699 Strata 50mm (slotted end)

1



## Useful Measurements

6063 Metal overlap arm



6160M

[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: 0044 (0) 1843 863571  
Fax: 0044 (0) 1843 864503  
[sales@silentgliss.co.uk](mailto:sales@silentgliss.co.uk)