



Hoardfast Budget PVC is a basic, quick to install, modular, fixed, floor-to-ceiling internal screening system. Panels are available in a range of heights and can be easily configured to create a temporary internal partition wall. This light weight push fit system is quick to install and up to 30% cheaper than creating a timber and plasterboard stud wall.















Reduce dust

Create site office and welfare spaces

Reusable and sustainable

Quick installation

Cost effective

Next day delivery

FEATURES & RENEFITS

FEATURES	BENEFITS		
Simple push fit tongue and groove	Reduce on site setup time saving moneyNo requirement for skilled labour to install		
Reusable and recyclable	Save money by reusing on phased or multiple projectsReduced overall environmental impact for your project		
Light weight panel	Easy to move around site		
2.7m, 3.5m, 4.8m standard panel heights	Create quick floor to ceiling partitionsEasy to cut and configure as required		
Next day delivery from large UK stock*	Get items to site when you need them to prevent delays		
Easy fit single and double doors (with Digi lock)	 Create restricted access to construction sites or site offices and welfare spaces 		

^{*}Deliveries to mainland UK









Panels can also be recycled or reused to minimise environmental impact. Hoardfast Budget PVC is a cheaper and more basic alternative to our standard PVC. Unlike other panels in the Hoardfast range, budget panel is only available in 300mm width and 30mm deep, and available for purchase only.







TECHNICAL SPECIFICATIONS

Material composite	Recycled PVC plastics		
Connection method	Tongue and groove push fit		
Panel Fire rating	Not tested		
Standard panel heights	2.7m, 3.5m, 4.8m		
Panel width	0.3m		
Panel thickness	30mm		
Support options	Floor to ceiling; supplied with u-channel fixings		

TECHNICAL SPECIFICATIONS



Panels join with a push fit tongue and groove system. Corner posts and T-sections also available.



Budget PVC is installed floor to ceiling using supplied u-channels.

HOARDFAST SOLUTIONS ARE USED BY MANY INCLUDING...















This fact sheet is for illustrative purposes only and based on the latest information at the time of print. Installation methods may vary depending on specific project requirements. Westgate reserve the right to make changes at any time without notice.

westgateuk.co.uk +44 (0)1785 242181 salesteam@westgateuk.co.uk







SINGLE AND DOUBLE DOORS

FEATURES	BENEFITS		
Lift-off hinge	Quick to install and easily demountable		
Available with Digilock	Increase access security		
Chamfered threshhold	Ensures ease of access i.e. trolleys etc		
Double door is supplied with guide wheel	Maximum stabilityRobust, durable design		
Aluminium frame	Contrast clearly distinguishes access		
Clips into adjacent panels	Simple and easy to installNo screws required		






TECHNICAL SPECIFICATIONS				
Panel material composite	85% recycled PVC, 15% Virgin PVC, grey hollow fluted internal and solid white ridged external face			
Frame material	Aluminium			
Standard height	2070mm			
External width	880mm (single door) 1660mm (double door)			
Internal width	720mm (single door) 1500mm (double door)			
Panel thickness	35mm			


TECHNICAL SPECIFICATIONS



Double or single PVC doors



Insert the door as shown above



Aluminium frames are bolted together at all four corners. Single doors supplied preassembled. Double doors supplied with self-tapping screws for easy self-assembly on site.

HOARDFAST SOLUTIONS ARE USED BY MANY INCLUDING...















This fact sheet is for illustrative purposes only and based on the latest information at the time of print. Installation methods may vary depending on specific project requirements. Westgate reserve the right to make changes at any time without notice.

westgateuk.co.uk +44 (0)1785 242181 salesteam@westgateuk.co.uk







SUPPORT OPTIONS

Hoardfast Budget PVC is installed with a floor-to-ceiling fix and can be used at any height up to 4.8m.

SUPPORT TYPE	SUPPORT SPECIFICATION		USED WITH: PANEL	USED WITHS: PANEL HEIGHT
Floor-to-ceiling		• Floor-to-ceiling fixed solution up to 4.8m high	Budget PVC	2.7m / 3.5m / 4.8m
	Installed using supplied u-channels	Standard PVC	2.25m / 2.7m / 3m 4m / 5m	
		Soundscreen	2.25m / 2.7m / 3.1m	
		Firescreen	2.25m / 2.7m / 3.1m 3.5m / 4m / 4.5m	
		Flamescreen	2.25m / 2.7m / 3.5m	

This fact sneet is for illustrative purposes only and based on the latest information at the time of print. Installation methods may vary depending on specific project requirements. Westgate reserve the right to make changes at any time without notice.

