


Q-RAILING SYSTEMSTHE IDEAL SOLUTION FOR EVERY RAILING PROJECT





BRING YOUR VISION TO LIFE

WELCOME TO Q-RAILING, YOUR SOURCE OF INNOVATIVE, HIGH GRADE, DESIGNER RAILING SYSTEMS. OUR SYSTEMS SERVE AS SUPPORTS AND HANDRAILS ALONG STEPS AND STAIRWAYS, AND AS SAFETY BARRIERS AROUND BALCONIES AND BETWEEN FLOOR LEVELS.

This brochure provides an overview of our complete systems, all of which are built from our quality modular products. In fact, all 4000+ of our individual products are modular in design, largely interchangeable and quick and straightforward to install. This means that you are free to combine elements from various systems to create a completely new look. With Q-railing, your design possibilities are truly endless!

For more detailed information about all of our systems and individual products, please visit www.q-railing.com, where you can also enter the webshop or request a copy of our product catalogue.

WHY Q-RAILING?

OUALITY

Get the high quality your projects demand.

- Consistently high grade surface finish
- Extremely accurate dimensions and tight tolerances
- Q-railing is certified to ISO 9001:2015

EASY ORDERING

Start construction without delay.

- 99% of our products are available from stock
- Sales Consultants ready to help
- 24/7 ordering on our webshop; ordering by phone or email during business hours

WIDE RANGE

Choose from a large variety of railing systems.

- Products are modular; mix and match among styles and systems
- Round, rectangular, oval and flat shapes all available
- Q-railing products are made of high quality stainless steel, grades 304, 316 or 2205, aluminium, wood, galvanised steel or zamak

SAFETY

Rest assured that all products and systems have been extensively tested.

- Q-railing systems are tested and approved according to the main European building codes and standards
- All Q-railing products are CE marked; Documents of Performance are available on request

- All products are tested in Q-railing's in-house test laboratory
- Quality confirmed by certification from independent international testing institutions and leading Enforcing Authorities

INNOVATION

Deliver a state-of-the-art end result every time.

- New products and product improvements introduced each year
- BIM objects, CAD drawings and other technical specifications downloadable from www.q-railing.com
- Q-PAC (Professional Anchor Calculation) software available to calculate which Q-anchor to use, free download at www.q-railing.com
- Ground-breaking new solutions make installation faster and easier
- Products are designed to make welding unnecessary

DESIGN

Benefit from a design focus.

- Timeless good looks created by our design team and awardwinning designers
- Straightforward designs with easy installation methods that help you achieve significant savings during the construction process
- Safety and practicality always assured








CONTENT

GLASS RAILING SYSTEMS

LINEAR FIXING		
EASY GLASS® HYBRID	4	
EASY GLASS® SLIM	6	
EASY GLASS® PRO	8	
EASY GLASS® MAX	10	
POINT FIXING		
EASY GLASS® MOD 61-62	12	
EASY GLASS® MOD 6000-6400	13	
EASY GLASS® MOD 0763	14	
EASY GLASS® MOD 4762	15	
EASY GLASS® MOD 0760-0766	16	
EASY GLASS® MOD 4747	17	
EASY GLASS® MOD 0742-0749	18	
EASY GLASS® JULIET BALCONY	19	
BALUSTER RAILING SYSTEM	ıs	
DUO LINE	20	
LINEAR LINE	22	
SQUARE LINE®	24	
Q-LINE	26	
Q-LIGHTS	28	
ULTRA RANGE	30	
D LINE	31	





EASY GLASS® HYBRID THE BEST OF TWO WORLDS

EASY GLASS® HYBRID IS Q-RAILING'S LIGHTEST AND MOST ECONOMICAL GLASS RAILING SYSTEM. IT IS DESIGNED FOR EASE OF INSTALLATION AND LOW MAINTENANCE.

You can use Easy Glass Hybrid as a full glass balustrade mounted between two walls. With the larger of the two cap rails, you can create a baluster-free railing up to 2.5 m wide. Should your project call for a longer balustrade, simply add the slender baluster posts. The system's modular structure gives you a lot of flexibility as to how many of them you use.

The steel balusters are available in four different sizes, two for top mounting and two for fascia mounting. Their silver-grey powder coating makes for a striking contrast with the aluminium of the base channels and cap rails. The aluminium products either come with a matt silver effect or in a raw version. All are slim and elegant, contributing to a minimalistic look that affords maximum transparency.



- Economical glass balustrade solution
- Lightweight aluminium base shoe
- Up to 2.5 m between baluster posts
- Mountable with or without slender balusters
- No anchors needed for installation plugs and screws only
- Comes with an integrated water drainage system



Designed for:Light to heavy useUse:Indoor and outdoorVarieties:Top and fascia mount

Applications: Balustrades

Material: Aluminium (matt silver look or raw) and powder

coated steel RAL 7047

Infills:GlassGlass thickness:8 to 13.52 mmTop finish:Cap rail



Linear Light as a complementary feature

You can easily complement your Easy Glass Hybrid balustrade with Q-lights Linear Light. Various types of light are available, including warm or cold white light and RGB light. Installation is easy. With just one click, the LED strips are installed and hidden from view.





EASY GLASS® SLIM SLIM DESIGN, BIG IMPACT

BRING A DRAMATIC 'WOW' FACTOR TO YOUR PROJECT. EASY GLASS® SLIM COMBINES PERFECT DESIGN AND OPTIMAL TRANSPARENCY INTO AN ECONOMICAL GLASS BALUSTRADE SOLUTION. THANKS TO ITS LIGHTWEIGHT BASE SHOE, EASY GLASS SLIM IS EASY TO MANOEUVRE ON SITE, SAVING INSTALLATION TIME!

Easy Glass Slim is a complete and affordable solution for both interiors and exteriors. It is perfect for private residences, commercial buildings, retail shops and more – anywhere that calls for a minimalist and transparent look, where a maximum load of 1 kN is sufficient.

Due to the unique Safety Wedge system, installing the glass panels is fast and easy. Easy Glass Slim is a great example of how design, safety and functionality go hand in hand, and is an ideal choice for stairs, balconies and other private or light commercial railing solutions.







Add light for extra sophistication

Create atmosphere and enhance safety by adding Q-lights Spotlight or Linear Light to your Easy Glass Slim balustrade, indoors or outdoors. Choose the light-spacing option that suits you, or, alternatively, go for a continuous stream of functional or ambient light.



- Economical glass balustrade solution
- Lightweight aluminium base shoe
- Quick and easy installation on site
- Available with stainless steel cladding or aluminium cladding with stainless steel effect
- Integrated water drainage system







Easy Glass® Slim Fascia mount

Designed for: Light and medium use Use: Indoor and outdoor

Varieties:Top, in-floor and fascia mountApplications:Stairs and balustrades

Material: Stairs and balustrades

Aluminium (stainless steel

effect or raw)

Infills: Glass

Glass thickness: 12 to 21.52 mm **Top finish:** Cap rail, u-profile, Edge

Protection and/or additional handrail









EASY GLASS® PRO ALIGNMENT MADE EASY

EASY GLASS® PRO: THE ONLY BASE SHOE THAT LETS YOU FINE-TUNE THE ADJUSTMENT OF EACH GLASS PANEL FROM JUST ONE SIDE. PRO IS THE IDEAL SOLUTION FOR CHALLENGING CONSTRUCTION SITUATIONS.

With Easy Glass Pro you can make all necessary glass adjustments from the installation side – no bolts, screw tightening, scaffold or any special tool required!


The Easy Glass Pro base shoe works with the Safety Wedge system for simple mounting of the glass panels. It comes with either fixed or adjustable wedges, the latter letting you adjust each glass panel independently by up to 10 mm from the vertical for perfect alignment of the glass – all from the inner side of the railing system!

The system includes five base shoe models: two for top mounting and three for fascia mounting. The two top mount profiles require fewer anchors than other systems.

Two features of the Pro are the 'F' shaped base shoe (top mount) and the 'Y' shaped base shoe (fascia mount). Both are designed especially for non-finished floors, and let you place the profiles as close as possible to the edge of the concrete. The Inverse base shoe can be used as fascia mount option inside a balcony.







Easy Glass® Pro Top mount / In-floor Easy Glass® Pro F Top mount

Pro F Easy Glass® Pro Fascia mount

Pro Easy Glass® Pro Y nt Fascia mount Easy Glass® Pro Inverse Fascia mount

- All mounting and adjustment done from the inside of the balustrade
- Uses cost-effective hexagon head anchors instead of countersunk anchors
- The two top mount base channels require fewer anchors than other systems
- The 'F' shaped base shoe can be installed right on the edge of a balcony
- Quick and easy installation on site
- Suitable for even the most challenging construction situations
- Comes with integrated water drainage system

Designed for: Light and medium use **Use:** Indoor and outdoor

Varieties: Top, in-floor and fascia mount **Applications:** Stairs and balustrades

Material: Aluminium with stainless steel effect (optional: IX) or raw

Infills: Glass

Glass thickness: 12 to 21.52 mm

Top finish: Cap rail, u-profile, Edge Protection and/or additional

handrail

Extras:

- Connection pins are available to connect base channels
- Optional stainless steel finish IX provides a stainless steel effect that eliminates the need for cladding




Exclusive Linear Light cladding

You can easily enhance your Easy Glass Pro balustrade with Linear Light cladding, available exclusively for the Easy Glass Pro top mount base shoe. You can choose from various types of light, including warm or cold white light and RGB light. Installation is easy. With just one click, the LED strips are installed and hidden from view.







EASY GLASS® MAX THE STRONGEST BASE SHOE EVER

INTERNATIONAL DESIGN MODEL PROTECTION



THERE ARE NO LIMITS WHEN IT COMES TO EASY GLASS® MAX. THE SYSTEM CAN EASILY COPE WITH EXTREMELY HEAVY LOADS AND HIGH WIND SPEEDS.


The sense of space created by this glass railing system makes it a stunning addition to any public area. Easy Glass Max lets you choose from four different base shoe types, all lightweight yet ultra-strong. In addition to base channels for regular top and fascia mounting situations, Easy Glass Max includes two unique base channels designed to cover unfinished floor edges.


The F-shaped base shoe can be mounted directly on or over the edge of a balcony floor. To hide the floor edges for a seamless installation, the Y-shaped base shoe allows for fascia mounting of the balustrade directly on the edge of concrete slabs at your finished floor height.



- Suitable for use in high-demand public areas
- Quick and easy installation on site
- Integrated water drainage system
- Aluminium cladding with a stainless steel effect for fascia mount option









Easy Glass® Max Top mount / In-floor

Easy Glass® Max F Top mount

Easy Glass® Max Fascia mount

Easy Glass® Max Y Fascia mount



Designed for: Heavy and extremely heavy use

Use: Indoor and outdoor

Varieties: Top, in-floor and fascia mount

Applications: Stairs and balustrades

Material: Aluminium with stainless steel effect (optional: IX)

Infills: Glass

Glass thickness: 19 to 31.52 mm

Top finish: Cap rail, u-profile, Edge Protection and/or

additional handrail





Add light for extra sophistication

Create atmosphere and enhance safety by adding Q-lights Spotlight or Linear Light to your Easy Glass Max balustrade, indoors or outdoors. Choose the light-spacing option that suits you, or, alternatively, go for a continuous stream of functional or ambient light.









Designed for: Light use

Use: Indoor and outdoor

Varieties: Top mount **Application:** Balustrades

Material: Stainless steel 316 satined

Infills: Glass

Glass thickness: 12 to 17.52 mm

Top finish: Cap rail, u-profile,

Edge Protection and/or additional handrail

Extras:

- Matching base covers available
- Add Q-lights for extra sophistication

EASY GLASS® MOD 61-62 A NEW WAY TO EXPRESS MINIMALISM

LOOKING FOR A SOLUTION THAT IS COMPLETELY DIFFERENT AND MINIMALIST? THE SLEEK DESIGN OF THE EASY GLASS® MOD 61 AND EASY GLASS® MOD 62 BASE GLASS CLAMPS GIVES YOU A UNIQUE WAY TO ACHIEVE A FULLY TRANSPARENT VIEW. WHETHER YOUR VISION CALLS FOR A CURVED OR ANGULAR DESIGN, YOUR GLASS PANELS WILL BE SECURELY SUPPORTED IN STYLE.

Choose from two different shapes: MOD 61 is stylish and round, while MOD 62 is characterised by angular lines. For the perfect finishing touch, be sure to use the corresponding base cover caps.

- Minimalist base glass clamp system
- Available in round or angular shapes
- Easy mounting thanks to elongated holes



- MOD 6000 installs with a single anchor and MOD 6400 with two
- MOD 6000 comes with a built-in spirit level for easy levelling
- No visible screws
- Security pins available for MOD 6000, whereas MOD 6400 does not require one
- Extremely low maintenance







Designed for: Light and medium use
Use: Indoor and outdoor

Varieties:Top mountApplication:Balustrades

Material: Stainless steel 316 satined

Infills: Glass

Glass thickness: 12 to 21.52 mm

Top finish: Cap rail, u-profile,

Edge Protection and/or additional handrail

Extras:

- Security pins for base glass clamp MOD 6000 available
- Add Q-lights for extra refinement

DESIGN MODEL PROTECTION

EASY GLASS® MOD 6000-6400 MAKE A DESIGN STATEMENT

SOMETIMES YOU JUST WANT SOMETHING DIFFERENT FOR YOUR BALUSTRADE. IN THAT CASE LOOK NO FURTHER, THE EASY GLASS® MOD 6000-6400 BASE GLASS CLAMPS ARE IN A LEAGUE OF THEIR OWN.

Easy Glass® MOD 6000 is a highly distinctive surface-mounted base glass clamp that resembles a wide seashell. Designed to be maintenance free, its single-anchor fixing system gives proven strength to your glass balustrades. The MOD 6000 clamp is intended for light use, for example in private residences and light commercial properties.

Easy Glass® MOD 6400 offers the same benefits as Easy Glass MOD 6000, plus greater strength and robustness. The base glass clamp comes with the ingenious Safety Wedge system, and has been successfully tested for resistance to 1.5 kN/m line loads. Like Easy Glass MOD 6000, it eliminates the need to drill holes in the glass, as the glass infill is securely clamped.





- Rectangular smart design
- Suitable as a glass clamp or glass adapter
- Tested to resist linear line load forces up to 1 kN
- Finished with a stainless steel cover cap

EASY GLASS® MOD 0763 EXTEND GLASS OVER THE FASCIA

THE SMOOTH, RECTANGULAR-SHAPED EASY GLASS® MOD 0763 OFFERS YOU THE BEST OF TWO WORLDS: THANKS TO ITS MOVEABLE GLASS PIN, THIS VERSATILE COMPONENT CAN BE USED AS EITHER A GLASS CLAMP OR A GLASS ADAPTER. EITHER WAY, YOU GET ABSOLUTE SAFETY, TIMELESS AESTHETICS AND APPEALING DESIGN.

Peculiar to this system is the extension of the glass over the fascia for a continuous, uniform and transparent effect. You can install MOD 0763 as a glass clamp at the bottom edge between the glass panels, or place two adapters at the lower edge of each glass panel and secure with the glass pins.

Either way, the high quality stainless steel can be used both indoors and outdoors on staircases and balustrades. MOD 0763 is truly a sight to behold!





Add light for extra refinement

For an even more sophisticated effect, you can easily add Q-lights Spotlight or Linear Light to the Easy Glass MOD 4762 system, indoors or outdoors. Choose the light-spacing option that suits you, or, alternatively, go for a continuous stream of functional or ambient light.





Designed for:Light and medium useUse:Indoor and outdoorVarieties:Fascia mount

Applications: Stairs and balustrades **Material:** Stainless steel 316 satined

Infills: Glass

Glass thickness: 12 to 21.52 mm **Top finish:** Cap rail, u-profile,

Edge Protection and/or additional handrail

EASY GLASS® MOD 4762SOPHISTICATION MEETS SAFETY

INTERNATIONAL DESIGN MODEL PROTECTION

THE ELEGANTLY SQUARE-SHAPED EASY GLASS® MOD 4762 IS UNIQUE IN THE MARKET AND TRULY EMBODIES THE SAYING 'LESS IS MORE'.

A sophisticated glass adapter, the Easy Glass MOD 4762 can be the 'crown jewel' in your project, a breathtaking design element that combines safety with ease of installation. MOD 4762 incorporates a built-in spirit level that simplifies accurate alignment. The adapter is available in 316 quality, suitable for indoor or outdoor use.

- Unique square design
- Finished with a stainless steel cover cap
- Built-in spirit level
- Single anchor installation system (with the option of a second fixing)
- For indoor or outdoor use



Designed for:Light and medium useUse:Indoor and outdoorVarieties:Fascia mountApplications:Stairs and balustradesMaterial:Stainless steel 304 and

316 satined

Infills: Glass

Glass thickness: 8 to 25.52 mm

Top finish: Cap rail, u-profile,

Edge Protection and/or additional handrail

Extra

Add Q-lights for extra sophistication



EASY GLASS® MOD 0760-0766 FIRST-CLASS MULTIFUNCTIONAL DESIGN

FIND THE IDEAL BALANCE BETWEEN HIGH DESIGN STAINLESS STEEL DETAILS AND THE BEAUTIFUL TRANSPARENCY OF A GLASS BALUSTRADE WITH THE ELEGANT EASY GLASS® MOD 0760-0766 GLASS ADAPTER.

With MOD 0760-0766, the glass panels will appear to float! Characteristic of this system is the extension of the glass over the fascia for a continuous, uniform and transparent effect. The MOD 0760-0766 glass adapter comes in three different sizes, either available with a fixed or adjustable angle which easily adapts to your requirements. The variants with a fixed angle feature a built-in spirit level. Each glass adapter features two closing caps to ensure the complete system provides maximum safety.

- Glass adapter available in three sizes
- Ideal for compact surfaces and challenging building constructions
- Single anchor installation
- Offers simple adjustability
- $\,\blacksquare\,$ MOD 0760, 0761 and 0762 come with an integrated spirit level

INTERNATIONAL DESIGN MODEL PROTECTION







Designed for:Light and medium useUse:Indoor and outdoorVarieties:Fascia mount

Applications:Stairs and balustradesMaterial:Stainless steel 316 satined

Infills: Glass

Glass thickness: 8 to 21.52 mm **Top finish:** Cap rail, u-profile,

Edge Protection and/or additional handrail

Extra

Add Q-lights for extra sophistication

INTERNATIONAL DESIGN MODEL PROTECTION

EASY GLASS® MOD 4747 MINIMALIST SQUARE

DO YOU WANT TO COMBINE A MINIMALIST SQUARE SHAPE WITH AN UNPARALLELED VIEW? CHOOSE EASY GLASS® MOD 4747. THE EXTREMELY MODERN DESIGN OF THIS SQUARE GLASS ADAPTER BRINGS YOUR VISION TO LIFE.

MOD 4747, the minimalist square solution in the Easy Glass range, is just what you need for light commercial or residential buildings. What you will see is clear glass with just a small stainless steel element, nothing more and nothing less. Made of 316 quality stainless steel, this stylish glass adapter is suitable for both indoor and outdoor use. And installation is easy – MOD 4747 features a threaded bar that is equipped with an integral extra-safe Screw Lock. Think modern, choose a minimalist square!

- Easy installation using threaded bar equipped with extra-safe Screw Lock
- Maximum transparency
- Minimalist design
- For indoor and outdoor use



EASY GLASS® MOD 0742-0749 A CLEAR PERSPECTIVE

FLEXIBILITY IS EVERYTHING WITH THIS SERIES – IT OFFERS A CHOICE OF FIXING METHODS AND CLEARANCES BETWEEN THE WALL AND GLASS. THE BASE IS DESIGNED TO MAKE IT EASY TO POSITION GLASS PANELS IN PERFECT ALIGNMENT.

Whereas the other point glass adapters in the range let you make fine adjustments to the alignment of the glass before you start installing it, Easy Glass® MOD 0749 lets you do so at any stage in the installation process.

The Easy Glass® MOD 0742-0749 glass adapters work with either a mechanical anchor for concrete walls or a bolt that connects to a metal stringer. Their rounded design lends itself to a variety of different looks.

- Easily straighten glass panels at any stage during the installation process
- Available in various diameters (Ø 50, 60 and 70 mm)
- Two different fixing methods (mechanical anchor or bolt)
- Offers a choice of clearances between the concrete and the glass





Linear Light as a complementary feature

For an additional touch of elegance, go for an aluminium cap rail and add Q-lights Linear Light to the underside of your Juliet Balcony. Various types of light are available, including warm or cold white light and RGB light. Installation is easy. With just one click, the LED strips are installed and hidden from view.

Designed for: Light and medium use
Use: Indoor and outdoor

Varieties: Wall mount **Application:** Balconies

Material: Stainless steel 316 satined or aluminium with stainless

steel effect IX

Infills: Glass

Glass thickness: 8 to 21.52 mm
Top finish: Cap rail



INTERNATIONAL DESIGN MODEL PROTECTION

EASY GLASS® JULIET BALCONY THE JULIET BALCONY — EASIER THAN EVER

LOOKING FOR A STUNNING AND COMPLETELY SAFE JULIET BALCONY SYSTEM? EASY GLASS® JULIET BALCONY IS THE ANSWER. WITH A CHOICE OF ROUND AND SQUARE WALL FLANGES AND CAP RAILS YOU CAN CREATE A FRESH, TRANSPARENT LOOK IN NO TIME.

With Easy Glass Juliet Balcony, installation is extremely easy. Simply glue the wall flanges to the cap rails, place the rubber profiles onto the glass and clamp the glass into the cap rails. The flanges easily fix to the wall with chemical anchors.

Special to this system is the option of either horizontal or vertical fixing; choose the one which fits the look you want. Either way, you will be able to create Juliet balconies that are up to 2.5 metres

wide. The Easy Glass Juliet Balcony system conforms to the latest international safety standards.

- Quick installation thanks to gluing and clamping
- Enables both horizontal and vertical fixing
- Flexibility in height and width
- Create a Juliet Balcony with a width up to 2.5 metres
- Wall anchors are invisible





DUO LINEAFFORDABLE INDUSTRIAL DESIGN

DUO LINE IS A MODERN POST RAILING SYSTEM THAT COMBINES STRIKING GOOD LOOKS WITH SURPRISING AFFORDABILITY.

Suitable for both indoor and outdoor use, Duo Line has a modern industrial look and is available for top, fascia and in-floor installation. Budget-conscious builders appreciate the way the aluminium posts and zamak connectors keep costs in check.

Designers love the way the highly scratch-resistant anthracite grey powder coated posts combine with stainless steel to create a very attractive railing system. It can be combined with vertical bars or

glass infills to create the look you want. When choosing a glass infill, consider the MOD 42 glass clamp with a RAL 7016 powder coated surface to complete the industrial look.

Due to its modular clamping system, assembly is very quick and simple. To install the infills, all you need to do is push the adapters into the posts and then install the infill holders on the adapters. No drilling or tapping required – and no visible screws to distract the eye.







Add light for extra sophistication

For an even more sophisticated effect, you can easily add Q-lights Spotlight or Linear Light to the Duo Line system, indoors or outdoors. Choose the light-spacing option that suits you, or, alternatively, go for a continuous stream of functional or ambient light.

- Affordable aluminium posts and zamak connectors
- Fast installation adapters are simply pushed onto the posts
- Creates an open look
- Engineered and tested to resist linear line load forces up to 1 kN
- Highly scratch-resistant

Designed for: Light and medium use
Use: Indoor and outdoor

Suitable for: Top, in-floor and fascia mount

Applications: Stairs and balustrades

Material:Anthracite grey powder coated aluminium and zamakInfills:Bars or glass with glass clamps, Spider glass adapters

or Glass Frame Tube

Glass thickness: 8 to 12.76 mm, depending on the chosen glass

filling holders

Top finish: Round or square, stainless steel or wooden handrails







LINEAR LINERIGID LINES, FLAT SHAPES

LINEAR LINE IS A UNIQUE STAINLESS STEEL 316 POST RAILING SYSTEM BASED ON RIGID LINES AND FLAT SHAPES, WITH NO VISIBLE SCREWS TO IMPAIR THE LOOK.

With Linear Line, the stainless steel fittings are clamped onto the adapters through a simple mechanism, while the adapters are simply pushed on to the post itself. There is no need for glass drilling thanks to a new glass holder system. Choose vertical bars or use glass as your infill, held in place with either glass clamps or glass holders. You decide how to achieve the perfect end result.

- Fast installation push and clamp the adapters onto the posts
- Complete system including a wide choice of infills
- No drilling or welding required
- Engineered and tested to resist linear line load forces up to 1 kN
- No visible screws





Designed for:Light and medium useUse:Indoor and outdoor

Suitable for: Top, in-floor and fascia mount

Applications:Stairs and balustradesMaterial:Stainless steel 316 satined

Infills: Bars or glass with Spider glass adapter or glass

holder

Glass thickness: 8 to 13.52 mm, depending on the chosen glass

filling holders

Top finish: Round or square, stainless steel or wooden handrails

Extras:

- Matching cover caps for posts are available
- Security pins for glass clamps are available





Add light for extra sophistication

Create atmosphere and enhance safety by adding Q-lights Spotlight or Linear Light to your Linear Line balustrade, indoors or outdoors. Choose the light-spacing option that suits you, or, alternatively, go for a continuous stream of functional or ambient light.







SQUARE LINE®STYLISH GEOMETRIC DESIGNS

MAKE A POWERFUL STATEMENT WITH SQUARE LINE®, THE RECTANGULAR AND ULTIMATE ANSWER TO THE DEMAND FOR THE LOOK OF THIS DECADE. SQUARE LINE PROVES HOW SIMPLE GOOD DESIGN CAN BE.

The sharp lines and corners of this baluster system will transform your designs with straighter and modern-looking components. Square Line is available in three variants: Square Line® 40x40 for a 100% square look; the robust Square Line® 60x30, with thicker posts that can withstand

heavier loads; and Square Line® 40x10 as a handrail solution. Because of the modularity, you can combine Square Line with components of any other Q-railing system.



- Available in three variants: 40x40, 60x30 and 40x10
- Square, geometric angles and precise lines
- Includes an extensive range of modular square components
- Tested to resist linear line load forces up to 1 kN
- Infill choices include bars, cable, Easy Q-web or glass with glass clamps, glass holders or spider glass adapters.





Designed for: Light to heavy use **Use:** Indoor and outdoor

Suitable for:Top, in-floor and fascia mountApplications:Stairs, balustrades and wallsMaterial:Stainless steel 304 and 316 satined

Infills: Bars, cable, Easy Q-web or glass with glass clamps,

glass holders or Spider glass adapters


Glass thickness: 6 to 17.52 mm, depending on the chosen glass

filling holders

Top finish: Round or square, stainless steel or wooden handrails

Extra:

Matching cover caps for posts are available







Q-lights as a complementary feature

For extra support and a touch of refinement, install Q-lights Linear Light or Spotlight in your handrail. Various types of light are available, including warm or cold white light and RGB light. Installation is easy. With just one click, the LED strips or spotlights are installed and hidden from view.



Q-LINETHE TIMELESS CLASSIC

IF YOU PREFER ROUND SHAPES, OUR CLASSIC Q-LINE RANGE OFFERS THE GREATEST SELECTION OF COMPONENTS AND LIMITLESS POSSIBILITIES.

What makes Q-line truly classic is its timeless, minimalist design, with clean and straightforward shapes in rich satin or polished stainless steel that will never go 'out of fashion'. Q-line includes a surprisingly large array of superior pre-fabricated high-quality components.

From the transparency of glass filled railings, to the endless lines of bar infills or the industrial look of cable or web, Q-line has what you need.







Add light for extra sophistication

Create atmosphere and enhance safety by adding Q-lights Spotlight or Linear Light to your Q-line balustrade, indoors or outdoors. Choose the light-spacing option that suits you, or, alternatively, go for a continuous stream of functional or ambient light.





- Unlimited design possibilities
- Timeless look
- Extremely wide range of pre-fabricated modular components
- Available with various infills
- No welding required, installation achieved with gluing, drilling and tapping

Designed for:Light and medium useUse:Indoor and outdoor

Suitable for: Top, in-floor and fascia mount

Applications: Stairs and balustrades

Material:Stainless steel 304 and 316 satined or polishedInfills:Bars, cables, Easy Q-web or glass with glass clamps,

Spider glass adapters or Glass Frame Tube


Glass thickness: 6 to 17.52 mm, depending on the chosen glass

filling holders

Top finish: Round or square, stainless steel or wooden handrails

Extras:

- Matching cover caps for posts are available
- Security pins for glass clamps are available



Q-LIGHTS STEP INTO THE LIGHT

BRING AN EXTRA DIMENSION TO YOUR BALUSTRADE BY ADDING LED LIGHTING. WITH A RANGE THAT INCLUDES CLASSIC SPOTLIGHTS AND CONTEMPORARY LINEAR LIGHT STRIPS, YOU CAN CREATE AN EFFECTIVE LIGHTING SOLUTION FOR ANY BALUSTRADE.

The Q-lights system brings atmosphere and increased safety to your balustrade. It provides everything you need to install durable and long-lasting LED lighting, indoors or outdoors. You can choose to have

lights positioned at intervals or, alternatively, a continuous stream of functional or ambient light. Q-lights is fully compatible with multiple Q-railing glass railings and balustrades.



Q-lights Linear Light

Imagine using a beautiful ambient light to make a special feature of your railing. Q-lights Linear Light offers LED lighting options for handrails, cap rails and base shoe cladding. You can even enhance the Easy Glass Juliet Balcony system with Linear Light elements. All solutions give you a continuous, linear flow of light that contributes to both safety and ambience.

Various types of light are available, including warm or cold white light and RGB light. You can also adjust the brightness to create just the right mood for your space. Installation is easy. With just 1 click they are installed and hidden from view.

Use: Indoor and outdoor

Varieties: Warm white light (24 V, indoor IP20/outdoor IP66),

cold white light (24 V, indoor IP20/outdoor IP66)

or RGB light (24 V, indoor IP20)

Application: Stairs, balustrades, Juliet balconies and

wall railings

- LED strips for warm white light, cold white light or RGB light
- High-grade transparent or frosted plastic profiles that cover the LED strips and prevent dazzle
- Pre-wired no cables visible
- Adapter system that can turn a standard cap rail into an illuminated handrail
- Specially designed Linear Light cap rail that lets you adjust an LED strip so that it shines either in front of or behind the glass
- Aluminium cladding with a stainless steel effect for the Easy Glass Pro top mount base shoe
- Also suitable for retrofitting as part of a renovation





Q-lights Spotlight

Available in a 24V version for indoor or outdoor use and in a more cost-effective 12V version. Each LED spotlight is pre-wired to fit perfectly into the handrail using a unique click technology. Q-lights can be installed in a Ø 42.4 or Ø 48.3 mm tube (2 mm wall thickness), and can therefore be used with any of our round handrails.

Use: Indoor and outdoor

Varieties: 12V (indoor IP20/outdoor IP66)

and 24V (indoor and outdoor IP66)

Application: Stairs, balustrades and wall rails

- Pre-wired adjustable LED spotlights
- Cables concealed from view
- For Ø 42.4 or Ø 48.3 mm round stainless steel tubes (2 mm wall thickness)
- LED spotlights never become hot to the touch when lit
- Dust-proof and fully moisture-resistant



Designed for: Light use

Use:Indoor and outdoorSuitable for:Top and wall mountApplications:Stairs, balustrades and

swimming pool barriers Stainless steel 2205 satined

Material:Stainless steel 2205 satinedInfills:Glass with glass clamp MOD 28

Glass thickness: 6 to 12.76 mm **Top finish:** Additional handrail

Extras:

• Matching cover caps for posts are available

 Security pins for glass clamp MOD 28 (2205 quality) are available





ULTRA RANGEOUTSTANDING RESISTANCE GUARANTEED

ULTRA RANGE IS THE FIRST AND ONLY Q-RAILING RAILING SYSTEM MADE OUT OF STAINLESS STEEL 2205, AN EXTREMELY CORROSION-RESISTANT MATERIAL.

The Ultra Range provides unmatched quality, with extra resistance to tea-staining and pitting. Thanks to durable, corrosion-resistant materials, this range is ideal for swimming pools and coastal areas alike. The components feature rounded-off corners and sloping surfaces, to help ensure that substances which could cause corrosion easily slide off before they can do any damage. Ultra Range comes with a 2-year warranty*, quality guaranteed.

- Extremely corrosion resistant
- Suitable for coastal regions and swimming pool environments
- No welding required
- Comes with a 2-year corrosion-free guarantee*

^{*} Corrosion-free guarantee for 2 years, subject to terms and conditions.



Designed for:Light to heavy useUse:Indoor and outdoorVarieties:Top and fascia mountApplications:Stairs and balustradesMaterial:Stainless steel 316 satin

Infills: Glass

Glass thickness: 10 to 25.52 mm
Top finish: Handrail

Extra:

■ Matching cover caps for posts are available





D LINEBLUEPRINT FOR QUALITY



CREATED BY THE RENOWNED DANISH DESIGNER KNUD HOLSCHER, D LINE IS ONE OF THE MOST DESIRED RAILING SYSTEMS IN THE WORLD AND HAS BEEN AWARDED THE PRESTIGIOUS RED DOT DESIGN AWARD.

Available in high-grade 316 quality stainless steel, d line is manufactured to the highest standards for both indoor and outdoor use and is a delight to install, use and experience. With its varieties in baluster railings, structural glazing and handrails, the system gives you numerous options.

Behind d line's stunning aesthetics is an exceptional practicality that thrills designers and builders alike.

d line is constructed of a series of standardized, modular components. On-site fabrication and welding are both eliminated.

- Received the prestigious Red Dot Design Award
- Excellent high-grade 316 quality stainless steel
- Ultimate modularity
- Varieties in baluster railings, structural glazing and handrails
- Able to cope with heavy loads







Q-railing UK Unit 707 - Centre 500 Lowfield Drive Newcastle-under-Lyme ST5 OUU United Kingdom

Freephone +44 (0) 800 781 42 45 T. +44 (0) 1782 711 676 F. +44 (0) 800 781 42 46 sales.uk@q-railing.com

LANGUAGE EN • 900000001033

