




Younique® allows you to combine unlimited creativity with all the high performance properties of Formica® Laminate.

- Resistance to vandalism
- Thermal resistance
- Moisture resistance
- Fire resistance
- Abrasion and scratch resistance
- Resistance to colour fading













**Younique®** by Formica Group is a High Pressure Laminate with a customised, printed image as its decorative face. The printed image in Younique laminates is incorporated in the laminate structure and not just printed on the surface; this affords a much greater resistance to damage and ease of maintenance. Younique laminates can be either single sided, thin High Pressure Laminate, or Compact in single sided or double sided format in varying thicknesses and textures.

All Younique projects are priced on volume and complexity. For further information on sizes, pricing quotes, lead-time, file transfer options, etc. go to **www.formica.com** or contact your local Formica Group sales office or representative.


High Pressure Laminate (for bonding to a substrate)




Compact Structural Laminate (double sided)



Compact Structural Laminate (single sided)



Exterior Compact Sctructural Laminate



All Younique laminates can be supplied with a protective film coating as an option.

Formica Group products provide unbeatable solutions for most environments and applications. Highly resistant to impact and wear and tear, Younique laminates provide assurance that surfaces will perform reliably and continue to look good for many years with minimal fuss. The inert surface is hygienic and easy to clean and care for, leading to long life expectancy without demanding maintenance routines.

Screen-printed laminates are supplied in Postforming grade (HGP, 0.7mm) whilst Digital-print laminates are supplied in standard grade (HGS, 0.9mm). Both can be used with a variety of substrates to create stylish, practical elements for both vertical and horizontal applications. HGP laminate can be postformed to create curved details, eliminating joints that can disturb visuals or harbour dirt and germs. HGS laminate is ideal for flat-bonded horizontal applications.

Compact grade laminate is ideally suited to particularly demanding environments subject to high levels of impact, humidity and wear and tear. Most compact laminates are self-supporting, (needing no further bonding to substrates), and provide superior, dependable performance throughout the life of the application.

Younique laminates conform to the European standard of EN438:2005 for physical properties other than high temperature surface effects as detailed in the 180°C Dry Heat and the 100°C boil tests, which can damage the printed surface. Therefore the laminates are not recommended for worktops or similar environments and cannot be guaranteed as such.

Sheet size (mm)	Maximum printed area (mm)	
2440 x 1220	2410 x 1190	
3050 x 1300	3020 x 1270	
3050 x 1220	3020 x 1190	
3660 x 1525*	3630 x 1495*	

Finished board sizes and maximum printable areas, always centred for length and width.

<sup>\*</sup>Only available in digital print.

Grade	Grade Description	Thickness (mm)
HGP*	Horizontal, General purpose, Postforming	0.7
HGS	Horizontal, General purpose, Standard	0.9
VFP*	Vertical, Flame retardant, Postforming	0.7
CGS	Compact, General purpose, Standard	3 - 20
CGF*	Compact, General Purpose, Flame-Retardant	3 - 20
EDS	Exterior grade, Severe use, Standard	6, 8, 10
EDF*	Exterior grade, Severe use, Flame-retardant	6, 8, 10

<sup>\*</sup>Only available in silk-screen print.

#### Surface Finish Codes

Description	Designation	Code
Matte 58™	MAT	58
Gloss™ *	GLS	90

<sup>\*</sup>Only for interior.

Other finishes may be available by request.





## 2 WEEKS Files transfer, samples and approval

## 5 WEEKS Laminate manufacturing excluding delivery

#### 1. FILE SHARING - ARTWORK SUPPLY GUIDELINES

### **IMAGE SHARING:**

All files should be submitted via our Younique® landing page:

#### www.formica.com

For assistance please contact the Younique service team at younique@formica.com.



#### **FORMAT REQUIREMENTS:**

- Artwork is preferred from the Adobe Suite in .eps .ai .indd .tiff .psd formats.
- All relevant links and fonts of original artwork files are required.
- Raster (image) artwork is required in .tiff format.
- Artwork should be submitted in CMYK, if not it will be converted automatically.
- Scale of 10% or 100% is recommended.
- Resolution: minimum of 100 dpi full size (e.g. when working at 10%, files must be 1000 dpi).

#### ARTWORK PROCESSING INFORMATION & RECOMMENDATIONS:

- 4 colour black values are C65 M53 Y51 K100.
- Fonts must be supplied or outlined (be sure to ZIP files if submitted by e-mail to prevent corruption).
- For large murals and certain applications, less than 100 dpi may be acceptable. Please contact the Younique service team for advice.
- Use the page setup options to specify bleed. 5mm around each image are required for finishing.
- Printed white requirements for 1. Vector spot colour is required, 2. Raster alpha channel is required.
- You must have the rights to use any image supplied to Formica Group for reproduction through the Younique service. An IP (intellectual property) agreement is included with all quotations, to ensure basic copyright laws are upheld.

#### 2. ADVANCE APPROVAL OF SAMPLE

- All projects are subject to sample and visual approval by customer.
- Digital output samples or silk-screen colour match samples must be approved by the designer or client prior to order acceptance.
- Sample size will vary depending on the project.



#### 3. PRINTING & MANUFACTURE

Upon approval of layouts and samples, order acceptance is possible.

## INFORMATION FOR ORDER PLACEMENT:

- Quantity.
- Grade.
- Surface finish.
- Measurements.
- Indication of protective film or not.



#### 4. QUALITY CONTROL

The Younique® service team is available at all times to ensure the smoothest processing of all projects. Advice is available on matters from file creation or resourcing, to product requirements and applications. Some considerations to keep in mind:

#### **ALTERATIONS**

- If your artwork requires alteration, please contact the Younique support team at **younique@formica.com**.
- Production time may increase if guidelines are not adhered to.
- We reserve the right to charge for additional artwork time where appropriate, any such costs will be authorised before processing.

#### **COLOUR MATCHING**

- If matching to a specific colour is required, printed proof samples must be provided.

- Be aware that colour matching can be challenging due to the nature of the process and the range of achievable colours.

 Remember, in-house pigment mixed inks for silk-screen are better for exact colour system matches, digital print is restricted to inherent CMYK values and print settings.

### **FREQUENTLY ASKED QUESTIONS**

If you have questions, we have your answers...

- Q: Can Younique laminates be produced with the AR Plus® finish?
- A: Yes, for interior use only and not available in EDS and EDF.
- Q: Can Younique laminates be postformed?

A: Yes, HGP grade laminate, which is available in silk-screen only, can be postformed, HGS (digital grade laminate can be formed to a shallow radius in a cold jig but cannot be postformed.)

#### Q: Is there a minimum order quantity?

**A:** There is no minimum order quantity. You can order from just one sheet, prices will increase for small volumes as with any custom product.

### Q: For file sharing, can PDFs be used?

**A:** PDFs are not recommended since colour accuracy can be compromised, transparency within the artwork may not be rendered correctly and alterations may not be possible. All file formats will be considered, but those specified in the technical information will be likely to produce the best results.

#### Q: Do all Younique laminates come with protective film?

A: Protective film is not offered as standard. Customers need to indicate if protective film is desired at order placement.

## Q: Can Formica Group guarantee print alignment?

A: We cannot guarantee internal alignment of the prints. The laminate can be supplied with cut marks for secondary trimming to exact sizes with a tolerance of +/- 1.5mm per linear metre. External off square <1.5mm/m, internal print off square <7mm/m.

#### Q: How closely can double sided compact images be aligned?

**A:** Images for double sided compact are not guaranteed to align exactly, Formica Group will try to align images within 10mm of each other, however, due to manufacturing processes this cannot be guaranteed.

If you have any other questions, please feel free to contact the Younique service team or your local Formica sales team for further information. FAQ's will be updated frequently online at **www.formica.com**.













Formica Group are FSC™ certified and comply with the requirements of FSC. Network of participating European Formica Group sites is shown on certificate number TT-COC-003588.







#### Austria

Tel: +49 (0) 180 367 64 22 austria@formica.com

#### Belgium

Tel: +32 2 705 18 18 contact.belgie@formica.com

#### Denmark

Tel: +45 43 58 82 00 info.danmark@formica.com

#### **Finland**

Tel: +358 3 5800 200 info.finland@formica.com

#### France

Tel: +33 (0) 3 87 29 10 13 service.echantillons@formica.com

## Germany

Tel: +49 (0) 180 367 64 22 kontakt.deutschland@formica.com

#### Holland

Tel: +31 (0) 70 413 48 20 contact.nederland@formica.com

#### Ireland

Tel: +353 1 872 4322 samples.uk@formica.com Italy

Tel: +39 068 7502115 italia@formica.com

## Middle East

Tel: +971 4 329 82 80 middle.east@formica.com

## Morocco

Tel: +212 (0) 522472047 administration.maroc@formica.com

## Norway

Tel: +47 800 13 016 info.norge@formica.com

#### **Poland**

Tel: +48 22 516 20 84/85 info.polska@formica.com

#### Russia

Tel: +7 495 646 07 25 Samples tel: +8 800 333 11 63 russia@formica.com

### Spain

Tel: +34 96 122 07 13 contact.es@formica.com muestras@formica.com

#### Sweden

Tel: +46 42 38 48 00 info.sverige@formica.com

## Switzerland

Tel: +41 44 818 88 18 schweiz@formica.com

#### **United Kingdom**

Tel: +44 191 259 3100 Samples tel: +44 191 259 3512 samples.uk@formica.com

# formica.com

