



PICNIC BENCHES & TABLES

PICNIC BENCHES & TABLES



INTRODUCTION

A wide range of styles, sizes and materials

As well as the traditional uses for picnics and external dining, tables can also offer useful surfaces on which to place newspapers, books and other reading material, to use laptops and computer tablets, and even a place to play games at. Providing tables is likely to increase the length of time that visitors stay at a site and enjoy their surroundings. Our range of tables are suitable for all such uses, are available in many different styles, sizes (including child-specific versions) and materials, and can be broadly categorised into 3 main groups.



Integrated seating & tables

Key features:

- One piece constructions, easier to install than separate seats and tables, and generally heavier duty as a result
- Stylish additions to any scheme

Product ranges include:

- Thetford
- Kinder



Independent seats & benches

Key features:

- Allows for coordination with independent seats of the same style used elsewhere on the site

Product ranges include:

- RailRoad
- Elements
- Zenith / Zenith Horizon
- Parallel
- Fordham
- Cheshunt
- Core
- Plymouth



Utility ranges

Key features:

- Cost effective solutions for mass seating
- Traditional style picnic tables in all-timber, steel, and recycled plastics

Product ranges include:

- Ploughman
- Dundee
- Aberdeen
- Perth
- Bordeaux

THETFORD PICNIC BENCH & TABLE RANGE

Robust picnic bench in multiple size options

The Thetford table and bench combination is a clean design of robust construction, ideal for educational sites, pubs and restaurants, and public picnic areas. There are 4 size options – standard, wide and extra-wide table tops in the adult versions, and a scaled-down model suitable for junior school age children – each available with 2 different slats sizes for either a chunky or more refined aesthetic. Bench and table platforms are pre-assembled onto steel rails, which in turn are fixed to the fully-welded heavy duty box section end frames on site with simple bolt connections. Steelwork is galvanised as standard, with the option of a powder coated finish, and the bench and table platforms comprise hard-wearing iroko slats attached to support rails with discrete fixings. An oiled finish, which retains the natural colouration of the timbers for over a longer period, is an optional extra on all products.



Size options & applications:

Standard:

Bench: 375mm w x 475mm h

Table: 675mm w x 770mm h

Ideal for basic picnic situations

Wide:

Bench: 375mm w x 475mm h

Table: 825mm w x 770mm h

Offers more table space for dining

Extra-wide:

Bench: 375mm w x 475mm h

Table: 975mm w x 770mm h


The 815mm gap between the table frame is designed for wheelchair access, also making for a wider table top as a result

Junior:

Bench: 225mm w x 350mm h


Table: 525mm w x 620mm h

Scaled-down unit suitable for children up to 10-12 years old



Medium width slats

65mm wide slats give a refined appearance to the table and bench tops, and with more gaps are visually lighter in appearance



Wide slats

140mm wide slats on the bench and table tops give a chunky appearance, with half as many slats / gaps compared to the medium width slat tables

THETFORD PICNIC BENCH & TABLE RANGE

Size options / slat widths:

Please take time to consider which of the 8 standard options is best suited for your application, taking account of the anticipated usage of the table / bench and the preferred visual appearance in terms of the timber slat configurations.

THETFORD TABLE & BENCH

Galvanised steel table / bench end and support frames
Iroko timber slatted table and bench platforms in smooth planed finish
Supplied flat-packed and part-assembled



STANDARD - 1665mm o/a wide x 1975mm long

THE ST6 M

6-8 person table with medium width slats

THE ST6 L

6-8 person table with wide slats



WIDE - 1815mm o/a wide x 1975mm long

THE WT6 M

6-8 person table with medium width slats

THE WT6 L

6-8 person table with wide slats



EXTRA-WIDE - 1965mm o/a wide x 1975mm lg

THE XWT6 M

6-8 person table with medium width slats

THE XWT6 L

6-8 person table with wide slats



JUNIOR - 1165mm o/a wide x 1957mm long

THE JT6 M

8-10 child table with medium width slats

THE JT6 L

8-10 child table with wide slats

Installation:

Thetford products are supplied flat-packed as bench and table platforms, and end frames, for on-site assembly with supplied bolts.

Each foot has a fixing plate pre-drilled for an M12 ground fixing (not supplied).

OPTIONS:


- Timbers with UV protective finish
- Steelwork in powder coated finish
- Extended frame legs for in-ground installation
- Through-socket in table top for parasol
- Supplied fully-assembled



RIBBON MULTI-SEAT


Two-tiered seating with multiple seating aspects

The Ribbon multi-seat offers an adaptable range of two-directional & two-tier seating solutions. Available in two profile sizes, Ribbon multi-seats are suitable for a variety of applications, including schools and colleges, play areas, vantage points and pub gardens. All seats can be used as stand-alone units to offer two-tier and double aspect seating, or as a back-to-back assembly forms a games or picnic table. The steelwork frame is visually light but structurally very strong, and hot dipped galvanised for ultimate protection against corrosion. Steelwork is further offered in a durable polyester powder coated finish to any RAL colour reference. The seat / table slats are manufactured from heavy duty iroko smooth planed hardwood slats, with the option of an oiled finish.



RIBBON MULTI-SEAT

The smaller version of the multi-seat has 2 timber slats on both the lower and upper tiers, offering a relatively short seat depth of 300mm, similar to that used for most traditional picnic benches. This is a comfortable depth for 'short stay' seating provision.



RIBBON MULTI-SEAT - 2-SLAT LOWER SEAT

Standard assembly: steel bench supports, hot dip galvanised and polyester powder coated, with iroko timber slats

RIB 2M2

1 person bench, 600mm long

RIB 4M2

2 person bench, 1200mm long

RIB 6M2

3 person bench, 1800mm long

RIB 8M2

4 person bench, 2400mm long, with middle support


RIB FIX

Fixing kit for assembly of back-to-back units

OPTIONS

- Timbers with UV protective finish
- Seat supports powder coated to any RAL colour
- Seat supports in mild steel galvanised finish only
- Seat supports in stainless steel (further grades and finish options)
- Flat-pack components for on-site assembly

The larger version of the multi-seat has 3 timber slats on the lower tier and 2 on the upper. The lower tier has a seat depth of 460mm, which offers more comfort compared with a 2 slat width, and is therefore more suitable for longer term seating, for example if the seats are used as exterior desks at a school or college, or in a back-to-back assembly as a picnic table.



RIBBON MULTI-SEAT - 3-SLAT LOWER SEAT

Standard assembly: steel bench supports, hot dip galvanised and polyester powder coated, with iroko timber slats

RIB 2M3

1 person bench, 600mm long

RIB 4M3

2 person bench, 1200mm long

RIB 6M3

3 person bench, 1800mm long

RIB 8M3

4 person bench, 2400mm long, with middle support

RIB FIX

Fixing kit for assembly of back-to-back units

OPTIONS



- Timbers with UV protective finish
- Seat supports powder coated to any RAL colour
- Seat supports in mild steel galvanised finish only
- Seat supports in stainless steel (further grades and finish options)
- Flat-pack components for on-site assembly

KINDER PICNIC BENCH & TABLE

Outdoor work / dining tables for children

The Kinder range offers combined benches and tables specifically designed for children, with robust construction and durable finishes that are ideal for use in school playgrounds and amenity play areas. Kinder is available in 2 heights, to suit infant and primary school ages. Units can be used as singled-sided versions or doubled up in a picnic-table style arrangement. All steelwork is hot dip galvanised as standard, with steel-framed platforms options having a supplementary polyamide coating in a silver colour. The seating and table platform surfaces are offered in 4 different finishes, the characteristics and benefits of which are described below.


- **Larch timber slats** - chosen for their natural appearance and the ability to paint or stain them to complement the site surroundings
- **Resin-impregnated & laminated beech slats** - a high gloss, UV stable rich colouration, and extremely hardwearing finish
- **Melamine** - a single sheet black coloured surface which is both hard wearing and easy to clean
- **Wire mesh** - a very durable construction and tough finish suitable for the most demanding of locations, and less prone to graffiti than a more solid surface



DOUBLE-SIDED

Installation:

The base rail of each steel sub-frame is pre-drilled in 2 places with Ø11mm holes for M8 or M10 ground fixings (not supplied) for bolting down to a suitable foundation.



SINGLE-SIDED

KINDER PICNIC BENCH & TABLE



KINDER - LARCH SLAT TOPPED

All steelwork hot dip galvanised with platform frames polyamide coated RAL 9006; bench & table surfaces in Larch timber slats, natural finish

INFANT SIZES

KIN 6 LAR

Double-sided assembly

1800 (l) x 1950 (w) x 505 (h)

KIN 6M LAR

Single-sided assembly

1800 (l) x 975 (w) x 505 (h)

PRIMARY SIZES

KIN 6P LAR

Double-sided assembly

1800 (l) x 1950 (w) x 535 (h)

KIN 6MP LAR

Single-sided assembly

1800 (l) x 975 (w) x 535 (h)



KINDER - BEECH LAMINATED SLAT TOPPED

All steelwork hot dip galvanised with platform frames polyamide coated RAL 9006; bench & table surfaces in resin-impregnated laminated Beech slats

INFANT SIZES

KIN 6 BCH

Double-sided assembly

1800 (l) x 1950 (w) x 505 (h)

KIN 6M BCH

Single-sided assembly

1800 (l) x 975 (w) x 505 (h)

PRIMARY SIZES

KIN 6P BCH

Double-sided assembly

1800 (l) x 1950 (w) x 535 (h)

KIN 6MP BCH

Single-sided assembly

1800 (l) x 975 (w) x 535 (h)



KINDER - MELAMINE TOPPED

Steel sub-frame hot dip galvanised; bench & table surfaces in black melamine

INFANT SIZES

KIN 6 MEL

Double-sided assembly

1800 (l) x 1950 (w) x 505 (h)

KIN 6M MEL

Single-sided assembly

1800 (l) x 975 (w) x 505 (h)

PRIMARY SIZES

KIN 6P MEL

Double-sided assembly

1800 (l) x 1950 (w) x 535 (h)

KIN 6MP MEL

Single-sided assembly

1800 (l) x 975 (w) x 535 (h)



KINDER - WIRE MESH TOPPED

All steelwork hot dip galvanised with wire mesh platform frames polyamide coated RAL 9006

INFANT SIZES

KIN 6 WRE

Double-sided assembly

1800 (l) x 1950 (w) x 505 (h)

KIN 6M WRE

Single-sided assembly

1800 (l) x 975 (w) x 505 (h)

PRIMARY SIZES

KIN 6P WRE

Double-sided assembly

1800 (l) x 1950 (w) x 535 (h)

KIN 6MP WRE

Single-sided assembly

1800 (l) x 975 (w) x 535 (h)




RAILROAD SEATS, BENCHES & TABLES

Heavy duty coordinated seats and tables

RailRoad tables are designed to complement the extensive seating range from the same product family, which is characterised by heavy duty timber slats fixed to tough galvanised steel support structures. The table top platform is mounted on a choice of 3 support options - to match the Edge, Loop and Delta seating units. Tables are offered in a length of 1950mm to comfortably accommodate 3 people on each side, or even 4 people at a slight squeeze. This corresponds with the lengths of standard 'independent' seating options from the RailRoad range, meaning tables can be used with standard width benches (with or without backs) and also the narrow bench versions, which is a popular combination for picnic sites. Two table widths are offered, with the wider versions recommended for outdoor dining provision.

To discover the full range of products in the RailRoad family, and how to select seating to match the tables, view or download RailRoad e-brochure at: <http://www.furnitubes.com/brochures>



EXAMPLE TABLE & SEATING SET:

Table: RailRoad Edge supports with standard table top
1950mm long x 825mm wide

Benches: RailRoad Edge Narrow independent benches
1950mm long x 450mm wide

- Adequate width for short term use in picnic situations
- Smaller overall width takes up less space



EXAMPLE TABLE & SEATING SET:

Table: RailRoad Edge supports with wide table top
1950mm long x 930mm wide







Seat: RailRoad Edge independent seat with backrest
1950mm long x 700mm wide

Bench: RailRoad Edge independent bench
1950mm long x 700mm wide

- Generous width tables and seating
- Backrest is an optional extra on wide benches
- Ideal for outdoor restaurant dining areas



RAILROAD TABLES



RAILROAD TABLES

Steel frame & seat supports for bolt-down surface fixing, hot dip galvanised, with iroko timber slats

RAILROAD EDGE

RRTE 825

1950mm long x 825mm wide table

RRTE 930

1950mm long x 930mm wide table

RAILROAD LOOP

RRTL 825

1950mm long x 825mm wide table

RRTL 930

1950mm long x 930mm wide table

RAILROAD DELTA

RRTD 825

1950mm long x 825mm wide table

RRTD 930

1950mm long x 930mm wide table

OPTIONS (ALL MODELS):

- Extended depth supports for in-ground installation (not Delta)
- Through socket in table top for parasol
- Polyester powder coated steelwork to any RAL reference
- Timbers with UV protective finish

ELEMENTS® SEATS, BENCHES & TABLES



Stylish table in multiple configuration options

Elements tables are a Furnitubes in-house and exclusive design based on the same principles as the extensive seating range from the same family, with the table platform comprising iroko hardwood slats attached to a tough galvanised steel chassis. Tables are offered in two lengths and two widths, and with a choice of small, medium or large slats orientated in either a side-to-side or front-to-back layout, giving a total of 12 different table top configurations. If being used primarily for dining purposes it may be advisable to use the large slat version, as this has the least number of gaps between slats so providing the most stable base for placing plates and glasses. Further variations in the table top design can be achieved by varying the side fascia boards, which are available in galvanised or coated steel, and stainless steel, as well as the iroko hardwood version. There are two standard table supports - the end-mounted picture frame design or the inset posts - both of which complement the seats and benches of the same design, though they can equally can be used with seats with other support types from the Elements range.



To discover the full range of products in the Elements family, and how to select seating to match the tables, view or download Elements e-brochure at: <http://www.furnitubes.com/brochures>





Small slats



Medium slats



Large slats



Timber slat arrangement options

Side-to-side layout

Front-to-back layout



Example table & seating set:

With medium slats in side-to-side layouts and timber fascia boards, mounted on Picture Frame supports, comprising :

Table: 3 person per side / 2000mm long x 810mm wide

Seat: 3 person / 2000mm long x 510mm wide with full backrest

Bench: 3 person / 2000mm long x 510mm wide



ELEMENTS® SEATS, BENCHES & TABLES





TABLE + PICTURE FRAME SUPPORTS

Galvanised steel table chassis with iroko slats, 800mm high, mounted on galvanised steel support with iroko end panel

ELE ST 200 PF

3 people / side, 2000mm long x 810mm wide

ELE ST 260 PF

4 people / side, 2600mm long x 810mm wide

ELE WT 200 PF

3 people / side, 2000mm long x 960mm wide

ELE WT 260 PF

4 people / side, 2600mm long x 960mm wide

OPTIONS (BOTH TABLE STYLES):

- Variable timber slat sizes & orientations
- Timber or steel side fascia panels
- Alternative materials / finishes to supports
- Timbers with UV protective finish

TABLE + POST SUPPORTS

Galvanised steel chassis with iroko slats, 800mm high, mounted on galvanised steel posts

ELE ST 200 PS

3 people / side, 1850mm long x 810mm wide

ELE ST 260 PS

4 people / side, 2450mm long x 810mm wide

ELE WT 200 PS

3 people / side, 1850mm long x 960mm wide

ELE WT 260 PS

4 people / side, 2450mm long x 960mm wide

ELEMENTS TABLE

Please use this form to select the table specification you require and send details to:

email: sales@furnitubes.com or

fax: **0208 378 3250**

Name:

Company:

Tel:

Email:

Project name:

Quantity required:

TABLE PLATFORM:

Table top length:

☐ 3 person / side ☐ 4 person / side

Table top width:

☐ Std, 810mm ☐ Wide, 960mm

Table top slat size:

☐ Small ☐ Medium ☐ Large

Table top slat layout:

☐ Side-to-side ☐ Front-to-back

Table top side fascias:

- ☐ Timber
- ☐ Steel, galvanised finish
- ☐ Steel, galv + PPC RAL: _____
- Stainless steel:
- ☐ G304 ☐ Grade 316
- ☐ Satin ☐ Bright polished

Timber finish:

☐ Untreated ☐ UV protective finish

TABLE SUPPORTS:

☐ Picture frame ☐ Post

☐ Steel, galvanised finish

☐ Steel, galv + PPC RAL: _____

Stainless steel:

- ☐ G304 ☐ Grade 316
- ☐ Satin ☐ Bright polished



ZENITH® & ZENITH HORIZON SEATS, BENCHES & TABLES



Steel framed timber-topped tables

Zenith and Zenith Horizon tables are characterised by their steel frames and inset timber tops, providing a robust construction at the same time as comfort for the users. The two styles have subtle differences designed to complement the seating from the corresponding ranges. Available in two standard lengths, to suit either 6 or 8 sitters. Their durable construction makes Zenith and Zenith Horizon tables a popular choice for a wide range of sites, from outdoor dining areas in schools and education campuses, to seafronts and picnic areas. Other lengths are available on request, including shorter versions which can serve as fixed games tables in a public realm situation. The inset posts on all versions make the table accessible to wheelchair users from both ends. Although generally supplied as an independent item, the table can be joined (either above or below ground) to benches or seats via low level plates to form a single-piece picnic-style table set, which can be bolted down or used as a freestanding unit.

Visit our website to discover the full range of products in the Zenith seating family, and how to select matching seating & tables
www.furnitubes.com/brochures



ZENITH® & ZENITH HORIZON SEATS, BENCHES & TABLES



ZENITH TABLE

Standard assembly: steel frame, central table top section & posts for in-ground fixing, hot dip galvanised, with iroko timber slats in smooth planed finish

ZEN T6

6 person (3 per side) / 1830mm long table

ZEN T8

8 person (4 per side) / 2430mm long table

ZENITH HORIZON TABLE

Standard assembly: steel frame & bolt-on posts for in-ground fixing, hot dip galvanised, with iroko timber slats in smooth planed finish

ZNH T6

6 person (3 per side) / 1890mm long table, side-to-side slats

ZNH T8

8 person (4 per side) / 2490mm long table, side-to-side slats

ZNF T6

6 person (3 per side) / 1890mm long table, front-to-back slats

ZNF T8

8 person (4 per side) / 2490mm long table, front-to-back slats

OPTIONS:

- Base plated posts for bolt-down installation
- Combined assembly with benches or seats for freestanding or bolt-down installation
- Framework & posts in polyester powder coated finish
- Framework & posts in plastic coated finish
- Framework & posts in stainless steel, various grades & finishes
- Alternative slat materials, including wood plastic composite (WPC), on selected models only
- Timbers with UV protective finish

PARALLEL RANGE




Simple styling and robust construction

Parallel benches and tables are an ideal choice for outdoor dining areas that require a heavier duty and more contemporary-styled product than traditional timber picnic benches offer. The combination of a steel frame and closely-spaced slats make the benches and tables sufficiently heavy to be used as freestanding units on secure sites, but are also offered as bolt-down and in-ground options for more public areas. Bench and table-top slats are in iroko hardwood as standard, with selected models also available in wood plastic composite material. Two standard lengths are offered, to comfortably accommodate either 3 or 4 people per side.


Fixing options:



1. Freestanding:
with levelling foot



2. Bolting down:
through base plate



Threaded insert to
seat / table leg

3. In-ground fixing:
with threaded stud



PARALLEL RANGE



* Notes re. heights:

The heights above ground level of bench & table modules vary slightly for different ground fixing options:

1. Freestanding: dimensions as specified
2. Bolting down: 10mm lower than specified
3. In-ground fixing: 15mm lower than specified

All fixing types use a bolt / stud that screws into the insert fitted into the leg, allowing height adjustment of up to 20mm. On sloping sites each leg can be adjusted independently so that top surfaces can be levelled.

PARALLEL

Freestanding units, galvanised steel frame with iroko slats, smooth planed finish

BENCHES

PPB 6

3 person bench, 1800mm long

PPB 8

4 person bench, 2400mm long

TABLES

PPT 6

6 person table, 1800mm long

PPT 8

8 person table, 2400mm long

OPTIONS:

- Steelwork in powder coated finish, to any RAL colour reference
- Timbers with UV protective finish
- Wood plastic composite (WPC) slats (1800mm long versions only)
- Base-plated legs for bolt-down installation
- Threaded studs for for in-ground installation
- Umbrella hole (tables)


FORDHAM RANGE

Heavy duty seat, bench & table set

The Fordham steel and timber seating range offers a bold appearance, heavy duty materials and robust construction - all designed to offer the maximum resistance to vandalism required in tough urban environments. The bench is the basic form, to which a backrest can be added to form a seat. The complementary Fordham table is of a similar construction and can be used with seats and / or benches. Seats and benches are available in 6 standard lengths to comfortably accommodate up to 5 people, and the table is offered in 2 standard sizes, corresponding to 2 mid-size seating lengths. The option of a finish treatment is advisable on the table-top slats in particular, as it provides not only UV protection that maintains the colour of the timber for longer, but also provides a degree of resistance to general grime and is easier to wipe clean.



FORDHAM RANGE



FORDHAM

Galvanised steel support frame with iroko timber slats, smooth planed finish

BENCHES

FOR B5

1500mm long

FOR B6

1800mm long

FOR B7

2100mm long

FOR B8

2350mm long

FOR B9

2685mm long

FOR B10

3000mm long

SEATS

FOR 5

1500mm long

FOR 6

1800mm long

FOR 7

2100mm long

FOR 8

2350mm long

FOR 9

2685mm long

FOR 10

3000mm long

TABLES

FOR T6

1800mm long

FOR T8

2350mm long

OPTIONS:

- Polyester powder coated steelwork
- Armrests (benches and seats)
- Timbers with UV protective finish

Installation:

Both seat / bench / table supports are pre-drilled with 4no. holes for M16 ground fixings (not supplied).

STARK RANGE

Coordinated range of robust softwood construction seating and tables




Stark is a comprehensive range of benches, seats, tables and picnic tables that can be used independently or as a coordinated suite of products. The softwood construction makes for an economical alternative to hardwood seating and table ranges, with pressure treatment providing good medium-term durability. The range is characterised by heavy-duty timber sections with bolted connections to give a tough, almost industrial aesthetic. Seating is available in four standard length options and tables in three lengths; both are offered in full-size and junior versions, which are ideal for lower school applications. Products are supplied for bolt-down surface mounting as standard, which is our recommendation for level sites, or with the option of extended posts for in-ground installation. Complementary picnic tables complete the range and are available in two styles - one for in-ground fixing and the other a more traditional freestanding A-frame design. All timber sections are 'regularised' with planed faces and eased edges, with cross-cuts also softened to eliminate sharp edges and reduce the risk of splintering. Softwood can be supplied in a 'natural' pressure treated finish which can add a slight green tinge to the pale colouration of the timber or can be treated with a supplementary saturating oil in a variety of tinted colours.




STARK RANGE




STARK RANGE BENCHES




FULL SIZE



JUNIOR



FULL SIZE



JUNIOR

STARK BENCH - SINGLE SLAT

Treated softwood construction with galvanised steel baseplates, for bolt-down installation, supplied flat-packed & part-assembled for on-site assembly

FULL SIZE
455mm seating height

STK SB 5
1500mm long

STK SB 6
1800mm long

STK SB 7
2100mm long

STK SB 8
2400mm long

JUNIOR
355mm seating height

STK SBJ 5
1500mm long

STK SBJ 6
1800mm long

STK SBJ 7
2100mm long

STK SBJ 8
2400mm long

STARK BENCH - DOUBLE SLAT

FULL SIZE
455mm seating height

STK DB 5
1500mm long

STK DB 6
1800mm long

STK DB 7
2100mm long

STK DB 8
2400mm long

JUNIOR
355mm seating height

STK DBJ 5
1500mm long

STK DBJ 6
1800mm long

STK DBJ 7
2100mm long

STK DBJ 8
2400mm long



OPTIONS (ALL MODELS):

- Fully pre-assembled
- Ground fixing kit for suitable existing or new foundation
- Feet for freestanding applications (Double Slat benches only)

- Extended depth legs for in-ground installation
- Armrests (Full size products only, except n/a on Single Slat Bench)
- Oiled timbers





STARK RANGE SEATS



FULL SIZE

JUNIOR



FULL SIZE

JUNIOR

STARK SEAT - SINGLE SLAT BACKREST

Treated softwood construction with galvanised steel baseplates, for bolt-down installation, supplied flat-packed & part-assembled for on-site assembly

FULL SIZE
455mm seating height

STK SS 5
1500mm long

STK SS 6
1800mm long

STK SS 7
2100mm long

STK SS 8
2400mm long

JUNIOR
355mm seating height

STK SSJ 5
1500mm long

STK SSJ 6
1800mm long

STK SSJ 7
2100mm long

STK SSJ 8
2400mm long

STARK SEAT - DOUBLE SLAT BACKREST

FULL SIZE
455mm seating height

STK DS 5
1500mm long

STK DS 6
1800mm long

STK DS 7
2100mm long

STK DS 8
2400mm long

JUNIOR
355mm seating height

STK DSJ 5
1500mm long

STK DSJ 6
1800mm long

STK DSJ 7
2100mm long

STK DSJ 8
2400mm long



OPTIONS (ALL MODELS):

- Fully pre-assembled
- Ground fixing kit for suitable existing or new foundation
- Feet for freestanding applications

- Extended depth legs for in-ground installation
- Armrests (Full size products only)
- Oiled timbers



STARK RANGE TABLES



STARK TABLE

Treated softwood construction with galvanised steel baseplates, for bolt-down installation, supplied flat-packed & part-assembled for on-site assembly

FULL SIZE
750mm table height

STK T 6
1800mm long

STK T 7
2100mm long

STK T 8
2400mm long

JUNIOR
600mm table height

STK TJ 6
1800mm long

STK TJ 7
2100mm long

STK TJ 8
2400mm long


OPTIONS (ALL MODELS):

- Fully pre-assembled
- Ground fixing kit for suitable existing or new foundation
- Extended depth legs for in-ground installation
- Oiled timbers


TABLE + SEATING COMBINATIONS

For table and seating combinations we recommend that benches and seats are shorter in length than the table, to give a larger gap between, making for easier access onto the seating, i.e.

- | TABLES | BENCHES / SEATS |
|---------------|-----------------|
| • 1800mm long | 1500mm long |
| • 2100mm long | 1800mm long |
| • 2400mm long | 2100mm long |



When benches or seats are the same length as the table, access between is limited, requiring sitters to step over the bench, which can be awkward for less able-bodied people.



When benches or seats are shorter than the length of the table, access for sitters is much easier.

Note: illustrations show Single Slat Benches; Double Slat Benches & Single or Double Slat Seats can also be combined with Tables.

STARK RANGE

INSTALLATION


Seating and independent tables can be supplied with post heights suited to sitting on top of the ground, or at a 300mm extended height for in-ground embedment. In all situations, a galvanised steel baseplate is fixed to the posts with nuts and bolts supplied and allows for a variety of fixing options as shown below. Selected products can be supplied freestanding for sites where security is not an issue, with baseplates fitted with rubber feet designed to provide grip on the paving. Installations with the posts above ground - i.e. options 1 or 2, or freestanding - are generally preferable, as timber embedded in concrete is more prone to decay than timber that is maintained above ground.

ABOVE GROUND INSTALLATION

For sites that are more or less level the base plates can be set on top of finished ground level, and secured in one of two ways as shown below. These installations allow the furniture to be readily unbolted and moved for maintenance or access purposes.


1. BOLT-DOWN VIA BASEPLATES

Secured by 2 no. M12 ground anchors (not supplied) through steel base plate and into a suitable foundation. Ideal for installation on hard paving.



2. CONCRETE PAD WITH FIXING KIT

An optional fixing kit comprising 2 no. M10 x 330mm long threaded studs c/w nuts + washers supplied for attachment to baseplate and fixing into a suitable new or existing foundation. Ideal for installation in soft ground.




IN-GROUND INSTALLATION

When there are significant slopes in the immediate area beneath the furniture it is advisable to use products with a 300mm additional leg height, so that the seating and table surfaces can be set true plumb level. There are two simple installation options for this situation.


3. INTO CONCRETE PAD

Posts roots can simply be set into concrete, with the base plates helping to prevent any lift out.





4. BOLT-DOWN VIA BASEPLATES ONTO BELOW GROUND

Posts can be bolted to a below-ground concrete pad with 2 no. M12 ground anchors (not supplied), or set into concrete using a fixing kit as shown above.




Note: all illustrations show single Bench / Seat posts. For Tables with twin posts the steel base plate spans both posts and has 2 ground fixing points.

STARK RANGE PICNIC TABLES



FULL SIZE



JUNIOR

STARK PICNIC TABLE

Treated softwood construction with galvanised steel baseplates, for in-ground installation, supplied flat-packed & part-assembled for on-site assembly

FULL SIZE

455mm seat height / 750mm table height

STK PTG 6

1800mm long

JUNIOR

355mm seat height / 600mm table height



STK PTGJ 6

1800mm long


OPTIONS (ALL MODELS):

- Fully pre-assembled
- Ground fixing kit for suitable existing or new foundation
- Oiled timbers

STARK RANGE FREESTANDING PICNIC TABLES



FULL SIZE



JUNIOR

STARK FREESTANDING PICNIC TABLE

Treated softwood construction, supplied flat-packed & part-assembled for on-site assembly

FULL SIZE

455mm seat height / 750mm table height

STK PTF 6

1800mm long

JUNIOR

355mm seat height / 600mm table height

STK PTFJ 6

1800mm long

OPTIONS (ALL MODELS):

- Fully pre-assembled
- Galvanised steel base plates for bolt-down fixing
- Ground fixing kit for suitable existing or new foundation (for use with baseplates)
- Oiled timbers
- Umbrella hole

STARK RANGE


ARMRESTS

Armrests are a useful aid for the less-able-bodied in particular, helping them to lower themselves onto a seat and also alight from it. Armrests can also deter rough sleeping if placed appropriately. All full-size Stark seating products, with the exception of the Single Slat Bench, are available with armrests. The simple block forms, which have an overhang that can be firmly gripped, are pre-fitted at any of the positions shown on the illustrations below, which are designed to maintain comfortable seating widths. If the need for armrests is only identified after the product has been installed, they can be easily retro-fitted.


1500MM LONG



- **2 end armrests:**
1300mm gap between (2 people)




- **1 mid armrest:**
700mm either side (1 person / side)




- **1 mid + 2 end armrests:**
600mm either side (1 person / side)


2100MM LONG




- **2 end armrests:**
1900mm gap between (3-4 people)



- **2 mid armrests:**
633mm wide seating positions



- **2 mid + 2 end armrests:**
566mm wide seating positions



- **1 mid + 2 end armrests:**
900mm either side (2 people / side)


1800MM LONG



- **2 end armrests:**
1600mm gap between (3 people)



- **2 mid armrests:**
533mm wide seating positions




- **2 mid + 2 end armrests:**
466mm wide seating positions



- **1 mid + 2 end armrests:**
750mm either side (1 person / side)

2400MM LONG



- **2 end armrests:**
2200mm gap between (4 people)



- **3 mid armrests:**
525mm wide seating positions



- **3 mid + 2 end armrests:**
475mm wide seating positions



- **1 mid + 2 end armrests:**
1050mm either side (2 people / side)

STARK RANGE



STARK RANGE

OILED TIMBERS

Softwood is naturally a pale cream colour but the pressure treatment process to improve durability can add a green tinge. The addition of a clear or tinted penetrating oil finish gives a richer colouration; it penetrates into the wood to protect against moisture and UV damage and will not peel or flake. To maintain a consistent appearance the timber should be cleaned and re-oiled typically on a bi-annual basis.

Standard Oil Colour:



MEDIUM OAK

(photos of oiled products in this brochure are this colour)

Additional Oil Colours (subject to minimum quantity orders):



CLEAR



LIGHT OAK



TEAK



CEDAR



REDWOOD



RUSTIC OAK

Note: colours are indicative only

ON-SITE ASSEMBLY

To minimise the packing volume and to reduce transportation costs, products are supplied part-assembled and flat-packed for on-site assembly. Detailed instructions are supplied with each delivery and assembly is reasonably straightforward, typically involving passing connecting bolts through pre-drilled holes in the timber sections and tightening up with nuts.

For maximum strength we recommend that all bolted joints are also glued with a suitable exterior grade adhesive, such as waterproof PVA. All product fixings are provided, with the exception of ground anchors and the adhesive. No machining of the timber is necessary. Alternatively, products can be supplied fully-assembled, at an additional cost. Shown here are examples of the parts of a seat and table as supplied for on-site assembly.

SEAT ASSEMBLY:

Typical sub-assemblies and parts supplied for on-site final assembly

- 1 x seating platform (arms are pre-fitted if required)
- 2 x front posts
- 1 x backrest including back posts
- 4 x steel baseplates
- Fixings (not shown)





TABLE ASSEMBLY:

Typical sub-assemblies and parts supplied for on-site final assembly

- 1 x table platform
- 4 x end posts
- 1 x cross rail
- 2 x steel baseplates
- Fixings (not shown)




STARK RANGE



CHESHUNT SEAT, BENCH & TABLE

Heavy duty all-timber range

The robust aesthetic and natural materials of the Cheshunt range make it ideal for a wide variety of locations, including parks and nature reserves, schools, colleges and heritage sites. Cheshunt products are equally well suited to both contemporary and traditional settings. The full range consists of a bench, seat and picnic table. The seat and bench are available in three standard lengths, and the table in two sizes, all in-ground fixed as standard, although bolt-down versions can be supplied if preferred. All products are manufactured in opepe hardwood and coated to retain a good colouration over a longer period than for untreated timber.



CHESHUNT

Opepe all-timber construction, smooth planed and coated with 'Sadolin Classic Teak' with extended legs for in-ground installation

CHS B4

2 person bench, 1200 mm long

CHS B6

3 person bench, 1800 mm long

CHS B8

4 person bench, 2400 mm long

CHS 4

2 person seat, 1200 mm long

CHS 6

3 person seat, 1800 mm long

CHS 8

4 person seat, 2400 mm long

CHS T4

4 person table, 1200 mm long

CHS T6

6 person table, 1800 mm long

OPTIONS:




- Legs truncated at ground level, supplied with angled brackets for surface mounted bolt-down installation
- Curved benches



CORE CONCRETE TABLE & SEATING BLOCK

Pre-cast concrete furniture suitable for the urban environment

The Core concrete picnic table is designed to suit one user to each open side, with the COS450 Core Square blocks ideal for a matching seating provision. The durable construction of the Core products are suited to busy areas such as educational campuses and city parks. As with all our concrete furniture, the Core range is available in a wide range of standard mixes and finishes, allowing for integration with other hard landscape materials in your scheme.



COT900

Concrete table
900mm x 900mm x 875mm high
Weight: 600kg

COS450 R

Concrete seating block
450mm x 450mm x 450mm high
50mm x 50mm recess
Weight: 215kg

OPTIONS


- Range of standard concrete mixes and finishes
- Chess table top



PLYMOUTH SEAT, BENCH & TABLE

A coordinated range of seats, benches and tables

Plymouth seats and benches are longstanding favourites from our extensive seating range, and are particularly popular for school grounds and local parks due to the combination of robust design and economic pricing. Coordinated seats with backs, benches and tables are available in three standard lengths, all supplied flat-packed for on-site assembly and base-plated for a simple bolt-down installation. All steelwork is hot dip galvanised for the ultimate protection against corrosion, over which a tough black plastic coated finish is applied. All timbers are from durable iroko hardwood with a supplementary Sadolin coating to maintain a richness of colour for longer.



Installation:

Steel standards to all seats, benches and tables are supplied base-plated with 2 no. holes for M10 ground fixings (not supplied) for bolting down to a suitable base.

PLYMOUTH

Steel standards hot dip galvanised and plastic coated black finish with iroko timber slats, smooth planed and coated with ‘Sadolin Classic Teak’

SEAT

PL 4B

2 person seat, 1200 mm long

PL 6B

3 person seat, 1800 mm long

PL 8B

4 person seat, 2400 mm long

OPTIONS:

- Armrests
- Extended legs for in-ground installation
- Hexagonal configurations

BENCH

PB 4B

2 person bench, 1200 mm long

PB 6B

3 person bench, 1800 mm long

PB 8B

4 person bench, 2400 mm long

OPTIONS:

- Extended legs for in-ground installation
- Hexagonal configurations
- Circular configurations

TABLE

PT 4B

4 person table, 1200 mm long

PT 6B

6 person table, 1800 mm long

PT 8B

8 person table, 2400 mm long

OPTIONS:


- Extended legs for in-ground installation



PLOUGHMAN PICNIC TABLES

Traditionally styled picnic table

The Ploughman is a traditional A-frame picnic table with integral benches, ideal for pub gardens and external dining areas in schools. The product is available as an all-timber construction or with a steel frame with timber-topped bench and table, and in two lengths.



PLOUGHMAN ALL TIMBER

Freestanding picnic table
All iroko timber in smooth planed finish and coated with 'Sadolin Classic Teak'

P104

4 person picnic table
1200mm long

P106

6 person picnic table
1800mm long

PLOUGHMAN STEEL FRAMED

Freestanding picnic table
Steel frame plastic coated black
Iroko bench & table tops in smooth planed finish and coated with 'Sadolin Classic Teak'

P204

4 person picnic table
1200 mm long

P206

6 person picnic table
1800 mm long

OPTIONS (BOTH TABLES):

- Extended legs for in-ground installation 300mm below ground
- Through-hole in table top for parasol



DUNDEE PICNIC TABLE


Modern materials, traditionally styled

The advantages of the Dundee picnic table over more conventional timber equivalents are that material is knot- and splinter-free, will not stain from spilled food and drinks and can be easily wiped cleaned. The table is available in 1.8m and 2.0m long standard versions and with a 2.4m long extended table top to accommodate wheelchair users.

An environmentally-friendly choice

Million tons of plastics from fossil resources are employed in the UK each year and it is estimated that over 30% is used for short-lived packaging products. These plastics are available as industrial or consumer waste to the secondary raw materials market only a few weeks or months after their production. Raw material is shredded and separated from alien materials such as wood, glass and metal, and then thermally treated and pigmented to create pellets and ultimately moulded into seat components. Key properties and benefits of the material include:

- Fully pigmented brown and UV stable
- Resistant to vandalism and maintenance-free
- Splinter resistant
- No chemical preservatives, non-polluting and fully recyclable
- Long-life use - resistant to oils, alkalis, acids and seawater
- Moisture-repellent, no water absorption, fast-drying
- Good price-to-performance ratio
- Low weight, so easily installed without lifting equipment



DUNDEE

Freestanding picnic table, recycled plastic construction, colour brown
Supplied flat-packed for self-assembly (instructions provided)

DUN 104 1.8M - 6 person picnic table, 1800mm long

DUN 104 2M - 8 person picnic table, 2000mm long

DUN 104 DDA - 6 person picnic table, 2400mm long extended table top overhanging at one end for wheelchair access

OPTION:

Mounting block for in-ground installation



ABERDEEN & PERTH SEATS, BENCHES & TABLES



ABERDEEN SEAT

ABS 7 - 4 person freestanding seat
2000mm long x 640mm wide x 800mm high
Recycled plastic construction, round-edged standards and slats, brown colour
Supplied as kit of parts for self-assembly, including drilling holes (instructions provided)

OPTION:
Mounting block for in-ground installation



ABERDEEN BENCH

ABB 7 - 4 person freestanding bench
2000mm long x 400mm wide x 450mm high
Recycled plastic construction, round-edged standards and slats, brown colour
Supplied as kit of parts for self-assembly, including drilling holes (instructions provided)

OPTION:
Mounting block for in-ground installation



ABERDEEN TABLE

ABT7 - 8 person freestanding table
2000mm long x 800mm wide x 760mm high
Recycled plastic construction, round-edged standards and slats, brown colour
Supplied as kit of parts for self-assembly, including drilling holes (instructions provided)

OPTION:
Mounting block for in-ground installation



PERTH SEAT

PES 7 - 4 person freestanding seat
2000mm long x 640mm wide x 800mm high
Recycled plastic construction, square-edged standards and slats, brown colour
Supplied as kit of parts for self-assembly, including drilling holes (instructions provided)

OPTION:
Mounting block for in-ground installation



PERTH BENCH

PEB 7 - 4 person freestanding bench
2000mm long x 400mm wide x 450mm high
Recycled plastic construction, square-edged standards and slats, brown colour
Supplied as kit of parts for self-assembly, including drilling holes (instructions provided)

OPTION:
Mounting block for in-ground installation



PERTH TABLE

PET 7 - 8 person freestanding table
2000mm long x 650mm wide x 750mm high
Recycled plastic construction, square-edged standards and slats, brown colour
Supplied as kit of parts for self-assembly, including drilling holes (instructions provided)

OPTION:
Mounting block for in-ground installation

BORDEAUX SEAT, BENCH & TABLE













Simple economic seating and tables

The Bordeaux range is an economic range of products ideal for school playgrounds, parks and amenity areas and its modest styling means the range comfortably sits within both contemporary and traditional settings. The range consists of a single person chair, a seat, bench, lounge, a table and picnic set, all available in a choice of colours for the steelwork frames and timber slats.

Polyester powder coating

available in the following colour options:

	RAL 3020 - Traffic red		RAL 7044 - Silk grey
	RAL 3004 - Purple red		RAL 9010 - Pure white
	RAL 5010 - Gentian blue		RAL 9005 - Jet black
	RAL 6005 - Moss green		Mid grey
	RAL 8017 - Chocolate brown		Corten effect



BORDEAUX

Steel frame in polyester powder coated finish in choice of colours
Oak slats coated with preserver in light oak or mahogany colour

BOR B6

3 person bench, 1800mm (l) x 400mm (w) x 440mm (h)

BOR 2

1 person seat (without arms), 600mm (l) x 400mm (w) x 866mm (h)

BOR 2 FOOT

1 person seat (without arms), 600mm (l) x 400mm (w) x 966mm (h)
Higher seat surface to aid less able-bodied users + footrest for comfort

BOR 6

3 person seat (without arms), 1800mm (l) x 400mm (w) x 866mm (h)

BOR T4 LO

Low level table, 1200mm (l) x 520mm (w) x 500mm (h)

BOR 6 BT

Picnic bench & table set comprising:

2 x 3 person benches, 1800mm (l) x 400mm (w) x 440mm (h)

1 x 6 person table, 1800mm (l) x 790mm (w) x 750mm (h)

BOR L2

1 person lounge, 1265mm (l) x 600mm (w) x 740mm (h)

OPTION: Armrests on seats



PICNIC BENCHES & TABLES



PICNIC BENCHES & TABLES



View or download other product e-brochures at the following link:

www.furnitubes.com/brochures



© Furnitubes

 **Furnitubes®**

3rd Floor, Meridian House, Royal Hill, Greenwich

LONDON SE10 8RD

T: +44 (0)20 8378 3200

F: +44 (0)20 8378 3250

sales@furnitubes.com

www.furnitubes.com