

Geberit Mapress

■ GEBERIT

Don't solder on.

The fast, efficient, reliable and easy pipe pressing system for water supply, gas, solar and heating installations.




**KNOW
HOW**
INSTALLED

The perfect connection
every time

→ www.geberit.co.uk

Reduce downtime and improve safety. Geberit Mapress.



From new installations to maintenance, installers nationwide are already reaping the benefits of pressing systems.



Geberit Mapress is a metal pressing system that provides an efficient, safe, and reliable solution for a range of different job requirements. To ensure a safe and long lasting connection the fitting and pipe are pressed once the pipe has been inserted to the required insertion depth.

Installing with Geberit Mapress will provide a more efficient piping system that will reduce both installation and maintenance time with added features such as coloured pressing indicators to identify materials and leak paths in the seal rings. Geberit Mapress is a safe, efficient and long lasting system.

Reduce your down time and improve safety with Geberit Mapress

- **The system can be fixed wet so no draining required**
- **Reduced flushing time due to a cleaner installation process**
- **No hot works and no cooling down period**
- **Unpressed joints leak during pressure test**
- **Coloured pressing indicators help identify the material and pressed fittings**
- **Protection end caps stop debris and dirt getting into the system**



Materials, applications and seal rings

Available in copper, stainless steel, carbon steel and CuNiFe (12 to 108mm), the Mapress range offers a wide variety to use across a whole scope of different applications including water, heating, gas and solar.



Tools


The Geberit pressing tools offer low-weight and high-performance technology for pressing all fittings in the Geberit range.

We have three tools with different compatibilities, it's important that you use the correct tool for the job.

- ACO102 - For sizes 12-35mm
- ACO202 - For sizes 12-66.7mm for copper and 12-54mm for carbon and stainless steel
- ECO301- For all sizes (12-108mm)



A little Know-how goes a long way.



Get the Know-how

Geberit provide installer training at purpose built training academies in Warwick and Dublin - providing the Know-how for installers to feel confident in installing Geberit products. Training is free with lunch and refreshments and the attendees receive a free frame and flush plate or selection of Mapress fittings worth £250.

Dedication

At Geberit we have a dedicated technical support team on hand and ready to help. To contact us call **01926 516800** or email **technical@geberit.co.uk**.

Geberit at your fingertips

Also available to you is the Geberit ProApp where you can get access to product specifications, installation instructions and videos. You can also identify any Geberit product simply by scanning its barcode.


Download now from the App Store or Google play.



**Geberit ProApp
for iPhone
and iPad**



**Geberit ProApp
for Android
smartphones**



**Geberit Sales Ltd
Geberit House
Academy Drive
Warwick
Warwickshire
CV34 6QZ**

T 0800 077 8365

F 0844 800 6604

Eire +44 (0)1926 516 800

Literature 0800 007 5133

→ www.geberit.co.uk

Geberit Mapress.

For all applications.

Equipment needed

Tool - ACO102

For sizes 12-35mm.

Tool - ACO202

ECO202 also available

For sizes 12-66.7mm for copper and 12-54mm for carbon and stainless steel.

Tool - ECO301

For all sizes (12-108mm)

Deburrer

Ensures no sharp edges on the pipework to protect seal.

Insertion depth marker

Ensure pipe insertion depth is correct.

Pipe cutter

For pipes from 12-54mm.

Jaw

Used with the appropriate tool, from 12-35mm.

Collar and adapter

For the larger sizes, 35-108mm. 108mm fittings require two adapters.

Six stages of pressing

1

Cut and deburr pipe

Cut the pipe to length and deburr inside and out so as not to damage the seal ring. Clean chips from the pipe end.

2

Mark insertion depth

To ensure the pipe is fully inserted before pressing. Gives visual security. This is very important!

3

Prepare the fitting

Remove the protection plug and visually check the seal ring.

4

Insert pipe into fitting

Ensure the insertion depth is met, this is very important.

5

Press

Must use correctly sized jaw/collar. Fittings must be aligned correctly in jaw/collar. Ensure insertion depth is met before pressing!

6

Remove pressing indicator

Remove pressing indicator. Check the correct insertion depth has been met.

Applications

Geberit Mapress Copper Standard

Icons: Potable water, Heating, Cooling and refrigeration, Gas, Offshore, Industry, Fixed fire extinguishing systems, Solar systems, Ship building, Saturated steam

Geberit Mapress Copper Solar

Icons: Industry, Solar systems

Geberit Mapress Copper Gas

Icon: Gas

Geberit Mapress Stainless Steel Standard

Icons: Potable water, Heating, Cooling and refrigeration, Gas, Offshore, Industry, Fixed fire extinguishing systems, Solar systems, Ship building, Saturated steam

Geberit Mapress Stainless Steel Solar

Icons: Industry, Solar systems

Geberit Mapress Stainless Steel Gas

Icon: Gas

Geberit Mapress Carbon Steel Standard

Icons: Heating, Cooling and refrigeration, Gas

Geberit Mapress Carbon Steel Solar

Icons: Industry, Solar systems

Geberit Mapress CuNiFe Standard

Icons: Ship building, Saturated steam

Geberit Mapress CuNiFe Solar

Icons: Industry, Solar systems

Applications	Potable water	Heating	Cooling and refrigeration	Gas	Offshore	Industry	Fixed fire extinguishing systems	Solar systems	Ship building	Saturated steam
Seal ring										