

Natural Stone
Sandstone Swatches111
Case Study - Trafalgar Square
YORKSTONE
Scoutmoor
Scoutmoor Linear
Moselden
Cromwell
Greenmoor Rustic
Westmoor Crest119

CAMBRIAN SANDSTONE

CTONICCIAN	
Trentino	123
PORPHYRY	
Laurel Bank	122
Hawks View	121
Brackendale	120

STONESPAR

.....124 Stonespar ...

GRANITE


Granite Swatches	126-127
Case Study - Exhibition Road	
Granite Paving	130
Granite Setts	
Granite Extensions	

Natural Stone











Natural Stone



Marshalls was founded in 1886 when Solomon Marshall first quarried and produced Cromwell Yorkstone paving. The experience gained from over 100 years of supplying stone has enabled Marshalls to evolve and adapt to meet changing customer and industry needs, becoming the most innovative and exciting stone supplier in the country.

As well as the largest range of UK produced stone landscape products, Marshalls has decades of experience of importing stunning natural stone from around the world. Our experience aligns quality with durability and service to provide solutions for all schemes regardless of size or complexity

Aesthetics are a major driver with Landscapes and our large portfolio of products covering many different stone types and colours provides interesting solutions for all landscape elements. Our ability and experience in blending colours then extends the aesthetic options available to create unique spaces with granites and sandstones.

Unique and interesting designs using patterns and shapes can be achieved by using Marshalls expertise and involving our stone specialists and design team. Marshalls can provide expertise all the way through the design and construction process from general designs to modelling to component design.





Natural Stone

All materials are sourced to the highest possible standards and as the only construction sector signatory to the UN global compact these standards are enshrined in our culture. Marshalls offer an independently audited Fairstone range which is endorsed by Unicef, which is why we supply stone across the globe from America to Australia. Our own factories and guarries are accredited to ISO9001, ISO14001 and OHSAS18001 and we are the only stone producer in the world to achieve PAS99 accreditation for quality, environment and safety.

Going beyond our core range and sourcing other stones which are not shown here is not a problem. Just contact our specialists and we can discuss your requirements and suggest further suitable materials which will match your expectations.

Natural Stone

109



Hawks View, Liverpoool Lime Street











Moselden, Hemel Hempstead











It should be noted that colour variations and markings are characteristic of Natural Stone. Inherent variations cannot be controlled nor the precise shade of stone guaranteed.





The transformation of Trafalgar Square forms part of the 'World Squares for All' project, undertaken by Transport for London (TfL) with a mission 'to transform London's key heritage sites into truly 'world class' spaces to be enjoyed by Londoners and visitors alike'. The key objectives of the project were the pedestrianisation of the north side of the Square, to provide direct access to the National Gallery, the creation of a new central staircase from the North Terrace to the Square and renewed paving to provide aesthetic appeal to the whole area.

Marshalls involvement with Trafalgar Square began at the earliest stages with initial pre-tender discussions with project managers Schal, architects Foster and Partners and TfL. Marshalls was also consulted about preferred contractors and recommended Fitzpatrick based on highly successful previous project partnerships.

From the commencement of work on site, the partnering approach of Marshalls and Fitzpatrick proved the key to project success. Potential logistical problems, due to the busy location and lack of site storage facilities, were addressed quickly before they impacted on the project. Following discussions with Fitzpatrick, Marshalls developed a new traceable labelling format that enabled the right types and correct quantities of stone to be delivered to site on a 'just in time' basis.



The nature of the project also demanded a substantial quantity of bespoke radial paving units, which Marshalls designed and produced with specialist CAD equipment. In total, Marshalls supplied some 24,000 m² of high quality Diamond Sawn Yorkstone Paving as well as an additional 7,000 m of Granite Kerb.

The redeveloped Trafalgar Square now takes its place as one of the capital's most recognisable attractions. "As soon as a potential problem was identified, Marshalls' reaction was immediate and indicative of the whole company's approach – put simply, they found a solution rather than coming back with another problem – the result was a hugely successful project." Graham Davey, Purchasing Director, Fitzpatrick

Natural Stone Case Study



Trafalgar Square





Natural

l Stone

SCOL



mainly elliptical shaped shading. With over 100 years' history of supply this peerless Yorkstone has proven itself in the highest loading and intensive wearing environments. The choice for iconic places such as Trafalgar Square and Regent Street it is Marshalls' most popular Yorkstone and has been used widely throughout the UK. Scoutmoor is also a very versatile Yorkstone allowing designers to add in creative features and details to enhance the landscape.

Scoutmoor Diamond sawn300mm wide x Random lengths450m50mm thickA00336A003363mm thickA00311A003475mm thickA00276A0024

Setts

Ker

Paving


Scoutmoor




S kg CO₂ per m²

0mm wide x Random lengths	600mm wide x Random lengths
)331	A00326
)306	A00301
)268	A00263

rbs	Tactile	Specials
	•	•



Scoutmoor Linear	150mm wide (200-600)	200mm v
50mm thick	A28254	A28256
63mm thick	A28255	A28257
75mm thick	A28250	A28258





300mm wide (350-900)

A28251

A28252

A28253

Natural Stone

Natural Stone Scoutmoor Linear

Scoutmoor Linear Yorkstone Paving

Scoutmoor Linear is a new plank paving range made from our most popular Yorkstone. Available in Diamond Sawn, Capital finish, Rustic finish or Crested finish it is capable of carrying a range of different loadings depending on thickness. Scoutmoor Linear comes in three set widths and random lengths which immediately gives it a unique aesthetic appeal.





Natural Stone Moselden

Moselden Diamond sawn	300mm wide x Random lengths	450mm wide x Random lengths	600mm wide x Random lengths
50mm thick	A04090	A03430	A03429
63mm thick	A04092	A04102	A04873
75mm thick	A04080	A04104	A03419

Kerbs

Tactile

Specials

Moselden, Diamond Sawn

Paving Setts



Moselden, Capital Finish

MOSEIDEN Yorkstone Paving

Moselden is a mainly buff Yorkstone with some grey tones and banding in different shades which give this stone quite a warm feel. With enough variation to be instantly recognisable as natural stone but not dominate a space, it has a proven performance from Horseguards, Whitehall and One New Change Shopping Centre. A very versatile stone which allows designers to create unique landscapes by creating varied shapes and elements.




kg CO₂ per m²







Cromwell Diamond sawn		300mm wide x Random lengths	
50mm thick		A00335	
63mm thick		A00310	
	Paving	Setts	Kerbs
Cromwell	•	•	6





A mainly plain light buff stone with very occasional dark banding Cromwell is a very exclusive and desirable Yorkstone which is highly sought after for the most prestigious projects. First used in the 1800's it has a proven history of performance from Kensington High Street to the London Olympic Park. Very high performance characteristics coupled with a slip resistance in the excellent category make this an ideal choice for any setting.








Cromwell Yorkstone Paving







Greenmoor Rustic is a textured Yorkstone with a wide variation of colour from Blue Grey to Brown and Ochre tones. Generally a more suitable paving choice than traditional hand split Yorkstone for areas where wheelchairs and prams may circulate, its textured surface is a very good enhancement for slip and skid resistance. Greenmoor Rustic was first introduced around 25 years ago and early schemes such as Seven Dials still look and perform well which is why it has been used on major projects such as Liverpool Ropewalks and Whitehaven Harbour. As much at home in a modern landscape as a more traditional heritage type setting.



Greenmoor Rustic	300mm wide x Random lengths	450mm wide x Random lengths	600mm wide x Random lengths
50mm thick	A00344	A00342	A00340
63mm thick	A00316	A00314	A00313
75mm thick	A00281	A00279	A00278

	Paving	Setts	Kerbs	Tactile	Specials
Greenmoor Rustic					Limted



Westmoor Crest	3	300mm wide x Random Lengths	450mm wide x Rano	dom Lengths	600mm wide x Random Lengths	
50mm thick	,	A28247	A28248		A28249	
63mm thick	4	A20591	A20592		A19085	
75mm thick	A	420593	A20594		A20595	
	Paving	Setts	Kerbs	Tactile	Specials	
Westmoor Crest	•	•			Limted	


West
light
slip a
high
Pete
harm



Westmoor Crest Yorkstone Paving

stmoor Crest is a textured Yorkstone paving which subtly varies from it Blue Grey to Brown. It gives exceptional performance where a high or skid resistance may be required and is exceptionally strong giving h load carrying performance. This new texture has been used at St ers Square in Manchester for both paving and roadways to give a monised landscape feel.





Brackendale

50mm thick

63mm thick

Brackendale

Paving

Natural

Sto Ē

Brackendale is a warm buff lightly textured Sandstone paving which has some very subdued banding. Extremely strong, it is an ideal choice for mixed use areas as it is capable of carrying quite high loads. The all round general high performance of this stone made it an excellent choice for the entrances to the Metro Centre, Gateshead and the Civic Quarter in Coventry.

It is part of Marshalls Ethically accredited Fairstone range.

kg

CO₂ per m²

NSSPlus Q25 310 Q25 330 Q25 320 Q10 120



For the latest carbon value visit www.marshalls.co.uk/commercial/carbon-calculator



120

600mm wide x Random Lengths
A03083
A00111


450mm wide x Random Lengths

A03114

A03086

Setts

rbs	Tactile	Specials
	•	Limited



Hawks View	450mm wide x Random Lengths	600mm wide x Random Lengths
50mm thick	A03113	A00474
63mm thick	A00475	A00114

	Paving	Setts	Kerbs	Tactile	Specials
Hawks View	•	•	•	•	Limited

Hawl
conta

Extremely strong it is an ideal choice for mixed use areas as it is capable of carrying quite high loads. The all round general high performance of this stone make it a very good choice for any landscape as demonstrated at Lime Street Station and Mount Pleasant, Liverpool.



vks View is a grey brown mixed colour Sandstone paving which tains some very subdued banding and has a lightly textured finish.

It is part of Marshalls Ethically accredited Fairstone range.





by Marshalls ジ

marshalls.co.uk

Natural Stone

Natural Stone Laurel Bank

Laurel Bank		450mm wide x Ranc	450mm wide x Random Lengths		m Lengths
50mm thick		A24481		A24482	
63mm thick		A24483		A24484	
	Paving	Setts	Kerbs	Tactile	Specials
Laurel Bank	•	•	•	•	Limited

Limited



Natural

Stone Laurel Bank

Laurel Bank Cambrian Sandstone

Laurel Bank is an occasionally banded light buff Sandstone paving with a light surface texture. It is an ideal choice for mixed use areas due to its extremely high strength. The all round general high performance of this stone make this a very good choice for any landscape as demonstrated at Ebury Square, London.

It is part of Marshalls Ethically accredited Fairstone range.

kg



CO₂ per m² For the latest carbon value visit www.marshalls.co.uk/commercial/carbon-calculator









Laurel Bank, Ebury Square







Trentino Porphyry is a traditional Italian split face and split side stone for paving and setts. Containing mixed colours of reds, brown, greys and golds this high performing material brings a warmth and richness to any landscape. Extremely strong and durable it has a reputation for being very stain resistant.



Natural Stone Trentino



Trentino Porphyry



Cambrian Sandstone Vasanta Blend	Grishma Blend	Sharad Blend	Hemant Blend	Nisha Bler
Stonespar				

Stonespar is a one size blended sandstone paving range. Extremely strong it is capable of carrying a market place loading and comes in 6 predesigned blends which are inspired by the four seasons. Supplied with a top surface which has a blasted and brushed finish to enhance both slip and colour, it comes pre-blended in the crates to speed up installation and reduce space on site. It is Marshalls ethical commercial stone range and carries the Fairstone logo.

Stonespar Mixes	Grishma Item Code	Vasanta Item Code	Sharad Item Code	Hemant Item Code	Dava Item Code	Nisha Item Code
600x65x130	A24532	A24533	A24534	A24535	A28544	A28543
Stonespar Colours	Aruva Red Item Code	Chaler Beige Item Code	Jayrum Light Item Code	Salva Grey Item Code	Ranya Brown Item Code	Holkar Black Item Code








For the latest carbon value visit www.marshalls.co.uk/commercial/carbon-calculator

12













SELECT BY STONE TYPE			Namus store has a repeation for its supports anotheris strength, and datability. Its will answer the service of the strength strength and appropriate land appropriate land appropriate list and appropriate listenses in a readed for structural elements such as flooring. Manshalk has assembled a support range of all the store families to allow you to create the highest quality space.		
A MARINE	1				
MARBLE	LIMESTONE / TRAVERTINE	SANDSTONE / YORKSTONE	GRANITE	SLATE	
Marke is a non-bitanci matamophic cas Marke is a non-bitanci matamophic cas of innetnees. It is composed primally of cilications is the strengthism cases with the expetitivities on of the explora- ion of the expetitivities of the explora- ion of the expetitivities of the explora- tion of the exploration of the explora- and exploy an authentic all of their own.	Lincolous is audiency for you're consolini derwin for you'r consolini derwin fan mened calain. Is is und to mor the mened calain. Is is und you gene caleinatig word that to more the accountation of hall. a derwind caleinatig word thereadly the prophetion of calain caleination product staticities, caleination and Twenties and Twenties and Twenties and the caleination of the product staticities, caleination and Twenties and Staticities and Twenties and staticities and the calein baged hurs.	Sentone and Verticale and a Calific definition and the Calific and a Calific and Dia V/16 bit Them Gamma of the Register and the Calific and Calific and Calific auxiliarity addies function and the Calific auxiliarity addies in the Calific enternally good Sip existence coupled with high stanger (proportion making them subble for high use areas.	Godaha damad by the data Godaha damad by the data yapath disclose and calculate guard. Alkbara and micra hom nothin materials, the possible is well analow of colours and garan patterns. The experimental second second second aborghom necessary for a well-analysis aborghom necessary for a well-analysis aborghom necessary for a well-analysis guardane enhanced wellen a full polish is applied.	Size is a fine-grained, bland materiophic red, that is could by the absolute of dialy, also crow distored by manify of diag-minority of the strategiest on allocation and and the strategiest of blanger, calots, pyrele and hemate. Sizes spically hematics mining them we way to maintain.	
Polished / see pages 52 - 61, 64 - 71, 84 - 85, 88 - 89	Polished / see pages: 76 - 77, 102 - 103	Polished / see pages: 96 - 97	Polished / see pages: 62-63, 72-75, 78-83, 86-87, 90-95, 88-101.104-111	Textured / see pages: 170 - 173, 180 - 181, 192 - 193	
	Fine Finished / see pages: 114 - 119, 122 - 123, 136 - 139	Fine Finished / see pages: 120 - 121, 124 - 135	Textured / see pages:		
	Textured / see pages: 142 - 145, 166 - 167, 186 - 187	Textured / see pages: 146 - 147, 152 - 153, 164 - 165, 168 - 169	148 - 151, 154 - 163, 176 - 179, 182 - 185, 190 - 191, 194 - 199		



Using our knowledge and expertise of natural stone, we have assembled the highest quality materials from around the world for use in your internal schemes. Natural stones that go beyond your expectations and provide you with something unique, distinctive and inspirational.

• 200 pages of inspirational stones and completed schemes.

• 72 stones and finishes in full page swatches and laid areas.

• Textured print to help users appreciate finishes.

• All stone types including marble, granite, travertine, limestone, slate and sandstone.

• Presented in stone colour ranges from white through many colours to black.

Download FREE from http://www.marshalls.co.uk/ commercial/internal-flooring


Internal Stone

This classic store exudes luxary and opulence and offers lashings of warmth and character Marbles offer opulent aerohestor, the sensitive tones mean consideration should be given to joint colours and installation during store selection

 / Thickness: 15mm Other stone thicknesses may be available
/ Project specific plan sizes available up to maximum of 1000 x 1200mm. Conventio


/ For other Marbles see pages 48 - 49 Details of samples are available on page 200

POLISHED MARBLE



Natural Stone

126



Namaka

Fine Picked


Namaka Flamed


Prospero Flamed Trinculo Polished


It should be noted that colour variations and markings are characteristic of Natural Stone. Inherent variations cannot be controlled nor the precise shade of stone guaranteed.

Polishec

Proteus Fine Picked







Granite Swatches



Natural Stone



Natural Stone Granite









Callisto, St Barts, London

128






Callisto, Birn ingha











The RIBA Award winning £28million redevelopment of Exhibition Road has transformed one of London's most visited streets into one of the most accessible cultural destinations in the world.

It is one of London's most high profile streets, being home to leading cultural and academic institutions such as the Natural History Museum and Imperial College, but over time had become inefficient, being dominated by traffic with narrow, crowded pavements and street clutter, and was unable to handle the millions of people who visit every year. A complete redesign was needed to improve infrastructure and access to facilities.



Architects Dixon Jones' vision was a complete overhaul of the street, creating a 'shared space', which means that pedestrians and vehicles co-exist without one being the dominant force. This is created by the removal of kerbs, pavements and other obstructions, this encourages motorists to slow down and engage with the pedestrians creating a safer and more secure environment for all.

Marshalls supplied a range of key physical features of the redevelopment; natural stone, bespoke street lighting, drainage solutions and street furniture.

22,000m² of Yorkstone paving and Granite setts banded in black and pink, which create the diagrid crisscross paving pattern giving the street its unique visual identity.

The street's drainage solutions are provided by two continuous linear drainage channels, and include bespoke cast iron tops.

The f thore lead: The freel

Mayor of London, Boris Johnson, said: 'This clever approach to rearranging the streetscape at the heart of one of the most important cultural and academic corners on the planet will heighten the whole experience for visitors.

'In particular it will make it much easier and even more pleasurable for families visiting these unique attractions with space to wander unhindered in an area that puts people first.'

Councillor Sir Merrick Cockell, leader of the Royal Borough of Kensington and Chelsea, said: 'We now have a unique streetscape that will delight our many millions of visitors and which sets a new standard for urban design.'

Woodhouse, part of the Marshalls PLC group, provided a new multi-function street lighting concept; 28 bespoke lighting masts which define the centre of the carriageway. Woodhouse also supplied coordinated Geo benches and litter bins.

The finished result makes Exhibition Road one of the most striking thoroughfares in London. The paving's diamond shape pattern naturally leads users across the street from one famous cultural centre to another.

The clutter free environment feels calm, and allows crowds to flow more freely over the paving allowing for easy passage from South Kensington tube station to the museums which line the famous road.



Exhibition Road

Granite, The Royal Borough of Kensington & Chelsea



Natural Stone Case Study

. 1.5 7

目目

11

Granite Paving


Granite paving is available in all stone types in either picked/blasted or flame textured finishes. It is sawn all sides with a textured top for a non slip surface. Granite is a tough durable material which can be fashioned into a wide range of Landscape products and provides a very modern aesthetic. Marshalls supply a comprehensive range of granites in different finishes from standard silver grey through to more exotic colours.


Callisto

See full range of granite swatches page 126-127



NSSPlus 225 310





Natu

Granite Kerb

۵

Stone

Granite

Exter

Granite kerbs are available in most stone types and are either picked/blasted or flame textured to the top and front face. Radius kerbs may also be avaialbale by agreement.

Granite Kerb W x H Available in all granites	125 x 250	150 x 300	300 x 150	200 x 300	300 x 200
	Yes	Yes	Yes	Yes	Yes

Granite Tactile


Silver Grey blister and hazard warning (corduroy) paving in 400x400mm are stocked items. All profiles can be made in all granites from our range. Contact us for more information.

Granite Tactile Profiles Available in most granites	Blister	Hazard	Lozenge	Platform	Cycleway
	Yes	Yes	Yes	Yes	Yes

Granite Masonry

Bespoke masonry to your individual design can be produced in a wide range of granites and a few examples are shown on the surrounding pages. Marshalls can provide technical and design assistance for your scheme and early engagement with our advisors is recommended.





132

Granite is a tough durable material which can be fashioned into a wide range of Landscape products and provides a very modern aesthetic. Marshalls supply a comprehensive range of granites in different finishes from standard silver grey through to more exotic colours. All of Marshalls granites are available in at least paving, setts and kerb although most can be used to create special features. From the simplicity of Exhibition Road to the complexity of the Pier Head at Liverpool, granite has proved a popular choice of materials with designers and contractors throughout the UK.

See full range of granite swatches page 126-127