



Ashton Cycle Shelter



The Ashton Cycle Shelter has a simple, universal design similar to our highly popular Cambourne Cycle Shelter. Designed to hold either two rows of bicycles, it is an ideal BREEAM compliant solution for all sites where high density cycle parking is required.

Manufactured from galvanised mild steel with a UV stabilised PETG roof, the Ashton Cycle Shelter can be colour coated to any BS or RAL colour to suit the wider aesthetics of a site (codes must be specified at time of order). The Ashton is available ragged or flanged and can be extended as necessary with the addition of one or more extension bays.



<u>Part Number</u>	<u>Description</u>	<u>Weight (kg)</u>
138 204 241	3m Main Bay, Bolt down	361.0kg
138 204 244	4m Main Bay, Bolt down	427.0kg
138 204 246	5m Main Bay, Bolt down	493.0kg
138 204 242	3m Extensions Bay, Bolt down	268.0kg
138 204 245	4m Extension Bay, Bolt down	334.0kg
138 204 247	5m Extensions Bay, Bolt down	399.0kg
138 101 010	Pack of 16 M16 Expanding anchor bolts (for fixing 3-4m)	
138 101 012	Pack of 24 M16 Expanding anchor bolts (for fixing 6-8m)	
138 101 016	Pack of 32 M16 Expanding anchor bolts (for fixing 9-10m)	

Product details

- 4mm clear PET sheet
- 2964mm x 4117mm (height x depth)
- Colour Coated options available
- Extendable to any length using extension bays

Installation & use

Each shelter leg requires bolting down to a suitable concrete surface (no less than 1,600mm x 500mm x 400mm) by means of eight M16 bolts. The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes.

On-site assembly requires construction skill.

This product is guaranteed for 12 months (if installed and used correctly).



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP

