




Hooped Perimeter Barrier 48mm Diameter Stainless Steel, Concrete In



Perimeter Barriers are designed to help secure site perimeters and provide a permanent obstacle to vehicle access, to mark boundaries, define trolley parks and protect vulnerable door entrances and exits.

Suited to sites where aesthetics and security are equally important, perimeter barriers are commonly found outside car showrooms acting as protection for the cars on the forecourt without impeding a customer's view of the vehicles.

Available in a variety of heights and widths, available as concrete in, bolt down or removable for occasional access.

Galvanised, Stainless steel, galvanised and colour coated available. Tube diameters 48mm, 60mm, 76mm & 90mm available.



Part Number	Description, Height above ground x overall width
138 205 098	500 x 500 (Concrete in)
138 205 118	500 x 1000 (Concrete in)
138 205 114	500 x 1500 (Concrete in)
138 205 110	500 x 2000 (Concrete in)
138 205 142	750 x 1000 (Concrete in)
138 205 138	750 x 1500 (Concrete in)
138 205 134	750 x 2000 (Concrete in)
138 205 128	1000 x 1000 (Concrete in)
138 205 124	1000 x 1500 (Concrete in)
138 205 120	1000 x 2000 (Concrete in)

Product details

- Concrete in, 300mm below ground
- 48mm Diameter Stainless Steel Tube Grade 304
- Brushed finish
- Grade 316 available extra


Installation & use

Each leg of the barrier requires a hole of approximately 400mm³ and then concreted in for installation. This product is guaranteed for 12 months (*if installed and used correctly*)



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP



FM 31071 EMS 503166 OHS 552103