


Hooped Perimeter Barrier 76mm Diameter Stainless Steel, Bolt Down





Perimeter Barriers are designed to help secure site perimeters and provide a permanent obstacle to vehicle access, to mark boundaries, define trolley parks and protect vulnerable door entrances and exits.

Suited to sites where aesthetics and security are equally important, perimeter barriers are commonly found outside car showrooms acting as protection for the cars on the forecourt without impeding a customer's view of the vehicles.

Available in a variety of heights and widths, available as concrete in, bolt down or removable for occasional access.

Available as galvanised as standard. Stainless steel, galvanised and colour coated available extra. Tube diameters 48mm, 60mm, 76mm & 90mm available.



Part Number	Description, Height above ground x overall width
138 205 391	500 x 750 (Bolt down)
138 205 389	500 x 1000 (Bolt down)
138 205 385	500 x 1500 (Bolt down)
138 205 381	500 x 2000 (Bolt down)
138 205 374	750 x 1000 (Bolt down)
138 205 370	750 x 1500 (Bolt down)
138 205 366	750 x 2000 (Bolt down)
138 205 359	1000 x 1000 (Bolt down)
138 205 355	1000 x 1500 (Bolt down)
138 205 351	1000 x 2000 (Bolt down)

Product details

- M12 Expanding Anchor bolts 6 required per barrier (extra)
- 76mm Diameter Stainless Steel Tube Grade 304
- Grade 316 available extra

- · Flanged for bolting down onto a suitable concrete surface
- Brushed finish

Installation & use

Each barrier requires bolting down to a suitable concrete surface (not less than 150mm deep) by means of six M12 bolts

This product is guaranteed for 12 months (*if installed and used correctly*)



