




# Bowland Cycle Shelter Galvanised Steel Frame



The Bowland shelter is a free-standing, single sided cycle shelter designed for on site assembly, constructed from galvanised mild steel. Complete with 4mm UV stabilised PETG clear sheet roof.

The rolled round tube legs offer an elegant yet strong frame that emphasises the modern aesthetic of the shelter, the Bowland shelter is an ideal basis for sheltered cycle parking needs in public spaces.

Extension bays can be added to achieve the desired shelter length.

Shown with Sheffield Cycle Stands/Sheffield Roastrack, available extra.



Part Number	Description	Weight (kg)
138 204 461	2m Main Bay - Bolt Down	222kg
138 204 451	3m Main Bay - Bolt Down	268kg
138 204 454	4m Main Bay - Bolt Down	313kg
138 204 463	5m Main Bay - Bolt Down	358kg

## Product details

- 76mm diameter uprights
- 2434mm x 2588mm (max. height x depth)
- Concrete in 400mm (below ground)
- Flange plate - 1224mm x 300mm x 8mm
- Each flange plate requires 8 bolts

## Installation & use

Each shelter leg requires bolting down to a suitable concrete surface (noo less than 1,600 x 500 x 400mm) by means of eight M16 anchor bolts. The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes.

On-site assembly requires construction skill.

This product is guaranteed for 12 months (if installed and used correctly).



[www.autopa.co.uk](http://www.autopa.co.uk)  
+44 (0)1788 550556

AUTOPA Limited  
Cottage Leap, Rugby, Warwickshire CV21 3XP

