

diagonal

diagonal

universal soldier




diagonal

An all-purpose range of litter bins offered in a large variety of shapes and materials. Subtle wooden lamellas, technically pure slotted steel sheet or interesting transparent stretched metal always bring a different yet elegant effect. Suitability and high resistance to vandalism and corrosion are guaranteed. The triple litter bin for sorted waste is a variation that offers a solution of the current recycling problems while conserving the unity of the design.

Galvanized steel supporting frame with coating made of solid wooden lamellas, slotted metal sheet, perforated metal sheet, slotted stainless steel sheet or stretched steel sheet. Models with covers can be provided with stainless steel cigarette extinguisher and ashtray. Galvanized steel inner bin. Anchoring to concrete base or pavement.

diagonal




diagonal

DG110 / 140 / 160

Litter bin


steel frame, covered with wooden lamellas



DG115 / 145 / 165

Litter bin with cover


*steel frame, covered with wooden lamellas
– alternatively with stainless steel cigarette extinguisher and ashtray*



DG610 / 615

Triple litter bin for sorted waste / with cover

steel frame, covered with wooden lamellas




diagonal

b – pine wood
 r – acacia wood
 t – tropical wood
 n – stainless steel
 p – ash disposa

DG310 / 340 / 360

Litter bin


steel frame, covered with slotted metal or stainless steel sheet



DG315 / 345 / 365

Litter bin with cover


steel frame, covered with slotted metal or stainless steel sheet
– alternatively with stainless steel cigarette extinguisher and ashtray



DG710 / 715

Tiple litter bin for sorted waste / with cover

steel frame, covered with slotted metal or stainless steel sheet




diagonal

DG210 / 240 / 260

Litter bin


steel frame, covered with stretched steel sheet



DG215 / 245 / 265

Litter bin with cover


*steel frame, covered with stretched steel sheet
– alternatively with stainless steel cigarette extinguisher and ashtray*



DG410 / 440 / 460

Litter bin


*steel frame, covered with perforated metal
or stainless steel sheet*




DG415 / 445 / 465

Litter bin with cover

*steel frame, covered with perforated metal or stainless steel sheet
– alternatively with stainless steel cigarette extinguisher and ashtray*



diagonal




diagonal




square
Classical rectangle shape
of a litterbin.



diagonal



diagonal



alternative casing
Made of massive wooden
lamellas, slotted or
perforated stainless or
steel sheet, or of stretch
metal sheet.

diagonal



spherical square





circle
Elegant cylindrical variant.


KOTVENÍ NA DLAŽBU

ANCHORING ON THE PAVEMENT

VERANKERUNG AN PFLASTER

DIAGONAL
ALL TYPES
CR350/360CYLINDRE
AOP210
CR350/360AEROPORTO
PRAX
PRX115/145/155CRYSTAL
CP110
CS110/111CRYSTAL
CS110/211
CS210/211CRYSTAL
CS210/211
CS350/351




A-A

DIAGONAL
DG610/615/710/715

DLAŽBA / PAVEMENT / PFLASTERUNG

CHEMICKÁ KOTVA 4x M10x200
CHEMICAL ANCHOR
CHEMISCHER ANKER

BETON / CONCRETE C12/15

PODSYP
GRAVEL SUB-BASE
KIES UNTERGRUNDCRYSTAL
CS330/331CRYSTAL
CS350/351

Rozměry výrobků mají informativní charakter. Výrobce si vyhrazuje právo na změnu technické specifikace bez předchozího upozornění. Rozměry spodní stavby a způsob osazení výrobku jsou závazné. Rozteč kotev rozměrovat dle rozměrů dodaného výrobku.

All product sizes have an informative character. The Producer reserves the right to amend the technical specification at any time without previous warning. The size of foundation baseplate and the method of mounting of the product are imperative. Anchor spacing measure out by measurements of supplied product.

Die Abmessungen der Produkte sind informativ. Der Hersteller behält sich das Recht an Änderungen der technischen Spezifikationen vor, ohne vorher darauf hinzuweisen. Abmessungen der Fundamentierung - Unterbau und Art des Produkteinbaus sind verbindlich. Ankerabstand gemäß der gelieferten Produktabmessungen dimensionieren.

TECHNICAL SPECIFICATIONS 3/5

TYP B - LITTER BINS



mmcite.com