

# kerb large (kl)



ISO 9001:2008



ISO 14001:2004

versatile, smooth finish

- Versatile alternative to traditional concrete kerbs
- Dual purpose profile offers various laying options (splayed or bullnosed)
- Vibrant long-lasting colours
- Kerb Large Specials are available

## product specifications

<b>Product type</b>	Concrete Kerb
<b>Manufactured to</b>	BS EN 1338:2003
<b>Efflorescence</b>	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
<b>Strength</b>	> 3.6MPa
<b>Installed to</b>	BS 7533-6:1999
<b>BSI Plus</b>	Q10 150
<b>Applications</b>	Residential and Commercial when used in conjunction with the correct sub-base design in accordance with the latest British Standard.
<b>Energy used</b>	100% renewable energy
<b>Water used</b>	100% water used from rainwater harvesting system
<b>Carbon Footprint</b>	11kgCo <sub>2</sub> e/lm
<b>Recyclable</b>	100% of this product can be recycled
<b>Manufacturing location</b>	Produced in the UK with locally sourced materials
<b>breem rating</b> www.bre.co.uk	Refer to the Green Guide to Specification, 4 <sup>th</sup> Edition 2009.
Tobermore products are manufactured in accordance with an accredited ISO 9001:2008 quality system. Manufacturing facilities are accredited to ISO14001:2004 Environmental Management. The company publish Environmental labels and declarations in accordance with BS EN ISO 14021:2001.	



## colours



product	size (mm)	colours available	in stock	lm per pack	lm per slice	no. per pack	weight (kg) per pack
KERB LARGE	200 x 127 x 100	Bracken, Brindle, Charcoal, Heather, Natural	YES	28.8	4.8	288	1549

Refer to all instructions and warnings on our website