


# Tegula setts & circles

## Traditional styling.

With Tegula Setts & Circles you can create an authentic aged effect. We manufacture Tegula Setts & Circles in five colours, so you can be even more creative with your paving design.

- Processed to give an aged, antique appearance
- Vibrant long-lasting colours
- Significantly reduced efflorescence
- Suitable for both modern or period properties
- Ideal for creating borders



### **Tegula Circular System**

Tegula Circular is a specially designed system for easy creation of circular patterns. Please refer to our website for laying guidelines.

### Ef-Stop®



















Depths





# Tegula setts & circles





### Specification Ef-Stop\*

Product type		Concrete Paving Block						
Manufactured to		BS EN 1338:2003						
Surface Finish		Processed to give an aged appearance						
Efflorescence		Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence						
Strength		Typical tensile splitting strength of >3.6MPa						
Slip/Skid risk		Extremely Low						
Installed to		BS 7533-3:2005						
กรร	(Setts)	Plus Q24110 Create 45-20-64/410						
N55	(Circle)	Plus Q24 110 Create 45-20-64/400						
Applications		Refer to the relevant part of BS 7533 for the correct sub-base design and the most suitable product size for your application. Available from www.bsigroup.com						
Energy used		100% renewable energy						
Water used		100% from our rainwater harvesting system and groundwater bore hole						
Recycled content		Not less than 10% (all colours except Natural & Golden)						
Carbon Footprint		Tegula Setts Tegula Circle						
		<b>50mm</b> 17kgCo²e/m² <b>50mm</b> 19kgCo²e/m² <b>60mm</b> 22kgCo²e/m²						
Recyclable		100% of this product can be recycled						
Manufacturing & Delivery		From one location within the UK						
breeam rating www.bre.co.uk		<b>A</b> , according to the Green Guide to Specification, 4 <sup>th</sup> Edition 2009. <b>A</b> ◆, can be achieved when used in conjunction with a prepared recycled sub-base.						

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.





### Stock

product	size (mm)	colours available	in stock	m² per pack	m² per slice	no. per m²	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
Tegula Setts BIM	Various x 50	Bracken, Charcoal, Golden, Heather, Natural	YES	8.5	0.85	117	995	930	920
	100 x 100 x 50	Bracken, Charcoal, Golden, Heather	YES	11.52	0.96	100	1152	1215	1205
	Various x 60	Bracken, Charcoal, Golden, Heather, Natural	YES	6.8	0.85	117	796	872	862
<b>Tegula Circle</b> (sold as one unit)	50 x 1.5m diameter	Bracken, Charcoal, Golden, Heather, Natural	YES	-	1.76 (per circle)	-	1 circle	200	200

BIM -This product is available to download from our website in BIM Level 2 format.











Contact Us GB: 0844 800 5736 NI: 028 7964 2411 ROI: 048 7964 2411