

Country Kerb

Heavy duty kerb.

Country Kerb has an aged appearance with a hint of sparkle. This robust, traditional kerb is available in a range of finishes including granite.

- Features an exposed granular surface
- Emulates the unique aged appearance of traditional granite kerbs
- Offers all the benefits of modern concrete kerbing
- Designed with strength and durability in mind

 **Ef-Stop®**




TGA
Textured
Granite Aggregate
Finish



Pedestrian
Use



BIM
Level 2



Sizes



Country Kerb



Specification



Product type	Concrete Kerb
Manufactured to	BS EN 1340: 2003
Efflorescence	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
Strength	Typical tensile splitting strength of >3-5MPa
Slip/Skid risk	Extremely Low
Installed to	BS 7533-6:1999
BS	Plus Q10 110 Create 45-20-64/370 Plus Q10 110 Create 45-20-64/365
Applications	Residential and Commercial when designed in accordance with the latest British Standard. Available from www.bsigroup.com
Energy used	100% renewable energy
Water used	100% from our rainwater harvesting system and groundwater bore hole
Recycled content	Not less than 5%
Carbon footprint	255x125x915mm 13kgCo2e/ea 255x145x915mm 13kgCo2e/ea 150x75x90mm 4kgCo2e/ea
Recyclable	100% of this product can be recycled
Manufacturing & Delivery	From one location within the UK
breeam rating www.bre.co.uk	Refer to the Green Guide to Specification, 4th Edition 2009.

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 quality. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

Contact Us

GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email

technical@tobermore.co.uk
sales@tobermore.co.uk

tobermore.co.uk

Country Kerb



Stock


product	size (mm)	colours available	in stock	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
Country Kerb BIM	255 x 125 x 915	Granite Aggregate, Standard Aggregate	YES	18	1251	1251
	255 x 145 x 915	Graphite	SO	16	1282	1282
Country Edge BIM	150 x 75 x 900	Granite Aggregate	YES	60	1200	1200
Country Kerb Dropper (specify left or right hand dropper)	255/150 x 125 x 915	Granite Aggregate, Standard Aggregate	YES	18	924	915
	255/150 x 145 x 915	Granite Aggregate	MTO	16	969	960
Dropper Centre Kerb	150 x 125 x 915	Granite Aggregate	MTO	36	1512	1512
	150 x 145 x 915	Granite Aggregate	MTO	32	1504	1504
External or Internal Corner	255 x 145 x 915	Granite Aggregate	MTO	16	1282	1282

BIM - This product is available to download from our website in BIM Level 2 format.

Graphite



Granite Aggregate



Standard Aggregate



Contact Us

GB: 0844 800 5736
 NI: 028 7964 2411
 ROI: 048 7964 2411

Email

technical@tobermore.co.uk
 sales@tobermore.co.uk

tobermore.co.uk