

Secura Lite




Mortar-free retaining wall.

Secura Lite has an antique feel, and a warm aged finish. The combination of block widths available, produce a traditional, random stone appearance.

- Easy to build
- Used mainly in domestic applications
- Features a unique aged finish
- Available in a combination of three block widths
- Creates a random stone appearance
- Vibrant long-lasting colours

**SF**Split
Face

Finish

**Sizes**

All three sizes in one pack

Secura Lite



Specification



| | |
|---------------------------------------|--|
| Product type | Concrete Block |
| Manufactured to | BS EN 771-3:2011 |
| Surface finish | Processed to give aged appearance |
| Efflorescence | Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence |
| Strength | Typical tensile splitting strength of >30N/mm ² |
| Design and Installation to | BS 8002:2015 |
| BS | Plus D41 310 Create 45-25-66/320 |
| Applications | Low height gravity retaining wall solution for walls up to a maximum of 960mm high. Please refer to Tobermore's Secura Lite installation guidelines. |
| Energy used | 100% renewable energy |
| Water used | 100% from our rainwater harvesting system and groundwater bore hole |
| Recycled content | Not less than 6% |
| Carbon footprint | 1.6kgCo ² e/ea |
| Recyclable | 100% of this product can be recycled |
| Manufacturing & Delivery | From one location within the UK |
| breeam rating www.bre.co.uk | Refer to the Green Guide to Specification, 4th Edition 2009. |

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

Contact Us

GB: 0844 800 5736
 NI: 028 7964 2411
 ROI: 048 7964 2411

Email

technical@tobermore.co.uk
 sales@tobermore.co.uk

tobermore.co.uk

Secura Lite



Stock

| product | size (mm) | colours available | in stock | LM per pack | m ² per slice | no. per m ² | no. per pack | weight kg per pack GB | weight kg per pack NI/ROI |
|---|--|-------------------------|----------|-------------|--------------------------|------------------------|----------------|-----------------------|---------------------------|
| Secura Lite (all three sizes in one pack) | 320 x 200 x 80 280 x 200 x 80 240 x 200 x 80 | Bracken, Heather, Slate | YES | 33.6 | 0.84 | 44.64 | 40 40 40 | 1121 | 1121 |
| Secura Lite Coping | 310/255 x 240 x 70 (tapered coping) | Bracken, Heather, Slate | YES | - | - | 3.5LM | 120 | 1316 | 1316 |

Heather



Bracken



Slate



Contact Us

GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email

technical@tobermore.co.uk
sales@tobermore.co.uk

tobermore.co.uk