
Cast-iron radiators as individual as your home

To suit every application, from a restoration project to a new build.



















AEL Victoriana

CAST IRON RADIATORS

AEL Victoriana traditional central heating radiators are the ideal choice for Victorian and other older-style properties.

Manufactured in sectional columns, they add a touch of period authenticity and a special kind of warmth and comfort that only genuine cast-iron can provide.

As individual as your home

From the tall and slim hallway radiator to the short and squat window seat, the sectional column concept enables AEL Victoriana radiators to be assembled to meet your individual requirements. With an exstensive selection of sizes we can build a radiator to suit every application, from a restoration project to a new build. Radiators are supplied with a comprehensive range of brackets and mountings to give you total fixing flexibility.

Optional Painted Finishes

The Victoriana radiator range is supplied in a primer finish as standard or in an optional specified RAL colour.

A colour swatch brochure with a choice of over 200 colours is available and can be viewed on the home page of our website www.aelheating.com or it can be posted out to you by contacting our head office Tel:01928 579068. Please note, for a professional finish cast iron radiators should always be powder coated at a low bake.

Sizing and selection

The seven Victoriana cast iron radiator models offer the choice of 6 heights, ranging from as low as 475mm up to 960mm, and 2 depths of 144mm (4 column) and 221mm (6 column).

Each Victoriana section is 60mm wide and will provide different heat

Each Victoriana section is 60mm wide and will provide different heat outputs according to the height and depth.

The depth of each section is determined by the number of columns from front to back and the length of the radiator is determined by the number of sections required to be joined to provide the heat for the room.

AEL Victoriana cast iron radiators can be installed in lengths of up to 60 sections (3.6m) but because of the weight and size of cast iron it is more practical to supply radiators assembled in ten section lengths, so if a 20 section radiator was ordered it would arrive as two tens with one join made on site.

AEL Victoriana Technical Data per Section.

Radiator Ref:	RV4/475	RV4/655	RV4/762	RV4/995	RV6/485	RV6/655	RV6/762	RV6/960			
Number of columns	4 cols	4 cols	4 cols	4 cols	6 cols	6 cols	6 cols	6 cols			
Foot section Height mm	475 mm	655 mm	762 mm	955 mm	485 mm	655 mm	762mm	960 mm			
Deduct -58mm (+- 3mm) off the height shown above if the radiators are to be wall mounted											
Depth mm	144 mm	144 mm	144 mm	144 mm	221 mm	221 mm	221 mm	221 mm			
Width mm	60 mm	60 mm	60 mm	60 mm	60 mm	60 mm	60mm	60 mm			
Litres per section	0.67	0.89	.96	1.16	.80	1.22	1.35	1.5			
Tapping Centres mm	315	500	602	800	350	500	602	800			
Output W @ 60°C dt	79	110.8	127.8	158.4	119	160.5	187.4	233			
@ 56°C dt	72.3	101.3	120.5	144.3	109	146.7	171.3	212.7			
@ 50°C dt	62.4	87.4	100.8	124.9	94.1	126.6	147.8	184.1			

Correction Factors Example: Water Temp IN 82°C:Temp OUT 71°C:AV Mean Temp 76.5°C:Room Amb Temp 20°C = Δ '56 °C

$\Delta^{_{^{\dagger}}}{}^{\circ}\mathbf{C}$	0	1	2	3	4	5	6	7	8	9
30	0.47	0.49	0.51	0.53	0.55	0.56	0.58	0.60	0.62	0.64
40	0.66	0.68	0.70	0.72	0.74	0.76	0.78	0.80	0.83	0.85
50	0.87	0.89	0.91	0.93	0.96	0.98	1.00	1.02	1.04	1.07
60	1.09	1.11	1.13	1.16	1.18	1.20	1.23	1.25	1.27	1.30



Integral foot Standard



Top Retaining Stays (included)



Joining nipples (included)




Air vent & tapping bushes (included)



Powder coat paint finish (optional)



Wall bracket (optional)



Free standing pillar brackets (optional)



Joining Key (optional)



Radiator valves (optional)



Antique brass feed pipe & shroud x2 set (optional)

AEL HEATING SOLUTIONS

e-mail: sales@aelheating.com

HEAD OFFICE: 4 Berkeley Court, Manor Park, Runcorn, Cheshire, WA7 1TQ Tel: 01928 579068 Fax: 01928 579523

AEL reserve the right to alter designs and specifications without prior notice

A selection of fittings & feet available shown above

AEL Victoriana Radiators are supplied complete with all fittings including feet. If the required radiator exceeds 10 sections, a joining key will need to be purchased. **Wall mounting brackets are also available.**

All dimentional drawings of radiators and valves for pre installing pipework can be viewed on our website **www.aelheating.com**

European Standard EN442 was brought into force to define "heat measurement sampling" for hot water radiators in all European countries, a positive step forward to ensuring radiators tested and approved will provide the stated heat output required and also give a guarantee that the product will be fit for purpose.

EN442 provides a guarantee that the stated output of radiators from reputable manufacturers is correct and highlights and deters the use of poor quality untested radiators in European installations.

Plate Heat Exchanger Packages Gas fired Cast Iron Condensing Sectional Boilers Boilers High Output Tubular Aluminium Steel Radiators Radiators Designer Bathroom Radiators

Corgi Approved Engineers