

Acrovyn®


Wall & Door Protection



DESIGN. DECORATE. PROTECT.



Construction Specialties®



CONSTRUCTION SPECIALTIES

About Us

Established in 1948, Construction Specialties is a family-owned business with 22 offices worldwide and has key manufacturing locations or sales offices in most European countries.


Wherever you are, we can provide customers with fast local support from trained and experienced personnel.

As a manufacturer and supplier of specialist products, we have become a global leader in many of our product ranges, which have been successfully installed in some of the world's most prestigious buildings and across a wide spectrum of sectors.



GLOBAL PRESENCE

CS developed Acrovyn Wall Protection over 50 years ago and has since been involved in thousands of successful projects around the world.



INNOVATION

Many of our standard models and product innovations have been created through collaboration with our customers and responding to market needs. In 2004, we were the first manufacturer to introduce PVC-Free wall protection to the market.



KNOWHOW

From early design stage and product selection to installation, we provide customers with advice and support to ensure successful project delivery.



www.c-sgroup.co.uk/110

ACROVYN®

Contents

Why Acrovyn®?

NEW COLOUR PALETTE
ACROVYN AND SUSTAINABILITY
ACROVYN BACTERICIDE
ACROVYN SHOWCASE

4

Introduction to Wall Protection

GUIDANCE TO DESIGNING EFFECTIVE
WALL PROTECTION SCHEMES

14

SPACES WORTH PROTECTING:

HEALTHCARE | CARE HOMES AND DEMENTIA CARE
RETAIL | EDUCATION | FOOD RETAIL
HOTELS | OFFICES & WORKPLACES
SPORTS AND LEISURE | TRANSPORT

Sheet & Panel Protection



30

ACROVYN TEXTURED SHEET - SOLID COLOURS
ACROVYN TEXTURED SHEET - DECORATIVE FINISHES
ACROVYN PVC-FREE TEXTURED SHEET
ACROVYN SMOOTH SHEET
ACROVYN BACTERICIDE SHEET
ACROVYN STAINLESS STEEL SHEET
ACROVYN BY DESIGN
ACROVYN GLASS BY DESIGN
ACROVYN WALL PANELS
ACROVYN FP PANELS

Corner Guards



60

Handrails



70

Hand / Crash Rails



82

Crash Rails



92

Bed Head Protection



106

Stainless Steel Protection



116

EPDM Rubber Protection



126

Door Protection



136

Our Services

146

Colour Range Foldout

148

Why Acrovyn®?

Wall protection has never looked better than with Acrovyn.

Offering limitless flexibility for designers, Acrovyn is renowned for its durability. It is available in many designer profiles and material options, an updated and extended palette of colours, finishes and textures to enhance and protect a wide spectrum of interiors.



DESIGN

The Acrovyn Wall Protection range provides designers and facility owners with a comprehensive selection of design options to suit different requirements, budgets and applications. From healing healthcare environments to stimulating education facilities; aspirational hotels to inviting retail environments; energising leisure centres to unique fit-outs in the commercial sector, our products allow our customers the ability to create beautifully protected interiors that last.



DECORATE

Acrovyn's new contemporary and decorative palette of colours, finishes and textures reflects interior design trends to work with any interior scheme. Our sheet protection can also incorporate high quality imagery and graphics, providing you with limitless opportunities to create unique and striking designs.



PROTECT

Through-coloured and impact resistant Acrovyn Sheet provides a tough, durable and easy-to-clean finish to protect interior walls, doors, reception desks and other interior surfaces.


Robust Acrovyn Profiles protect walls and corners from damage, and are available in a wide choice of shapes, sizes, materials, colours and finishes to suit functional and aesthetic requirements.

For a complete and reliable protection solution for your interior, look no further than Acrovyn.



EXPERIENCE

We've been supplying wall protection to thousands of customers internationally for over 50 years.



INNOVATION

We are innovative in product design and in manufacturing, from our PVC-Free wall protection line to our patented Quick Lock brackets.




THIRD PARTY TESTING

Our products' performance is backed by third-party testing.



CUSTOMER SUPPORT

We support projects from design to completion stage offering specification support, design advice, site surveys and installation help.



WIDE PRODUCT RANGE

We offer a comprehensive range of wall protection profiles and flat protection options to suit different requirements, budgets and applications



NEW COLOUR PALETTE

Colours, textures and finishes transform building interiors. They can impact our emotions and the way we perceive and experience spaces.

We have worked with Colour Consultants, specialists in the built environment, to develop a new colour offering which can be easily integrated into any design style.

The study included a thorough review of contemporary design schemes across all market sectors, current trends in materials and patterns, as well as detailed colour analysis.

Our refined palette of solid colours and expanded range of decorative finishes allows a multitude of ways to express your creativity and deliver beautiful interiors that last.



REFRESHED OFFERING

From off-whites and pastels to dark, saturated colours, our range includes timeless classics and new on-trend shades to incorporate in your next design scheme.

Our brand new concrete patterns bring simplicity and depth to any interior, and will work equally well when combined with neutral shades, woodgrains or splashes of bright colours.

New Bronze and Copper iridescent metallics can be used for adding interest and sophistication to spaces.

For bringing warmth and a natural look to any interior, nothing beats woodgrain finishes. Now available in on-trend bleached effects, as well as traditional oak or walnut options.

For a truly bespoke look or a focal point, Acrovyn by Design murals can be utilised to bring patterns, colours and stunning imagery into any interior.

Design. Decorate. Protect.

A COLOUR VISION

See wall protection in a whole new light with Acrovyn's updated palette of colours and finishes, which allows you to produce harmonious designs and create the ambience you desire.



Soft, natural shades and gentle pastels add calm, comfort and can be used to bring nature into your interiors. They are ideal for creating healing healthcare environments or relaxing spaces in any building type.



Vivid colours are synonymous with energy and vitality. Use them on feature walls, or to create bright and stimulating design schemes. They are also very effective as part of wayfinding schemes.



Choose from a selection of neutral shades in combination with concrete or woodgrain finishes to create classic and sophisticated spaces.



Our new deep shades work perfectly with metallic accents. Whether used on their own, or with complementary neutrals, they will bring a touch of comfort and luxury to your scheme.

For more colour inspiration visit www.c-sgroup.co.uk/2445

ACROVYN® AND SUSTAINABILITY

Protecting the environment is a journey, not a destination. CS recognises its responsibility to current and future generations for its role in the preservation of our global environment. We are proud of the contribution we make to sustainability and are continually working towards more environmentally-sound practices across our operations worldwide.



SAFE FORMULATION

Acrovyn materials are free from persistent bio-accumulative toxins (PBTs), Bisphenol-A (BPA) and halogenated or brominated fire retardants.

When tested to ISO 16000 for the release of Volatile Organic Compounds, our products achieved an A+ rating.



PVC-FREE SOLUTION

Acrovyn PVC-Free is our most environmentally friendly wall protection range and is proven to be as strong and durable as traditional Acrovyn.

Textured PVC-Free Sheet is B-s1, d0 fire rated (in accordance with EN 13501-1).



CRADLE TO CRADLE CERTIFIED™ BRONZE*

Newly awarded Bronze Level Cradle to Cradle certification for Acrovyn PVC-Free Sheet evaluates a product's sustainability across its entire lifecycle, giving customers confidence to specify it in green building schemes.



ENVIRONMENTAL MANAGEMENT

Some of our European operations have achieved ISO 14001 Environmental Management accreditation, while others are working towards it.



RESPONSIBLE MATERIAL SOURCING

We use wood from FSC- or PEFC-certified suppliers and our aluminium retainers are produced using up to 60% recycled aluminium content. Any factory metal waste is recycled or alternatively, custom lengths can be manufactured to reduce wastage.



GREEN BUILDING SCHEMES

Acrovyn products are designed to be robust, long lasting and to maximise the lifespan of the interior building fabric. They may contribute to sustainability schemes such as BREEAM or LEED.


For the latest information on our sustainability journey, visit www.c-sgroup.co.uk/2907

* Cradle to Cradle Certified™ is a registered trademark of the Cradle to Cradle Products Innovation Institute.

EXPANDED PVC-FREE RANGE

Acrovyn PVC-Free is now available in an updated palette of colours and an extended range of options to provide wall protection solutions fit for any environment.

The offering includes sheet for surface protection and a selection of handrails, crash rails and corner protectors to help you design attractive and effective wall protection schemes for all building areas.



New Improved Colour Range

Acrovyn PVC-Free Sheet is now available in 36 colours and PVC-Free Profiles in 15 standard solid colours. See our Colour Foldout **pages 150 and 152** for details.



ACROVYN® BACTERICIDE

In a world where infection control is more important than ever, products which have proven bactericidal efficacy are the ideal solution in healthcare facilities and other areas where hygiene cannot be compromised.

Acrovyn Bactericide pro-actively kills bacteria through surface contact alone, helping to protect patients from Healthcare-Associated Infections (also referred to as nosocomial infections). It has been tested to ISO 22196¹ and proven up to 100% effective against most commonly occurring hospital and food bacteria strains.

Sanitized® zinc pyrithione², the

advanced anti-microbial additive incorporated during manufacture of Acrovyn Bactericide products, remains effective throughout their lifecycle and is not affected by most stringent cleaning regimes.

The products are completely safe to humans but deadly for bacteria, guaranteeing long term hygienic conditions.



CLASSIFICATION OF BACTERICIDE

A plastic surface can only be called bactericide if more than 99% of all bacteria are eliminated. This is determined by the ISO 22196 test and classified according to EN 1040³ standard.


ISO 22196 determines the bactericidal activity of a plastic surface by applying the following formula:

Bactericidal activity = log bacteria on control surface - log bacteria on treated surface

Bactericide: when its bactericidal activity is 5 or higher, which translates to 100,000 times fewer bacteria on the treated surface than on the inactive control surface.

Bacteriostatic: when its bactericidal activity is between 5 and 1 (100,000 to 10 times fewer bacteria).

Inactive: when its bactericidal activity is lower than 1.



¹ ISO 22196: 2011 'Measurement of antibacterial activity on plastics and other porous surfaces'

² Sanitized® is a registered trademark of Sanitized AG.

³ EN 1040: 2005 'Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of basic bacterial activity of chemical disinfectants and antiseptics - Test method and requirements (phase 1)'



TESTED AND CERTIFIED

Acrovyn Bactericide has been tested to ISO 22196 for its bactericidal efficacy against 7 common strains and classified under EN 1040.

Escherichia coli



Activity in log: 5.4
Class: **Bactericidal**

Staphylococcus aureus




Activity in log: 5.1
Class: **Bactericidal**

Mycobacterium smegmatis




Activity in log: >5
Class: **Bactericidal**

MRSA*




Activity in log: 3.92
Class: **Bacteriostatic**

Salmonella enteritidis



Activity in log: 4.1
Class: **Bacteriostatic**

Listeria monocytogenes



Activity in log: 2.661
Class: **Bacteriostatic**

Enterococcus species



Activity in log: 2.28
Class: **Bacteriostatic**

* Methicillin-resistant Staphylococcus aureus

ACROVYN BACTERICIDE PRODUCT OPTIONS

Acrovyn Bactericide solutions include sheet options for surface protection, handrails and bed head protectors.



ACROVYN SHEET

Page 42

Available in six colours in Suede texture finish, one colour in Smooth.



HREB-6 HANDRAIL

Page 74

Available in 27 solid colours.



BL-40V BED HEAD PROTECTORS

Page 111

Available in 27 solid colours.

ACROVYN® SHOWCASE

Acrovyn Showcase is an easy-to-use desktop application that lets you plan and design even complex wall protection concepts in a photorealistic hospital environment. Our newly released version 2020 has been re-written from the ground-up with amazing new features to become a comprehensive all-in-one design and planning tool for hospital interiors.




www.c-sgroup.co.uk/15643

HOSPITAL AREAS

10 hospital areas are available to help you find functional and great looking wall protection concepts.

- 1 Patient room
- 2 Treatment room / Oncology
- 3 Ambulatory surgery
- 4 Hallway / hospital corridor
- 5 Operating theatre
- 6 Scrub room
- 7 Staircase
- 8 Lift area
- 9 Waiting area
- 10 Reception area



LATEST FEATURES INCLUDE

Healing environments

Acrovyn Showcase comes with several interior design pre-sets based on the latest trends in hospital interiors to provide inspiration and a starting point for your bespoke solutions.

Product Information

Acrovyn products can be inspected in every detail through the built-in Product Inspector. You can also download datasheets, CAD drawings, virtual product samples, BIM Objects and other product related files from within the application.



New design tools

Acrovyn Showcase lets you design interiors in every detail. All products can be dynamically adjusted in height and wall position. You can specify custom colours for walls, ceiling and floors or load your own images or patterns into Acrovyn by Design murals.

Collaboration Tools

Save your personal interior designs in Acrovyn Showcase and share them with colleagues or clients. A great feature to gather feedback and plan a hospital interior with others.

To access Acrovyn Showcase app, visit www.c-sgroup.co.uk/15643

A FULLY IMMERSIVE EXPERIENCE

Acrovyn Showcase VR allows you to view and experience your healthcare interiors in every detail and with stunning, lifelike realism. Contact us to arrange a demonstration.



Designing Effective Wall Protection Schemes

The interior fabric of public, private and commercial buildings is often subjected to extensive wear and tear, or impact damage, compromising aesthetics, hygiene, and affecting maintenance budgets.

Incorporating wall and door protection solutions is a key design factor in these heavy traffic environments, ensuring the longevity and appearance of a building's interior while helping to reduce maintenance costs and the need for repairs and redecorations.

COMMONLY AFFECTED AREAS:

- Receptions and entrance lobbies
- Corridors and lift areas
- Hospital wards and bedrooms in care homes or hotels
- Commercial kitchens
- Food serving and dining areas
- Manufacturing facilities
- Service areas and back-of-house

BENEFITS OF USING WALL PROTECTION:

- Increased durability and lifecycle of the building fabric
- Reduced maintenance, repair and refurbishment costs
- Improved aesthetics and unlimited visual freedom
- Compliance with legislation and guidance

Typical Causes of Damage



Pedestrians



Shopping Carts & Baskets



Chairs



Hospital Beds



Baggage



Catering & Linen Trolleys



Wheelchairs & Pushchairs




Vehicles



www.c-sgroup.co.uk/4383

TYPES OF WALL PROTECTION:



SURFACE PROTECTION SOLUTIONS

A comprehensive selection of sheets and panels is available for enhancing and protecting walls, columns, reception desks and other interior surfaces from wear and tear or impact damage. See Sheet and Panel Protection section - **page 30**.



DOOR PROTECTION SOLUTIONS

Acrovyn Door Protection options offer superb impact resistance for vulnerable door faces, edges and frames. Manufactured to bespoke sizes. See Door Protection section - **page 136**.



HANDRAILS

Designed to offer pedestrian support and guidance, Acrovyn handrails combine comfort, style and a degree of surface protection. See Handrail section - **page 70**.



HAND/CRASH RAILS

Solutions combining handrail and crash rail, designed for areas where both pedestrian support and impact protection is required. See Hand/Crash Rail section - **page 82**.




CRASH RAILS

For use in circulation areas and service corridors of busy working environments to protect against damage from pedestrian and wheeled traffic. See Crash Rails section - **page 92**.



CORNER GUARDS

Available in a range of material and size options for the protection of vulnerable external corners. See Corner Guards section - **page 60**.



BED HEAD PROTECTORS

Acrovyn bed head solutions for hospitals and care homes prevent damage to walls and wall-mounted equipment. See Bed Head Protection section - **page 106**.

WALL PROTECTION SPECIFICATION CONSIDERATIONS

In order to create interior spaces which are resilient and aesthetically pleasing, due consideration should be given to the environment, the type of activity taking place and the anticipated damage, including its source, frequency and severity, as well as overall interior aesthetics.

HANDRAIL PROVISION

In areas where pedestrian access is expected and mobility support may be required handrails should be included.

INTERIOR SURFACES

Interior surfaces which may be susceptible to damage should be identified (e.g. doors, walls or other surfaces) and most appropriate protection type selected.

CRASH RAILS

The type and position of crash rails and their duty rating should be related to trolley sizes, anticipated damage position, as well as frequency and severity of impact.

CORNER GUARDS

The optimum type and height of corner guards should be specified to effectively protect exposed external corners.

TYPE OF MATERIAL

Which material is best for the location? Acrovyn models are typically used in general circulation spaces, in kitchens there may be preference for stainless steel and in delivery areas for robust EPDM rubber protection.

Depending on the building type, there may be additional considerations, such as ensuring buildings are accessible to all users and other functional requirements are met. We've covered key points which are worth thinking about on the following pages.


EXAMPLES OF WALL PROTECTION SCHEMES

Our wall protection range offers solutions to enhance and protect interior décor of all busy environments.

The following illustrations show examples of wall protection schemes. Other configurations can be easily achieved with our wide portfolio of products.


LIGHT OR MEDIUM DUTY PROTECTION REQUIREMENTS

For corridors with pedestrian movement and waiting areas with lightweight trolleys in occasional use.



Waiting areas

- Corner guards to mid-wall height
- Rub rails at mid-wall height
- Push plates on doors



Corridors with pedestrian movement and occasional trolleys in use

- Corner guards to mid-wall height
- Handrails at mid-wall height*
- Push plates on doors



Corridors with more frequent trolley movement

- Corner guards to mid-wall height
- Sheet protection to mid-wall height
- Handrails at mid-wall height*
- Kick plates and push plates on doors

* For handrail dimensions and position on the wall refer to local legislation.


HEAVY DUTY PROTECTION REQUIREMENTS

For circulation areas susceptible to frequent damage from pedestrian and wheeled traffic such as trolleys, wheelchairs and beds in hospitals.




Corridors with regular trolley traffic and pedestrian access; impact damage expected at low-wall level

- a. Corner guards to mid-wall height
- b. Handrails at mid-wall height
- c. Crash rails at low level
- d. Kick plates and push plates on doors



Corridors with regular trolley traffic and bed movement, where some pedestrian access is still expected

- a. Corner guards to mid-wall height
- b. Hand/crash rails at mid-wall height, crash rail at low wall level
- c. Half face protection to the doors




Corridors with regular trolley traffic and bed movement; impact damage expected at multiple levels

- a. Full height corner guards
- b. Crash rails at two or more levels
- c. Full face door protection


SEVERE DUTY PROTECTION REQUIREMENTS

For distribution or circulation areas with regular heavily laden trolleys.




Corridors with trolley traffic; impact damage expected at mid-wall height

- a. Corner guards to mid-wall height
- b. Crash rail fitted on brackets to keep wheeled traffic away from the wall at mid-wall level
- c. Full face door protection




Corridors with trolley traffic; impact damage expected at multiple levels

- a. Full height corner guards
- b. Crash rails fitted on brackets to keep wheeled traffic away from the wall at two wall levels
- c. Full face door protection and door frame protection



In delivery areas and some other back of house areas, severe duty EPDM rubber products may be required

- a. Full height corner guards
- b. Severe duty EPDM Rubber crash rails
- c. Full face door protection and door frame protection



DESIGNING FOR EVERYONE

Designing new or refurbished building environments so they are accessible and inclusive for all building users requires consideration of the needs of the visually-impaired or those who have physical mobility issues.


COLOUR CONTRAST AND ACCESSIBILITY

Most visually-impaired people are able to perceive some light and dark contrasts. To aid their special awareness it is important to use contrasting colours which will help them distinguish between key building elements.

What is colour contrast?

Colour contrast is the difference in luminance between two adjacent colours and is determined by the Light Reflectance Value (LRV). This is measured using a sphere-type spectrophotometer to give a value on a scale between 0 and 100.

The value represents a relative lightness and darkness, rather than an actual colour, so totally different colours can have the same, or very similar, LRVs and not be distinguishable by colour blind or visually-impaired people.



Colour considered design

What is considered a good colour contrast varies across Europe. In some countries a simple difference in LRV values between two colours is used (e.g. 30 points), in others the contrast is expressed as a percentage (e.g. 70%) and calculated using a formula $[(\text{Colour 1 LRV} - \text{Colour 2 LRV}) / \text{Colour 2 LRV}] * 100$.


We therefore recommend checking local guidance or legislation for up to date information to ensure compliance.

Colour contrast should ideally be used wherever surfaces and functions change. In particular large surfaces in a building, as well as key fixtures, fittings and protrusions, should be visually distinguishable from one another, or from the surrounding background. Examples include:


- Door faces and/or door frames to walls
- Floors to walls
- Walls to ceilings
- Obstructions such as corners and pillars
- Handrails to walls
- Sanitary fixings to walls
- Stair treads to risers

POOR CONTRAST EXAMPLES:

Lagoon / Coral Blush




French Cream / Ice Blue




GOOD CONTRAST EXAMPLES:

Yale Blue / Snow White



Baltic Blue / Misty Grey



Meeting visual contrast requirements with Acrovyn

The Acrovyn Wall Protection range is available in up to 36 colours and several finish options (with a wide spectrum of LRV values), so you can meet visual contrast requirements without having to compromise on design and aesthetics.

Acrovyn sheet, push plates, crash rails or corner guards can be used to highlight obstacles or protrusions. Acrovyn handrails in contrasting colours can be utilised to navigate pedestrians and wheelchair users around obstacles.

For full range of our colours and finishes and their LRV values see the Colour Foldout **pages 150-152**.

HANDRAIL PROVISION

The areas of public and commercial buildings which are accessed by the general public may require handrails to be installed to offer support for users with mobility issues.

This includes staircases, main communication routes within the building or lift areas.

- Handrails should be easy to grasp and provide a firm but comfortable grip with the whole hand.

- They should contrast visually with the wall.
- Their surface should ideally be smooth, free of any abrasive elements, and be neither too cold nor too hot to the touch.
- For handrail dimensions and position on the wall refer to local legislation.

For our selection of ergonomically designed handrails see **page 70**.

For detailed information and guidance on designing accessible buildings refer to local standards and legislations, including:

- *Belgium: Guide d'aide à la conception d'un bâtiment accessible (2015); Handboek Toegankelijkheid Publieke Gebouwen (2017)*
- *France: Circulaire interministérielle n° DGUHC 2007-53 du 30 novembre 2007*
- *Germany: DIN 18040-1: 2009; DIN 32975: 2009*
- *UK: BS 8300-2:2018; Approved Document M, vol. 2 (2015)*
- *International: ISO 21542:2011*



INFECTION CONTROL & HYGIENE REQUIREMENTS

One of the most significant issues affecting healthcare environments is the control of infection. All finishes used should therefore be chosen with cleanability in mind and be compatible with cleaning agents.

Similarly, food hygiene regulations (e.g. EU Directive No. 852/2004) recommend selection of easily maintainable and durable finishes in food preparation and manufacturing areas.

When specifying wall finishes in hygiene sensitive environments consider the following:

- Smooth, hard, seamless and impervious surfaces are preferred due to their ease of cleaning
- Wall finishes should not promote or sustain the growth of fungi and microorganisms
- They should be durable, able to withstand minor impacts and not be physically affected or degraded by detergents and disinfectant

Interior surfaces should be maintained in sound condition and where appropriate, additional impact protection can be used to help reduce the incidence of damage and maintain the integrity of the walls.



FIRE REGULATIONS

Compliance with Fire Regulations is one of the most important considerations for any building.

Related legislation varies greatly around the world. As a global building products manufacturer, we have tested our sheet and panel products to harmonised EN 11925-2 and EN 13823 standards to ensure they are safe and compliant across all our European operations.

The results were classified according to EN 13501-1, which ranks construction materials in classes with regard to their fire behaviour: A1, A2, B, C, D, E and F.

The same standard classifies the products with regard to smoke development (s1, s2, s3) and the formation of flaming droplets/particles (d0, d1 and d2).

This ultimately gives a construction material an overall classification that looks something like B-s1, d0.

On each of the product pages, where applicable, we have highlighted the fire ratings of our products to make it easy for you to understand how they perform.

For fire performance information, please get in touch with our technical teams who will be able to assist.

Spaces worth protecting

WALL PROTECTION FOR SPECIFIC BUILDING TYPES

Acrovyn wall and door protection products are designed to integrate seamlessly across a wide range of building environments.

Our comprehensive range will meet protection and hygiene requirements of different areas whilst retaining long term aesthetics and helping to reduce maintenance costs.



Healthcare



Care Homes and
Dementia Care




Retail



Education



Food Retail



Hotels



Offices and
Workplaces



Sports and
Leisure



Transport

For case studies across market sectors visit:



www.c-sgroup.co.uk/4383



HEALTHCARE DESIGNING HEALING INTERIORS

Create calming, therapeutic environments, while maintaining a functional building with resilient and hygienic Acrovyn.

- Introduce artwork and create welcoming, calming interiors with a non-institutional feel, using Acrovyn by Design.
- Wall protection sheet and panels provide a durable hygienic finish and improve aesthetics.
- Create wayfinding schemes and meet visual contrast requirements with our wide range of colours.
- Protect doors and frames from damage caused by trolleys and beds with Acrovyn Sheet
- Provide mobility support with our handrails, available in a wide range of materials including Acrovyn, timber, stainless steel and aluminium, as well as options with bactericide additive.
- A wide array of impact absorbing profiles include rub rails for waiting areas and heavy duty options for busy circulation areas.





CARE HOMES AND DEMENTIA CARE CREATING A HOMELY AND SAFE ENVIRONMENT

Interior design in care homes should consider the needs of residents, and provide comfortable, safe and easy care accommodation.

- Acrovyn by Design incorporating local scenery creates the feeling of familiarity, and can support wayfinding or reminiscence therapies.
- Sheets in a wide range of solid colours and finishes provide unobtrusive surface protection to walls and doors.
- Our handrails offer support for residents with restricted mobility.
- Areas likely to suffer from impact damage can be effectively protected with corner guards and crash rails.





RETAIL

ENHANCING THE CUSTOMER'S EXPERIENCE

Stylish yet functional, Acrovyn impact protection can be incorporated into store design to keep the facility functional and welcoming for customers and staff.

- Acrovyn by Design provides protection to walls and other surfaces as well as brand promotion.
- Impact resistant sheet and corner guards will keep columns and walls in great shape when faced with trolleys, pushchairs and wheelchairs.
- Keep busy doors in functioning order for longer with our range of door protection solutions.
- Use sleek stainless steel products in kitchen and food preparation/service areas.
- Specify heavy duty rubber options for loading bays and car parks.





EDUCATION

CREATING STIMULATING INTERIORS FOR TOP MARKS



Acrovyn helps to create a clean, bright and stimulating learning environment while protecting the building from the rigours of student life.

- Tough and durable Acrovyn Sheet keeps doors and walls along busy corridors in good condition.
- Incorporate stimulating and inspiring imagery in Acrovyn by Design to positively affect students' performance.
- Coloured corner protection and crash rails help to maintain a functional and inspiring environment for any budget.
- Acrovyn's texture conceals scuffs and general wear & tear caused by bags and everyday use.





FOOD RETAIL

DELIVERING THE PERFECT DINING EXPERIENCE



Interior décor sets the right tone and ambience for restaurants and cafés and helps to create a memorable and enjoyable dining experience.

- Use Acrovyn by Design for a unique and lasting interior scheme.
- Acrovyn Sheet protects surfaces from daily wear and tear and can be kept clean easily.
- Smooth sheet and stainless steel wall protection provide hygienic surfaces to kitchen walls and corners.





HOTELS

STAYING IN FIRST CLASS CONDITION



From luxury to budget, hotels are busy venues with luggage and trolley movement throughout the building taking its toll. Decorative and functional Acrovyn helps to keep interiors in top condition.

- Create a welcoming environment with Acrovyn by Design.
- Consider Acrovyn Glass by Design for adding depth and reflection to the interior.
- Use sheet, rub rails and corner guards in corridors, receptions, bedrooms and luggage areas.
- In kitchens and laundry areas, use robust stainless steel corner guards and crash rails.





OFFICES AND WORKPLACES RETAINING A BUILDING'S STYLE

Commercial buildings make a statement through interior design, yet many areas within the building require regular attention to keep them maintained to a high standard.

- Use Acrovyn Sheet and Panels in circulation areas to reduce maintenance.
- Create feature walls with Acrovyn by Design.
- Protect columns and corridor walls with Acrovyn corner guards and crash rails.
- Install rubber or stainless steel profiles to protect back of house areas.





SPORTS AND LEISURE

MAINTAINING INVIGORATING SURROUNDINGS



Sports facilities and fitness centres are busy, energetic environments. Acrovyn will keep the facility in excellent condition for years.


- Use sheet, corner guards and crash rails in corridors, equipment rooms and changing rooms.
- Use Acrovyn by Design to reinforce branding and create energising and stimulating surroundings.
- Acrovyn handrails provide support where required.
- Protect back of house areas and car parks with robust rubber products.



TRANSPORT DELIVERING DURABLE PROTECTION

With high levels of pedestrian and vehicular traffic passing through busy airports and other transport interchanges impact damage is inevitable.

- Use Acrovyn crash rails, corner guards and sheet to protect check-in desks, arrival lounges, waiting areas and retail areas from damage.
- Use durable Acrovyn by Design in retail and passenger transfer areas.
- Heavy duty rubber protection will stand up to the rigours of back of house corridors, baggage handling areas and underground car parks.



Acrovyn® Sheet & Panels

The Acrovyn range provides designers and facility owners with attractive, durable and easy to maintain surface protection solutions.

Choose from tried and tested textured sheets designed to keep interiors looking good for years, or select one of our specialist solutions for areas with increased hygiene or fire performance requirements.

For unlimited visual freedom when creating beautiful spaces, specify bespoke Acrovyn by Design.

Acrovyn gives you all the tools you need to design stunning interiors that last.

APPLICATIONS:

- Walls, reception desks, columns and other interior surfaces which need a protective and durable finish
- All market sectors from healthcare and education, to commercial and transport

 www.c-sgroup.co.uk/413



**ACROVYN SHEET -
DECORATIVE FINISHES**

**ACROVYN BY
DESIGN**

DESIGN CHOICES


Discover the versatility of our range and be creative with your next wall protection scheme.

Find perfect harmonies of colours and finishes, introduce bespoke artwork, shapes and designs, mix and match materials - it's all possible with Acrovyn.



SOLID COLOURS

A refreshed palette of up to 36 solid colours is at your disposal to beautifully integrate wall protection with other interior decor elements.



Most of our impact-resistant options share the same light, Suede texture, helping to conceal scratches and abrasions while facilitating easy cleaning. For ultra-hygienic environments opt for our smooth solutions.



**ACROVYN DOOR
PROTECTION**


**ACROVYN SHEET
OR PANELS**



BESPOKE DESIGNS

To add personality and expression to your spaces select Acrovyn by Design.

Any patterns, bespoke colours, graphics, messages or imagery of your choice will be safely embedded behind a protective layer of our sheet.



DECORATIVE FINISHES

Add warmth to any interior with attractive woodgrains, update a classic look with the glow of metallics or create a contemporary effect with new concrete patterns.



The Range

Acrovyn Textured Sheet - Solid Colours



● Acrovyn

Colours: 36 solid
Thickness: 2mm or 1mm
Page 34


Acrovyn by Design



● Acrovyn PVC-Free

Colours: Bespoke design
Thickness: 1.5mm
Page 50

Acrovyn Textured Sheet - Decorative Finishes



● Acrovyn

Colours: 12 finishes
Thickness: 2mm
Page 36

Acrovyn Glass by Design



● Safety Glass

Colours: Clear, painted or printed
Thickness: 6mm
Page 54

Acrovyn PVC-Free Textured Sheet



● Acrovyn PVC-Free

Colours: 36 solid
Thicknesses: 1.5mm or 1mm
Page 38

Acrovyn Wall Panels



● Acrovyn ● Acrovyn PVC-Free

Colours: Up to 36 solid
Thickness: Varies
Page 56

Acrovyn Smooth Sheet



● Acrovyn

Colours: 10 solid
Thickness: 2mm
Page 40

Acrovyn FP Panels



● Coated Cement Fibre Board

Colours: 36 solid Acrovyn or RAL
Thickness: 8mm
Page 58

Acrovyn Bactericide Sheet



● Acrovyn Bactericide

Colours: Suede - 6 solid, Smooth - 1 solid
Thickness: 2mm
Page 42

Acrovyn Stainless Steel Sheet



● Stainless Steel

Finish: Brushed
Thickness: 1mm
Page 44

Sheet Finishing Accessories and Tools



Overview of available finishing accessories (trims, mastic, welding), adhesives and installation tools
Page 46-47

 www.c-sgroup.co.uk/413

Acrovyn® Textured Sheet

SOLID COLOURS

Acrovyn Sheet provides an attractive and highly durable surface finish for a variety of situations.



CE Marked



B-s2, d0



Class A+


Designed to protect and enhance building interiors, our impact-resistant sheet features a light textured finish to conceal scratches and abrasions. It can be easily maintained to a high standard to provide long lasting protection for surfaces it is applied to.

Now available in an updated range of colours and contemporary texture to beautifully integrate into interior design schemes.

APPLICATIONS:

- Walls in corridors, entrances or waiting areas and other spaces requiring a durable wall finish
- Reception desks
- Columns

 www.c-sgroup.co.uk/414




KEY FEATURES

- Impact, scratch and abrasion resistant
- Easy to cut, form and apply to a variety of substrates
- Two thicknesses available to suit protection requirements
- Through-coloured and textured to hide scratches and abrasions
- Impervious and non-porous surface, resistant to most stains or chemicals
- Easy to clean and maintain




- 1 Acrovyn Push Plate
Page 142
- 2 Acrovyn Kick Plate
Page 142
- 3 2mm Acrovyn Textured Sheet
- 4 Acrovyn SO-50V Corner Guard
Page 67
- 5 Acrovyn 1mm Sheet
- 6 Acrovyn SO-50 Corner Guard
Page 67

DESIGN OPTIONS



The range

Choose from our updated colour range of 36 solid shades. See Colour Foldout **page 150**



Suede texture

New, lighter texture gives the material a contemporary appearance, fit for any type of interior.



Shapes

Creative designs, signage and logos can be supplied. See **page 48** for further information.



PRODUCT SPECIFICATION

Thickness and size

2mm thick: 3000mm x 1300mm* or 2440mm x 1300mm*

1mm thick: 3000mm x 1300mm*

* Custom sizes within given dimensions available

Finishing options

A range of options available, see details on **page 46**

Acrovyn® Textured Sheet

DECORATIVE FINISHES

Our range of wood, metal and concrete finishes combines the warmth and contemporary looks with durability of Acrovyn.



Class M1



Class A+

Add a decorative and protective finish to your building surfaces with our new finishes selection.

Bring depth and a calming sense of nature to the interior with natural looking woodgrains, a feel of luxury with our new metallic options, or create a striking, contemporary effect with brand new concrete patterns.

Our long lasting, easy to install and maintain finishes will enhance any interior space.

APPLICATIONS:

- Walls in corridors, entrances, waiting areas and other spaces requiring a durable wall finish
- Reception desks
- Columns



www.c-sgroup.co.uk/16723


- 1 2mm Acrovyn Textured Sheet, woodgrain finish
 - 2 2mm Acrovyn Textured Sheet, concrete finish
 - 3 Acrovyn SO-50 Corner Guard, concrete finish
- Page 67**




KEY FEATURES

- Impact, scratch and abrasion resistant
- Easy to cut, form and apply to a variety of substrates
- Impervious and non-porous surface, resistant to most stains or chemicals
- Easy to clean and maintain




DESIGN OPTIONS



The range

Choose from our updated range of woodgrain, metal and concrete finishes. See Colour Foldout **page 151**.



Suede texture

New, lighter texture gives the material a natural, contemporary appearance, fit for any type of interior.



Shapes

Creative designs, signage and logos can be supplied. See **page 48** for further information.



PRODUCT SPECIFICATION

Thickness and size

2mm thick: 3000mm x 1250mm*

* Custom sizes within given dimensions available

Finishing options

A range of options available, see details on **page 46**

Acrovyn® PVC-Free Textured Sheet

Our most environmentally friendly surface protection is designed to maximise the lifecycle of interior surfaces, while protecting the environment.



CE Marked



B-s1,d0



Class A+

The 100% recyclable material is free from PVC, Persistent Bioaccumulative Toxins (PBTs), Bisphenol A (BPA), as well as halogenated or brominated fire retardants.

Recently assessed under the globally recognised Cradle to Cradle Certified™ Products Program, Acrovyn PVC-Free achieved Bronze certification, giving you confidence to specify it in green building schemes.



APPLICATIONS:

- Walls in corridors, entrances or waiting areas and other areas requiring a durable wall finish
- Reception desks
- Columns

 www.c-sgroup.co.uk/8138




KEY FEATURES

- Impact, scratch and abrasion resistant
- Easy to cut, form and apply to a variety of substrates
- Two thicknesses available to suit protection requirements
- Through-coloured and textured to hide scratches and abrasions
- Impervious and non-porous surface, resistant to most stains or chemicals
- Easy to clean and maintain




- 1 1.5mm Acrovyn PVC-Free Textured Sheet
- 2 Acrovyn SM-20N Corner Guards
Page 64

DESIGN OPTIONS



The range

Choose from our updated colour range of 36 solid shades. See Colour Foldout **page 150**



Suede texture

Our light texture gives the material a contemporary appearance, fit for any type of interior.



Shapes

Creative designs, signage and logos can be supplied. See **page 48** for inspiration and further information.



PRODUCT SPECIFICATION

Thickness and size

1.5mm thick: 3000mm x 1300mm*

1mm thick: 3000mm x 1300mm*

* Custom sizes within given dimensions available

Finishing options

A range of options available, see details on **page 46**

Acrovyn® Smooth Sheet

Acrovyn Smooth Sheet provides an easy to clean, durable surface for sterile environments.



CE Marked



B-s2, d0



Class A+

It is recommended for hygiene sensitive areas requiring a smooth, impervious surface, which won't crack under impact and become a breeding ground for bacteria.

The material is resistant to a wide range of chemicals making it suitable for a variety of applications.

Easy to clean surface conforms to EU food hygiene requirements. It is also suitable for steam cleaning to suit stringent cleaning regimes.

APPLICATIONS:

- Laboratories
- Kitchens
- Food serving and dining areas
- Food manufacturing
- An alternative to tiles



Now available in an extended and updated range of colours with matching accessories. See Colour Foldout **page 150**.



- 1 Full height Acrovyn Smooth Sheet
- 2 Acrovyn Sheet Door Protection
Page 140
- 3 LLRSS Stainless Steel Rail
Page 122
- 4 Welded joints for maximum hygiene



KEY FEATURES

- Smooth, impervious and non-porous surface
- Easy to clean and maintain to a high standard. Suitable for hot steam cleaning
- Resistant to most stains and chemicals
- Easy to cut, form and apply to a variety of substrates



STEAM CLEANING

Acrovyn Smooth Sheet has been tested and certified to be suitable for hot steam cleaning (150°C hot steam at 5 bar pressure), making it an ideal solution for areas where stringent cleaning takes place.



CHEMICAL RESISTANCE

Resistant to a wide range of chemicals, including commonly used acids, alkalis, alcohols, grease etc. to suit a wide range of environments. Chemical resistance data available on request.



PRODUCT SPECIFICATION

Thickness and size

2mm thick: 3000mm x 1300mm*

* Custom sizes within given dimensions available

Finishing options

A range of options is available, including trims, mastic and hot welding. See details on **page 46**



www.c-sgroup.co.uk/415

Acrovyn® Bactericide Sheet

Developed to help combat the threat of hospital acquired infections (HAI), our solution is proven to kill bacteria on contact.



CE Marked



B-s2,d0



Class A+

Acrovyn Bactericide Sheet has been third party tested to ISO 22196 and proven effective against seven most common hospital and food bacteria strains.

Available in textured and smooth variants, it provides a highly resilient, bacteria-free surface finish in areas where hygiene cannot be compromised.

Where pedestrian access is expected complementary smooth HREB-6 Handrails with bactericide can be specified. See **page 74**.

APPLICATIONS:

- Operating theatres
- Post-operating and dialysis areas
- Laboratories
- Kitchens
- Food serving and dining areas
- Food manufacturing



www.c-sgroup.co.uk/7300



- 1 Full height smooth Acrovyn Bactericide Sheet
- 2 Textured Acrovyn Bactericide Sheet as door protection



**TESTED AND
CERTIFIED**

Acrovyn Bactericide has been tested to ISO norm 22196 for its bactericidal efficacy against seven common strains.

Classified under EN 1040. For further details see **page 10**.

*Methicillin-resistant *Staphylococcus aureus*

Escherichia coli



Activity in log: 5.4
Class: **Bactericidal**

Staphylococcus aureus




Activity in log: 5.1
Class: **Bactericidal**

Mycobacterium smegmatis




Activity in log: >5
Class: **Bactericidal**

MRSA*



Activity in log: 3.92
Class: **Bacteriostatic**

Salmonella enteritidis




Activity in log: 4.1
Class: **Bacteriostatic**

Listeria monocytogenes



Activity in log: 2.661
Class: **Bacteriostatic**

Enterococcus species



Activity in log: 2.28
Class: **Bacteriostatic**




KEY FEATURES

- Choice of textured or smooth finish
- Through-coloured, impervious and non-porous material
- Resistant to most stains and chemicals
- Easy to clean and maintain to a high standard. Suitable for hot steam cleaning
- Easy to cut, form and apply to a variety of substrates



COLOURS AND TEXTURES

Available in Suede texture (6 colours) or Smooth (9003 Snow White). See Colour Foldout **page 150**.



PRODUCT SPECIFICATION

Thickness and size

2mm thick: 3000mm x 1300mm*

* Custom sizes within given dimensions available

Finishing options

A range of options is available, including trims, mastic and hot welding. For further information see **page 46**.

Acrovyn® Stainless Steel Sheet

Durable, versatile sheet protection for hygiene sensitive and commercial applications.

After decades of use in commercial environments, stainless steel continues to be the wall protection solution of choice for its cool elegance, heavy duty resistance and superb hygienic properties.


Our stainless steel sheets are manufactured from Grade 304L stainless steel, with an attractive brushed finish.

For complementary range of stainless steel Corner Guards and Crash Rails see **pages 120-124**.

APPLICATIONS:

- Kitchens
- Food serving areas
- Dining areas
- Food manufacturing
- Laboratories

 www.c-sgroup.co.uk/16637



MATERIAL AND FINISH

Manufactured from Grade 304L stainless steel, our sheet has an attractive, easy to clean and maintain brushed finish.



PRECISION CUTTING

Stainless steel sheets can be cut to custom specifications. Whether you ask for a straight edge, wave pattern or other edge shape, we can deliver a perfect cut thanks to the precision of our high pressure water jet cutting equipment.



PRODUCT SPECIFICATION

Thickness and size

1mm thick: 2500mm x 1250mm*

* Custom sizes within given dimensions available

Installation

Installation using construction adhesive or adhesive tape. Sheets are installed butt-jointed. Custom formed angles or channels available.

Acrovyn® Sheet

FINISHING ACCESSORIES

Like most materials, Acrovyn Sheets will expand and contract with changes in temperature. If temperature fluctuations are to be expected, it is important to allow for this at sheet edges, in joint positions and around cut outs during installation. A range of finishing options is available.

Mastic Joints

Mastic sealant is easy to apply and forms an impervious seal. Available in 36 solid colours. Additional colours complementing Decorative Finishes also available. Supplied in 300ml tubes.



Hot Welded Joints

Welded joints creating a durable and seamless finish can be achieved with solid colour 2mm and 1.5mm sheet options. Rods available in 36 solid colours, in rolls of 100m.




Trims


For use with all sheet thicknesses, supplied in 3m lengths.

Acrovyn trims:

- Edge trim for finishing part height wall applications.
- Vertical Trim - 2-part design for ease of installation.




36 colours




36 colours (front)

Acrovyn PVC-Free trims:

- Edge trim for finishing part height wall applications.
- Vertical trim - for vertical joints in continuous runs



6 colours*




6 colours*

* More colours available, subject to extended lead time

Aluminium trim:


- Edge trim for finishing part height wall applications.




Natural anodised




933 Mission White



100 Eggshell



187 Tan Bark



136 Pearl Grey



162 Charcoal



129 Yale Blue


CUTTING, FORMING & FINISHING

Cutting and Design Shapes

Acrovyn Sheets can be pre-cut to project specific sizes. Custom shapes and signage can also be produced - see **page 48**.

Acrovyn Plinth

2mm plinth with a round bevel on the top and a flexible bottom lip. Available in 27 Acrovyn Profile colours, see **page 152**.




PLINTH

Edge Beveling

Straight cut edge is standard, 45° or round bevel can be supplied on request.




45° EDGE BEVEL



ROUND BEVEL

Forming

All Acrovyn Sheets can be formed on site into angles or channels to fit around external or internal corners, columns or skirting boards. Pre-formed sections can be supplied to order.



ANGLES
from 45° to 179°



CHANNELS
2 folds

COMPLEMENTARY PRODUCTS

Corner guards and rub rails are often specified with Acrovyn Sheet applications. A range of options is available to suit:

SM-20/SSM-20

- Acrovyn
- Acrovyn PVC-Free

Leg: 76mm/51mm
Angles: 90°
Duty Rating: Heavy
Pages 64 / 65

SO/SOv

- Acrovyn

Leg: 30, 50, 75mm
Angles: 90° / 80°-180°
Duty Rating: Medium
Page 67

TF-N

- Acrovyn PVC-Free

Leg: Made to order
Angles: 90°
Duty Rating: Medium
Page 68


Stainless Steel

Leg: 30, 50, 75mm
Angles: 90° & custom
Duty Rating: Heavy
Page 124

TP Rub Rail

- Acrovyn

Height: 100, 150, 200, 300mm
Duty Rating: Medium
Page 104



INSTALLATION TOOLS AND ACCESSORIES

We offer a range of adhesives, tools and installation accessories to aid application of our sheet products.

Adhesives



Adhesives to suit different application conditions and requirements:

- Acrovyn and Acrovyn PVC-Free Sheet application adhesives, available in tubs, foil packs or cartridges to suit
- Adhesive for application in moist areas
- Sprayable adhesive, complete with spray hose and gun
- Contact adhesive tape (50m rolls)
- Primer for substrate preparation

Tools and equipment



- Crane rollers
- Deburring tools
- Craft knives
- Welding kits
- Battery powered silicone guns
- Adhesive applicator trowels
- Spray guns & hoses
- Cleaners

Product availability may vary locally. For full details contact your local office or visit www.c-sgroup.co.uk/16724

Acrovyn® Sheet

DESIGNS AND CUTTING

Wall protection is no longer just a functional part of the built environment. A wide selection of colours, finishes and styles allows you to create interior spaces which are both resilient and aesthetically pleasing.

Acrovyn Sheet is a versatile material, which is easy to cut, shape and form to help you realise your design vision. Imaginative, bright wall murals, durable signage and logos, or decorative door protection plates can be easily achieved.

For true design freedom consider Acrovyn by Design, allowing you to incorporate nearly any image or message into walls for a completely unique creation. Turn to **page 50** for more information.




www.c-sgroup.co.uk/17146

YOUR DESIGNS REALISED

Our advanced CNC cutting equipment allows us to produce your designs with ease and precision. All we need is your designs in .dxf format, we'll take care of the rest.

If you need help with creating custom designs please get in touch. We have a library of shapes and patterns that may be suitable, or will work with you to create something bespoke.




STANDARD DESIGN

Wave design has been the most frequently requested pattern, so to make it easy for you, we've made it our standard option.

All you need to do is specify Acrovyn material and colour you want it produced in.

WAVE



CUSTOM

We can produce your custom designs, simply supply them to us in .dxf format.





Acrovyn by Design®

It has been proven that imagery used in interior design can have a positive impact on learning, healing, productivity and general wellbeing of building occupants.

Acrovyn by Design offers architects, interior designers, and owners the ability to create stunning interiors without the worry of damage.

Large format custom graphics, photography, and messaging can be safely embedded behind durable, transparent Acrovyn PVC-Free Sheet.

APPLICATIONS:

- Entrance lobbies and reception areas in all types of buildings
- Corridors
- Wayfinding
- Hospital wards
- Hotel bedrooms
- Classrooms
- Sports venues and fitness centres

 www.c-sgroup.co.uk/2636




IMAGES





PATTERNS



GRAPHICS



LOGOS AND MESSAGING



Your artwork reverse printed behind clear Acrovyn PVC-Free Sheet stays protected from wear and tear or damage.


Acrovyn by Design®

COMPOSITION

Acrovyn by Design features high-resolution print on the reverse of clear, lightly textured Acrovyn PVC-Free Sheet.

The sheet serves as a protective shield for the imagery and provides an impact resistant, easily cleanable surface.

Acrovyn PVC-Free Sheet is free from BPA (Bisphenol A), PBTs (Persistent Bioaccumulative Toxins) and halogenated or brominated fire retardants. It is also 100% recyclable, making it better for building occupants and the environment.



SIZES

Acrovyn by Design is produced in sizes to suit your project requirements. Maximum individual sheet size is **3020mm x 1270mm**.

Large wall murals will comprise of multiple sheets, which will be cut as necessary with no additional cutting charge.



CHOOSING YOUR IMAGE


IMAGE TYPE AND QUALITY

To ensure best results check the quality of your image at the actual print size before ordering. This is particularly important for bitmap images as they can lose quality if resized too much. Vector artwork will produce crisp results at any output size.

The acceptable resolution for your project will depend on how the viewer will be interacting with the image. Based on the amount of information the human visual system can perceive and process, images seen from a longer distance can be output at a lower resolution.

For further guidance and a handy on-line image resolution check tool visit www.c-sgroup.co.uk/2636

Vector images (.ai, .eps or .wfm) are infinitely scalable, so you can be sure of high quality print at any size.



Bitmap images (.jpg, .tif, .psd, or RAW) can lose quality if resized too much.



CHOOSING YOUR IMAGE (CONT).

CUSTOM COLOURS

Acrovyn by Design can be printed with a solid colour. However, due to the print process limitations, it is not always possible to exactly match Pantone colours. If colour matching is critical, samples will be provided for proofing before we print.



NEED AN IMAGE?

Image banks, such as Shutterstock, iStock or Adobe Stock Image offer a huge selection of images that you may want to consider for your project. Please check that the image size is sufficient for your Acrovyn by Design mural before sourcing.



COPYRIGHT

We respect the intellectual property rights of others and will only print your image if you can provide evidence that you have the right to reproduce it. We will require a signed Copyright Agreement before we proceed with print.



ORDERING ACROVYN BY DESIGN



PRICING

We will require a basic design of the wall area with relevant dimensions to provide you with an accurate indication of cost.



ARTWORK

We are here to answer your artwork queries and can assess suitability of your files for printing. If you don't have the artwork but still want to benefit from Acrovyn by Design get in touch, we may be able to assist you with buying a stock image.



LAYOUTS

To start preparing your artwork to print we will need accurate wall elevation drawings indicating image cut areas. This will enable us to layout your artwork over optimum number of sheets to ensure a perfect fit to your wall.



PRINTING

We will submit job layouts for your approval and once you are happy with everything we start printing process. Our high-resolution, large format printing hardware and colour management software ensure a perfect result.



INSTALLATION

Panels are quality checked before being sent to you ready for installation with the adhesive solution of your choice.

FINISHING ACCESSORIES

In temperature controlled environments, or areas where fluctuations are minimal, sheets can be butt jointed.

In locations where temperature will vary, we recommend a small gap is left between sheets to allow for expansion and contraction of material.

The following finishing options are available:

Mastic joints

Mastic sealant is an easy to apply solution, forming an impervious seal. Available in 36 standard colours and in clear.

Trims

Acrovyn trims: Edge trim and vertical trim are available in 36 solid colours.

Aluminium trims: Edge trim in natural anodised finish.

See **page 46** for details

Acrovyn® Glass by Design

Manufactured from toughened safety glass and available in custom options, our panels are designed to protect your walls in style.



A1 Fire Rated

Our durable glass panels combine high quality with functionality and aesthetic appeal.

Clear option allows for the original wall finish to be displayed behind a protective layer of 6mm thick toughened safety glass.


Where a bespoke look is desired, panels can be back-painted in any of RAL or NCS solid colours, or back-printed with an image or graphic of your choice for a truly stunning effect.

APPLICATIONS:

- Corridors
- Entrances and waiting areas
- Kitchens
- Shower enclosures



www.c-sgroup.co.uk/8779




KEY FEATURES

- A1 rated, clear 6mm toughened
- High mechanical and thermal resistance
Tensile strength: $\sigma_b = 120 \text{ N/mm}^2$
Sustained stress: $\sigma_{perm} = 50 \text{ N/mm}^2$
Temperature differential resistance: ΔT over the pane area = 200K
- In the event of breaking the material shatters into thousands of small pieces with no sharp edges




- 1 6mm thick clear toughened glass
- 2 HRW-6 Solid Timber Handrail
Page 78
- 3 6mm thick back-painted toughened glass

DESIGN OPTIONS



Clear

Clear glass protects walls without obscuring wall finishes. Great for application with wallpapers.



Painted

Back-painted with a RAL or NCS colour of your choice, glass panels introduce depth, reflection and interest to the interior.



Printed

Digitally printed with your choice of image or graphic our panels offer limitless design possibilities.



PRODUCT SPECIFICATION

Thickness and size

6mm thickness. Supplied to project specific sizes (maximum panel size 2000mm x 1600mm), with cut outs for sockets etc. included. Not suitable for cutting on-site.

Edge finishing

Edge finish options include: arrised, raw, ground or polished.

Installation

Screw fixed or installed in a frame. Painted or printed options can also be mounted with an adhesive.

Acrovyn® Wall Panels

Where heavy duty wall protection is required, Acrovyn Wall Panels provide a cost effective and long lasting solution.

Manufactured to custom sizes and specifications by applying one of our impact resistant sheet options to a rigid board, Acrovyn Wall Panels can be used to provide a very durable and easy to maintain surface to the entire wall, or just to half height.

Available in a wide range of colours to suit the project's aesthetic requirements, our panels are designed to withstand high traffic abuse, keeping walls damage free.

APPLICATIONS:

- Corridors
- Lift areas
- Back-of-house areas
- Full or half height applications

 www.c-sgroup.co.uk/835

Available in
a wide range
of colours.




PRODUCT SPECIFICATION

Panel finish options

- 2mm Acrovyn Sheet, Suede, 36 colours (**page 34**)
- 2mm Acrovyn Sheet, Smooth, 10 colours (**page 40**)
- 1.5mm Acrovyn PVC-Free Sheet, Suede, 36 colours (**page 38**)

Board options

9mm MDF as standard, moisture resistant boards or boards fire tested to EN 13501 can be supplied.



EDGE FINISH OPTIONS



Face only

Acrovyn facing applied to face only. May require finishing trims in part height applications.



2-side wrapped

Square wrapped on two sides, ideal for part height applications with panels installed in a landscape orientation.



Fully wrapped

All panel edges are finished with chosen Acrovyn Sheet option. Not suitable for cutting to size on-site.

Sizes

Manufactured to size. Max. panel size varies depending on chosen finish, edge type and board option.

Finishing accessories

Colour matched mastic, aluminium and stainless steel trims available.

Installation

Fitted directly to a wall substrate using a high build construction adhesive for a permanent fix.

Acrovyn® FP Wall Panels

Robust, A2 fire rated wall panels designed for areas with high performance requirements.



A2-s1, d0



Class A+

Our Acrovyn FP Wall Panels offer durability and resilience in building areas with A2 fire rating requirements.

Manufactured using 8mm cement fibre board, they are finished with a highly durable, abrasion and scratch resistant coating.


An attractive, lightly textured surface finish and a wide range of colour options make it a solution suitable for a variety of building types.

APPLICATIONS:

- Corridors and escape routes with A2 fire rating requirement
- Entrance and lift areas
- Suitable for full and part height wall applications



www.c-sgroup.co.uk/10912




PRODUCT SPECIFICATION

- 8mm cement fibre board with a lightly textured, highly durable and scratch resistant surface coating
- Supplied prefabricated to project specific sizes (max. size: 2500mm x 1250mm).
- Installed with construction adhesive for permanent fix. Concealed panel hanging system also available.





COLOUR OPTIONS



Acrovyn colours


Panels can be supplied in any of our standard solid colours - see Colour Foldout **page 150**.



RAL colours

Any RAL colour can be specified to coordinate with the interior decor.

FINISHING OPTIONS



A coated finish is applied to panel face only, leaving board edges exposed.

Aluminium or stainless steel trims are available for use in part height wall applications.

Acrovyn® Corner Guards

External wall corners and other structural protrusions in any building are particularly prone to damage, compromising appearance, hygiene and safety.

Durable and easy to clean Acrovyn Corner Guards keep corners intact, hygienic, and significantly reduce maintenance costs.

For optimum protection select models featuring a free floating cover fitted over a continuous aluminium retainer.

Our SO and TF-N ranges provide a simple and easy to install solution for busy corridors and circulation areas.

Available in a range of designs and material options there is an Acrovyn Corner Guard to suit every interior need.

APPLICATIONS:

- Corridor walls and columns
- Lift lobbies
- Reception and waiting areas
- Food serving and dining areas



www.c-sgroup.co.uk/396



- 1 SM-20 Corner Guard
Page 64
- 2 Acrovyn Textured Sheet
Page 34
- 3 SO-50 Corner Guard
Page 67



Adjustable end caps for installation flexibility.

Robust, continuous aluminium retainer for strength and durability.

Acrovyn snap-on cover flexes upon impact and recovers to its original shape. Easily replaceable in case of damage.

Easy to clean textured finish helps to minimise the appearance of scratches and abrasions.



The Range



SM-20

● Acrovyn ● Acrovyn PVC-Free

Leg: 76mm

Angles: 90°

Duty Rating: Heavy

Page 64



SSM-20

● Acrovyn ● Acrovyn PVC-Free

Leg: 51mm

Angles: 90°

Duty Rating: Heavy

Page 65



SM-20M

● Acrovyn

Leg: 76mm

Angles: 100° - 175°

Duty Rating: Heavy

Page 66



SO

● Acrovyn

Leg: 30, 50, 75mm

Angles: 90° or 80° - 175°

Duty Rating: Medium

Page 67



TF-N

● Acrovyn PVC-Free

Leg: Made to order

Angles: 90°

Duty Rating: Medium

Page 68

Also available:



Stainless Steel Corner Guards

● Stainless Steel

Leg: 30, 50, 75mm

Angles: 90°

Duty Rating: Heavy

Page 124



EPDM Rubber Corner Guards

● EPDM Rubber

Leg: 75, 100mm

Angles: 90°

Duty Rating: Severe

Page 134



www.c-sgroup.co.uk/396

ACROVYN®



Acrovyn



Acrovyn PVC-Free

SM-20 Corner Guards

76mm leg corner guards featuring a robust aluminium retainer and a free floating Acrovyn cover, preventing damage to corners from impact caused by wheeled traffic.



Heavy Duty

www.c-sgroup.co.uk/2551

- 76mm leg corner guards designed for 90° corners
- Impact resistant, textured snap-on cover
- Free floating cover flexes on impact, absorbing its force
- Continuous aluminium retainer for heavy duty protection from impact
- Available in full or dado height

90° CORNERS



90° CORNERS	
Acrovyn	SM-20
Acrovyn PVC-Free	SM-20N

COLOURS & TEXTURE



Solid Colours: Acrovyn (27), Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

STOCK LENGTHS & FIXINGS


- Cut to required size from 3.0m stock lengths
- Fix at staggered 400mm centres

ACCESSORIES


- Supplied with adjustable top and bottom end caps

SSM-20 Corner Guards

51mm leg corner guards featuring a robust aluminium retainer and a free floating Acrovyn cover, preventing damage to corners in busy circulation areas.



Heavy Duty



- 51mm leg corner guards designed for 90° corners
- Impact resistant, textured snap-on cover
- Free floating cover flexes on impact, absorbing its force
- Continuous aluminium retainer for heavy duty protection from impact
- Solid colours or contemporary woodgrain, concrete and metal finishes
- Available in full or dado height

90° CORNERS



90° CORNERS	
Acrovyn	SSM-20
Acrovyn PVC-Free	SSM-20N

COLOURS & TEXTURE

- Solid Colours:** Acrovyn (27), Acrovyn PVC-Free (15)
- Finishes:** Acrovyn (12): Woodgrains, Metals and Concretes
- Texture:** Shadowgrain

See Colour Foldout **page 151-152.**

STOCK LENGTHS & FIXINGS

- Cut to required size from 3.0m stock lengths
- Fix at staggered 400mm centres

ACCESSORIES

- Supplied with adjustable top and bottom end caps

ACROVYN®

● Acrovyn

SM-20M Corner Guards

76mm leg corner guards designed to provide heavy duty impact protection to non-standard external corners.




Heavy Duty


www.c-sgroup.co.uk/16632


- 76mm leg corner guard for 100° to 175° angles
- Impact resistant, textured cover flexes upon impact, absorbing its force
- Cover fitted over two surface mounted aluminium retainers
- Recommended for full height corner applications. Top and bottom end caps available in 135° only.

100° - 175° CORNERS



SM-20M

COLOURS & TEXTURE



Solid Colours: Acrovyn (27)



Texture: Shadowgrain

See Colour Foldout **page 152**.

STOCK LENGTHS & FIXINGS

- Cut to required size from 3.0m stock lengths
- Fix at 400mm centres

ACCESSORIES

- Top and bottom end caps available in 135° only

ACROVYN® SO Corner Guards

● Acrovyn

30mm, 50mm & 75mm leg, simple to install corner guards, offering economical protection from damage caused by pedestrian and wheeled traffic.



Medium Duty



www.c-sgroup.co.uk/8495

- 30, 50 or 75mm leg corner guards for 90° corners
- 50mm leg co-extruded guard with a flexible corner to suit angles between 80° and 175° available (SO-50V)
- Easy installation with self adhesive foam tape or construction adhesive
- Available in full or dado height, in full range of Acrovyn Sheet colours

90° CORNERS



80°-175° CORNERS



	30MM LEG	90° CORNERS 50MM LEG	75MM LEG	80°-175° CORNERS 50MM LEG
Acrovyn	SO-30	SO-50	SO-75	SO-50V

COLOURS & TEXTURE



Solid Colours: Acrovyn Sheet Colour (36)



Finishes: SO-50 model only (12): Woodgrains, Metals and Concretes



Texture: Shadowgrain

See Colour Foldout **page 150-151**.

STOCK LENGTHS & FIXINGS

- Cut to required size from 3.0m stock lengths
- Installation using self adhesive foam tape or construction adhesive

ACCESSORIES

- Can be supplied with or without double sided tape

ACROVYN®

TF-N Corner Guards

● Acrovyn PVC-Free

Manufactured to specified sizes, simple to install thermoformed guards designed to provide protection to corners prone to damage.



Medium Duty



Cradle to Cradle Certified™ Bronze




www.c-sgroup.co.uk/16631



- PVC-Free corner guards for protection of 90° corners
- Thermoformed from 1.5mm Acrovyn PVC-Free Sheet, Cradle to Cradle Certified™ Bronze
- Available with straight edge for butting up to sheet for a continuous run, or bevelled (round or 45° options)
- Easy installation with self adhesive foam tape or construction adhesive
- Available in heights to suit, in full range of Acrovyn PVC-Free Sheet colours

90° CORNERS



EDGE OPTIONS



STRAIGHT



ROUND BEVEL



45° BEVEL

COLOURS & TEXTURE



Solid Colours: Acrovyn PVC-Free Sheet Colours (36)



Texture: Suede

See Colour Foldout **page 150**.

STOCK LENGTHS & FIXINGS

- Manufactured to required size, max 2.9m
- Installation using self adhesive foam tape or construction adhesive

ACCESSORIES

- Can be supplied with or without double sided tape
- Edge options: straight, round bevel or 45° bevel



Acrovyn® Handrails

Designed to provide sturdy mobility support, Acrovyn handrails offer comfort, style and functionality.

With a choice of material options, colours and finishes on offer, our handrails will complement interior design schemes whilst meeting legislation and functional requirements.

Handrails featuring Acrovyn covers are easy to clean and available in a wide selection of colours to provide visual contrast with the wall surface.

Where hygiene is the primary consideration our ISO 22196 certified, Acrovyn with Bactericide handrails provide safe, bacteria free surface.

For a premium look, choose our stainless steel or sustainable timber* options.

APPLICATIONS:

- Hospitals, care homes, schools, and other public buildings where handrail support may be required
- Corridors
- Staircases (select options)

 www.c-sgroup.co.uk/372



- 1 HRE-6 Acrovyn Handrails with woodgrain finish cover
Page 76
- 2 2mm Acrovyn Textured Sheet
Page 34
- 3 HRW-6 Solid Timber Handrails
Page 78

** All our timber comes from sustainable sources and carries FSC or PEFC certification.*



Woodgrain, concrete or metal finish covers combine attractive looks with functionality and durability of Acrovyn.

For full range of finishes see our Colour Foldout **page 151**.

Infill strip closes off retainer groove for ease of cleaning.

HRE-6

Continuous aluminium retainer for stability and durability.

A choice of aluminium and stainless steel brackets to suit aesthetic, legislation and budget requirements.





The Range

HREB-6

● Acrovyn Bactericide

Size: 40mm Ø
Brackets: Stainless steel or aluminium
Page 74



HRE-6

● Acrovyn

Size: 40mm Ø
Brackets: Stainless steel or aluminium
Page 76



HR-6N

● Acrovyn PVC-Free

Size: 40mm Ø
Brackets: Stainless steel
Page 77



HRW-6

● Timber

Size: 40mm Ø
Brackets: Stainless steel
Page 78



HRS-6

● Stainless Steel

Size: 40mm Ø
Brackets: Stainless steel
Page 79



HRA-6

● Aluminium

Size: 40mm Ø
Brackets: Aluminium or stainless steel
Page 80



HRO-6

● Acrovyn ● Acrovyn PVC-Free

Size: 38mm wide oval
Brackets: Stainless steel or aluminium
Page 81



ACROVYN®

● Acrovyn Bactericide

HREB-6 Handrails

40mm circular handrail featuring smooth cover with bactericidal additives, providing sturdy pedestrian support in hygienic environments.



Medium Duty



Bactericidal Certified

www.c-sgroup.co.uk/6851

- Ergonomically designed, 40mm Ø handrail with smooth cover over continuous aluminium retainer
- Bactericidal additives in the cover pro-actively kill bacteria on its surface (tested to ISO 22196)
- Infill strip closes off retainer groove for ease of cleaning
- Choice of brackets
- Can be installed to curved walls (min. 1m radius)

COLOURS & TEXTURE




Solid Colours: Acrovyn Bactericide (27)



Texture: Smooth

See Colour Foldout **page 152.**

ALUMINIUM BRACKETS




HREB-6-A80




HREB-6-A60

STAINLESS STEEL BRACKETS



HREB-6-S75

HREB-6-S87  BS 8300 Compliant

ACCESSORIES

- End caps or end stops
- External, internal and odd angle corners (98° – 165°)
- Stainless steel or aluminium brackets (including options for radiused installations)

- Vertical accent trims (optional) - Black (standard) or Light Grey
- Universal corner adaptor for staircase installations
- Removable kit for service ducts

STOCK LENGTHS & FIXINGS

- Acrovyn: 4.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended



TESTED AND CERTIFIED

Acrovyn Bactericide has been tested to ISO 22196 for its bactericidal efficacy against 7 common strains.

Classified under EN 1040. For further details see **page 10**

Escherichia coli



Activity in log: 5.4
Class: Bactericidal

Staphylococcus aureus




Activity in log: 5.1
Class: Bactericidal

Mycobacterium smegmatis




Activity in log: >5
Class: Bactericidal

MRSA*




Activity in log: 3.92
Class: Bacteriostatic

Salmonella enteritidis




Activity in log: 4.1
Class: Bacteriostatic

Listeria monocytogenes



Activity in log: 2.661
Class: Bacteriostatic

Enterococcus species



Activity in log: 2.28
Class: Bacteriostatic


*Methicillin-resistant *Staphylococcus aureus*

CORNER ADAPTOR FOR STAIRS


Our universal corner adaptor makes it easy to install continuous runs of handrails in staircases.



Rotation around two axes allows the adaptor to accommodate any required angle and staircase configuration.



Continuous handrail application connecting staircase with floor level handrails can be easily achieved.



ACROVYN®

● Acrovyn

HRE-6 Handrails

40mm circular handrail combining contemporary decorative finishes with ease of maintenance of Acrovyn.



Medium Duty


www.c-sgroup.co.uk/6853


- Ergonomically designed, 40mm Ø handrail with smooth cover in a range of contemporary finishes
- Continuous aluminium retainer for sturdy support
- Infill strip closes off retainer groove for ease of cleaning
- Choice of brackets
- Can be installed to curved walls (min. 1m radius)

COLOURS & TEXTURE



Finishes: Acrovyn (12) - Woodgrains, Metals and Concretes



Texture: Smooth

See Colour Foldout **page 151**.

ACCESSORIES

- End caps or end stops
- External, internal and odd angle corners (98° – 165°)
- Stainless steel or aluminium brackets (including options for radiused installations)

ALUMINIUM BRACKETS




HRE-6-A80




HRE-6-A60

STAINLESS STEEL BRACKETS



HRE-6-S75



HRE-6-S87



BS 8300 Compliant

STOCK LENGTHS & FIXINGS

- Vertical accent trims (optional) - Black (standard) or Light Grey
- Removable kit for service ducts

- Acrovyn: 4.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

● Acrovyn PVC-Free

HR-6N Handrails

40mm circular handrail featuring textured Acrovyn PVC-Free cover, providing comfortable mobility support in corridors.



Medium Duty




www.c-sgroup.co.uk/374




- Ergonomically designed, 40mm Ø handrail with textured cover
- Continuous aluminium retainer for sturdy support
- Grooveless retainer design for ease of cleaning
- Choice of brackets
- Can be installed to curved walls (min. 1m radius)

STAINLESS STEEL BRACKETS



HR-6N-S75



HR-6N-S87  BS 8300 Compliant

COLOURS & TEXTURE



Solid Colours: Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- End caps
- External and internal corners
- Stainless steel brackets
- Clear collar (optional) for end caps and corner pieces

STOCK LENGTHS & FIXINGS

- Acrovyn PVC-Free: 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

Timber

HRW-6 Handrails

40mm solid timber handrail combining a luxury feel and natural look with comfortable mobility support.




Medium Duty


www.c-sgroup.co.uk/381

- Sustainably sourced, 40mm Ø solid timber handrail
- Choice of end caps (timber or stainless steel) or rounded timber end stops
- Untreated timber for finishing on site as standard, or can be supplied in custom sizes in a selection of varnish options upon request
- Choice of brackets
- Can be installed to curved walls (min. 800mm radius)

STAINLESS STEEL BRACKETS



HRW-6-S75

HRW-6-S87  BS 8300 Compliant

MATERIAL & FINISH

**Timber***: Oak, Beech or Maple

Timber is supplied untreated as standard. Custom size, ready-to-install handrail kits are available on request in Natural, Golden or Walnut varnish options.

See Colour Foldout **page 151**.

* All our timber comes from sustainable sources and carries FSC or PEFC certification.

ACCESSORIES

- Stainless steel or timber end caps
- Stainless steel or timber internal and external corners
- Rounded timber end stops
- Stainless steel brackets

STOCK LENGTHS & FIXINGS

- Lengths: Varies, depending on timber species and availability
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

● Stainless Steel

HRS-6 Handrails

40mm, highly durable, stainless steel handrail offering a sleek and modern aesthetic in hygiene sensitive areas.



Medium Duty




www.c-sgroup.co.uk/376




- 40mm Ø stainless steel handrail
- Supplied prefabricated to surveyed lengths with welded end caps for easy installation
- Choice of brackets
- Easy to clean and maintain solution for hygienic environments
- Can be installed to curved walls (min. 500mm radius)

STAINLESS STEEL BRACKETS



HRS-6-S75



HRS-6-S87  BS 8300 Compliant

MATERIAL & FINISH



Material: Grade 304 stainless steel



Finish: Brushed

ACCESSORIES

- Stainless steel end caps
- Stainless steel internal and external corners
- Stainless steel brackets

STOCK LENGTHS & FIXINGS

- Lengths to cutting schedule from stock lengths of max 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

● Aluminium

HRA-6 Handrails

40mm circular, anodised aluminium handrail offering durable and comfortable mobility support.



Medium Duty

www.c-sgroup.co.uk/6855

- 40mm Ø anodised aluminium handrail
- Infill strip closes off retainer groove for ease of cleaning
- Choice of brackets
- Can be installed to curved walls (min. 1m radius)

MATERIAL & FINISH

**Material:** Aluminium**Finish:** Clear anodised

ALUMINIUM BRACKETS




HRA-6-A80




HRA-6-A60

STAINLESS STEEL BRACKETS



HRA-6-S75



HRA-6-S87

BS 8300
Compliant

ACCESSORIES

- End caps
- External, internal and odd angle corners (98° to 165°)
- Stainless steel or aluminium brackets (including option for radiused installations)

- Vertical accent trims (optional) - Black (standard) or Light Grey
- Removable kit for service ducts

STOCK LENGTHS & FIXINGS

- Aluminium: 4.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

HRO-6 Handrails

38mm wide, ergonomically designed oval handrail providing comfortable grip and firm support in circulation corridors.



Medium Duty




www.c-sgroup.co.uk/6847



- 38mm wide, oval handrail with textured cover
- Continuous aluminium retainer for sturdy support
- Infill strip closes off retainer groove for ease of cleaning
- Available in a range of solid colours and contemporary finishes
- Choice of brackets

STAINLESS STEEL BRACKET



ALUMINIUM BRACKET



PRODUCT CODES	STAINLESS STEEL BRACKET	ALUMINIUM BRACKET
Acrovyn	HRO-6-S75	HRO-6-A80
Acrovyn PVC-Free	HRO-6N-S75	HRO-6N-A80

COLOURS & TEXTURE



Solid Colours: Acrovyn (27), Acrovyn PVC-Free (15)



Finishes: Acrovyn only (12)
- Woodgrains, Metals and Concretes



Texture: Shadowgrain

See Colour Foldout **pages 151-152.**

ACCESSORIES

- End caps
- External and internal corners
- End stops in Black or Grey (for Acrovyn models only)
- Stainless steel or aluminium brackets
- Vertical accent trims (optional) - Black (standard) or Light Grey
- Removable kit for service ducts

STOCK LENGTHS & FIXINGS

- Acrovyn: 4.0m
Acrovyn PVC-Free: 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

Acrovyn® Hand/ Crash Rails

Elegant and ergonomically designed, Acrovyn Hand/ Crash Rails provide impact protection and pedestrian support in circulation areas. They are available in a variety of styles to suit aesthetic and functional requirements, and include anti-ligature solutions.

Through-coloured, textured covers hide the effects of impact damage or abrasion, and are easy to clean.

Top handrail sections on some models can be specified in a contrasting colour for visual guidance.

APPLICATIONS:

- Corridors with pedestrian access and regular trolley movement
- Lift lobbies and lifts
- Circulation areas with anti-ligature handrail requirements

 www.c-sgroup.co.uk/133



- 1 HRB-20 Hand/Crash Rail with contrasting cover colours
Page 86
- 2 2mm Acrovyn Textured Sheet
Page 34
- 3 SO-50 Corner Guard
Page 67
- 4 HRB-4C Hand/Crash Rail
Page 87
- 5 SM-20 Corner Guard
Page 64




HRB-20

Acrovyn handrail cover provides a warm and comfortable grip. Contrasting handrail colour can be specified for visual guidance.

Crash rail cover flexes under impact. Textured finish helps to minimise the appearance of scratches and abrasions.

Quick Lock bracket for fast installation and easy maintenance. See **page 89** for further details.

Continuous aluminium retainer fitted with Acrovyn re-grind bumper cushion absorbs the impact energy and dissipates it along the length.





The Range

HRB-20

● Acrovyn ● Acrovyn PVC-Free

Height: 143mm

Duty Rating: Heavy

Page 86



HRB-4C

● Acrovyn ● Acrovyn PVC-Free

Height: 140mm

Duty Rating: Severe

Page 87



HRB-35

● Acrovyn ● Acrovyn PVC-Free

Height: 89mm

Duty Rating: Heavy

Page 88



HRB-50N

● Acrovyn PVC-Free

Height: 220mm

Duty Rating: Heavy

Page 90



HRBW-50N

● Timber ● Acrovyn PVC-Free

Height: 220mm

Duty Rating: Heavy

Page 91



 www.c-sgroup.co.uk/133

ACROVYN®

 Acrovyn
 Acrovyn PVC-Free

HRB-20 Hand/Crash Rails

143mm high hand/crash rails offering pedestrian support and heavy duty impact protection. Two colours can be used to provide visual contrast.




Quick Lock



Heavy Duty




Dual Colour



www.c-sgroup.co.uk/134


- Comfortable grip handrail available in solid colours and contemporary finishes
- Two colours can be used for visual contrast or in wayfinding schemes
- Impact resistant crash rail cover over continuous aluminium retainer and bumper cushion for effective damage protection
- Quick Lock brackets for fast installation and easy maintenance
- Anti-ligature option featuring continuous, powder coated aluminium bracket

QUICK LOCK



ANTI-LIGATURE



PRODUCT CODES	QUICK LOCK	ANTI-LIGATURE
Acrovyn	HRB-20	HRB-20AL
Acrovyn PVC-Free	HRB-20N	HRB-20ALN

COLOURS & TEXTURE



Solid Colours: Acrovyn (27)
Acrovyn PVC-Free (15)



Finishes: Acrovyn Handrail only (12) - Woodgrains, Metals and Concretes



Texture: Shadowgrain

See Colour Foldout **pages 151-152.**

ACCESSORIES

- End caps with Quick Lock feature
- External corners
- Quick Lock brackets (standard)
- Anti-ligature brackets (optional)
- Vertical accent trims (optional) - Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
Acrovyn PVC-Free - 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

HRB-4C Hand/Crash Rails

140mm high hand/crash rail in a classic, flat profile, offering severe duty impact protection and mobility support in circulation routes.



Quick Lock



Severe Duty




www.c-sgroup.co.uk/371




- Comfortable grip handrail top
- Free-floating cover flexes on impact, neutralising its force
- Continuous shock-absorbing cushion for increased impact protection
- Quick Lock brackets for fast installation and easy maintenance
- Anti-ligature option featuring continuous, powder coated aluminium bracket

QUICK LOCK



ANTI-LIGATURE



COLOURS & TEXTURE



Solid Colours: Acrovyn (27)
Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

PRODUCT CODES	QUICK LOCK	ANTI-LIGATURE
Acrovyn	HRB-4C	HRB-4CAL
Acrovyn PVC-Free	HRB-4CN	HRB-4CALN

ACCESSORIES

- End caps
- External corners
- Quick Lock brackets (standard)
- Anti-ligature brackets (optional)
- Vertical accent trims (optional) - Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
Acrovyn PVC-Free - 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

 Acrovyn
 Acrovyn PVC-Free

HRB-35 Hand/Crash Rails

89mm high hand/crash rails in a stylish curved design offering comfortable grip and heavy duty protection with minimum visual impact.



Quick Lock



Heavy Duty


www.c-sgroup.co.uk/6865


- Comfortable grip handrail top
- Free-floating, curved cover design flexes on impact, neutralising its force
- Optional vertical accent trim at the joint between the end cap and the cover
- Quick Lock brackets for fast installation and easy maintenance

QUICK LOCK



COLOURS & TEXTURE



Solid Colours: Acrovyn (27)
Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

PRODUCT CODES

Acrovyn

Acrovyn PVC-Free

QUICK LOCK

HRB-35

HRB-35N

ACCESSORIES

- End caps with Quick Lock feature
- External corners
- Quick Lock brackets
- Vertical accent trims (optional) - Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
Acrovyn PVC-Free - 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

QUICK LOCK™ for Hand/Crash Rails

CS' sturdy and efficient fixing system makes the installation of Acrovyn Hand/Crash Rails a simple, clean process.



HRB-20



HRB-4C



HRB-35

HOW DOES IT WORK?:

The unique cam lock on the bracket simply slots into the back of the retainer, and the profile is locked or unlocked with the twist of a spanner. This allows faster installation, but also enables fast removal for maintenance, without compromising the integrity of the wall fixings.



HRB-20 & HRB-35 profiles also feature Quick Lock end caps, which allow fast assembly of the profile without the need for drilling end cap fixing holes.



BENEFITS:

- No more drilling holes in the retainer
- No more struggling with component alignment
- Ease of bracket location and attachment

- Allows for pre-assembly of retainer, cover and end caps off-site
- Allows for easy maintenance
- Offers long term savings



www.c-sgroup.co.uk/3055

ACROVYN®

● Acrovyn PVC-Free

HRB-50N Hand/Crash Rails

220mm high, HRB-50N combines a PVC-Free handrail and crash rail on a stainless steel bracket to provide mobility support and impact protection.




Heavy Duty



Dual Colour

www.c-sgroup.co.uk/369

- Code compliant hand/crash rail for busy circulation areas
- 40mm Ø handrail with textured cover over aluminium retainer for secure, comfortable grip
- 127mm high crash rail with curved cover over continuous aluminium retainer and shock-absorbing cushion for effective impact protection
- Mounted on robust stainless steel brackets



COLOURS & TEXTURE



Solid Colours: Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- End caps
- External corners
- Internal corners available for handrail part
- Stainless steel mounting brackets
- Vertical accent trims/ collars (optional) - **handrail:** clear; **crash rail:** Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn PVC-Free - 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

ACROVYN®

Timber

Acrovyn PVC-Free

HRBW-50N Hand/Crash Rails

220mm high, HRBW-50N combines a solid timber handrail and a PVC-Free crash rail on a stainless steel bracket to provide mobility support and impact protection.



Heavy Duty




Dual Colour



www.c-sgroup.co.uk/16725



- Stylish, code compliant hand/crash rails for busy circulation areas
- 40mm Ø solid timber handrail with stainless steel accessories for secure, comfortable grip
- 127mm high crash rail with curved cover over continuous aluminium retainer and shock-absorbing cushion for effective impact protection
- Mounted on robust stainless steel brackets



COLOURS & TEXTURE



Timber*: handrail - Oak, Beech or Maple

Timber is supplied untreated as standard. Custom size, ready-to-install handrail kits are available on request in Natural, Golden or Walnut varnish options.



Solid Colours: crash rail - Acrovyn PVC-Free (15)



Texture: crash Rail - Shadowgrain

See Colour Foldout **pages 151-152**.

ACCESSORIES

- Handrail: stainless steel end caps, internal and external corners
- Crash rail: end caps and external corners
- Stainless steel mounting brackets
- Vertical accent trims for crash rail (optional): Black (standard) or Light Grey

* All our timber comes from sustainable sources and carries FSC or PEFC certification.

STOCK LENGTHS & FIXINGS

- Timber handrail: varies depending on species and availability
- Acrovyn PVC-Free crash rail - 3.0m
- Brackets at max. 800mm centres; fixing into studwork or pattresses is recommended

Acrovyn® Crash Rails

Our wide range of Crash Rails offers a perfect wall protection solution for every need and location, helping to keep your premises in flawless conditions.

Durable Acrovyn profiles are available in a wide range of styles and heights to suit your aesthetic and functional protection requirements.

Textured and through-coloured covers effectively hide the effects of scratches or abrasion, and are easy to clean to help maintain the appearance of interior walls.

Our contemporary range of colours and finishes will complement other interior decor elements in all building areas.

APPLICATIONS:

- Circulation corridors with frequent trolley or bed movement
- Production areas and laboratories
- Back-of-house areas in retail facilities and hotels
- Receptions and waiting areas

 www.c-sgroup.co.uk/608



- 1 SCR-80M Crash Rail
Page 96
- 2 SM-20 Corner Guard
Page 64
- 3 Push Plate
Page 142
- 4 Kick Plate
Page 142
- 5 SCR-150N Crash Rail
Page 102



Acrovyn cover flexes upon impact and recovers to its original shape.

Textured finish helps to minimise the appearance of scratches and abrasions.

SCR-80

Continuous aluminium retainer fitted with Acrovyn re-grind bumper cushion absorbs the impact energy and dissipates it along the crash rail's length.





The Range

SCR-80

● Acrovyn ● Acrovyn PVC-Free

Height: 203mm

Duty Rating: Heavy/Medium

Page 96

SCR-50

● Acrovyn ● Acrovyn PVC-Free

Height: 127mm

Duty Rating: Heavy/Medium

Page 97

SCR-170

● Acrovyn

Height: 170mm

Duty Rating: Heavy/Medium

Page 98

SCR-200

● Acrovyn

Height: 203mm

Duty Rating: Heavy/Medium

Page 99

HCR-200

● Acrovyn

Height: 203mm

Duty Rating: Severe

Page 100

SCR-150N

● Acrovyn PVC-Free

Height: 152mm

Duty Rating: Heavy/Medium

Page 102

BG-10

● Acrovyn ● Acrovyn PVC-Free

Height: 102mm

Duty Rating: Medium

Page 103

TP

● Acrovyn

Height: 300, 200, 150, 100mm

Duty Rating: Medium

Page 104

FR-225

● Acrovyn ● Acrovyn PVC-Free

Height: 57mm

Duty Rating: Light

Page 105

 www.c-sgroup.co.uk/383

ACROVYN®


 Acrovyn
 Acrovyn PVC-Free

SCR-80 Crash Rails

203mm high, curved profile crash rails offering a modern aesthetic and extensive impact protection for high traffic areas.



Heavy/Medium Duty


www.c-sgroup.co.uk/384


- Impact resistant, textured cover over continuous aluminium retainer as standard
- A version mounted on aluminium clips for areas requiring medium duty protection
- Free-floating cover and internal, continuous bumper cushion effectively absorb impact force
- Available in solid colours and contemporary finishes

CONTINUOUS RETAINER HEAVY DUTY



MOUNTING CLIPS MEDIUM DUTY



COLOURS & TEXTURE



Solid Colours: Acrovyn (27),
Acrovyn PVC-Free (15)



Finishes: Acrovyn (12) -
Woodgrains, Metals and
Concretes



Texture: Shadowgrain

See Colour Foldout **pages 151-152.**

PRODUCT CODES	CONTINUOUS RETAINER	MOUNTING CLIPS
Acrovyn	SCR-80M	SCR-80
Acrovyn PVC-Free	SCR-80MN	SCR-80N

ACCESSORIES

- End caps
- External corners
- Vertical accent trims (optional) -
Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m;
Acrovyn PVC-Free - 3.0m
- Fix at max 600mm centres;
aluminium clips at max 600mm
centres.

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

SCR-50 Crash Rails

127mm high, curved profile crash rails offering reliable protection for areas prone to impact damage.



Heavy/Medium Duty




www.c-sgroup.co.uk/387



- Impact resistant, textured cover over continuous aluminium retainer as standard
- A version mounted on aluminium clips for areas requiring medium duty protection
- Free-floating cover and internal, continuous bumper cushion effectively absorb impact force


CONTINUOUS RETAINER

HEAVY DUTY



MOUNTING CLIPS

MEDIUM DUTY



COLOURS & TEXTURE



Solid Colours: Acrovyn (27),
Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **pages 151-152**.

PRODUCT CODES	CONTINUOUS RETAINER	MOUNTING CLIPS
Acrovyn	SCR-50M	SCR-50
Acrovyn PVC-Free	SCR-50MN	SCR-50N

ACCESSORIES

- End caps
- External corners
- Vertical accent trims (optional) -
Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m;
Acrovyn PVC-Free - 3.0m
- Fix at max 600mm centres;
aluminium clips at max 600mm
centres.

ACROVYN®

● Acrovyn

SCR-170 Crash Rails

170mm high, curved profile crash rails with smooth cover, offering essential impact protection in hygiene sensitive areas.



Heavy/Medium Duty




Dual Colour

www.c-sgroup.co.uk/6867

- Impact resistant, smooth cover over continuous bumper cushion and aluminium mounting clips as standard
- A version mounted on aluminium clips for areas requiring medium duty protection
- Flexible top/bottom edge seals for a hygienic finish
- Optional decorative insert can be used to add style or create wayfinding schemes

CONTINUOUS BUMPER & MOUNTING CLIPS


HEAVY DUTY



SCR-170

MOUNTING CLIPS

MEDIUM DUTY



SCR-170E

COLOURS & TEXTURE



Solid Colours: cover (27), optional insert (36)



Texture: cover - Smooth; optional insert - Suede

See Colour Foldout **pages 150** (insert) **and 152** (cover).

ACCESSORIES

- End caps
- External corners
- Vertical accent trims (optional) - Black (standard) or Light Grey
- Decorative insert (optional)

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
- Aluminium clips at max 600mm centres.

ACROVYN®

● Acrovyn

SCR-200 Crash Rails

203mm high, classic flat style crash rails designed to prevent wall damage in busy facilities.



Heavy/Medium Duty




www.c-sgroup.co.uk/2524



- Impact resistant, textured cover over continuous aluminium retainer as standard
- A version mounted on aluminium clips for areas requiring medium duty protection
- Free-floating cover and two internal, continuous bumper cushions absorb impact force

CONTINUOUS RETAINER

HEAVY DUTY



SCR-200M

MOUNTING CLIPS

MEDIUM DUTY



SCR-200

COLOURS & TEXTURE



Solid Colours: Acrovyn (27)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- End caps
- External corners

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
- Fix at max 600mm centres; aluminium clips at max 600mm centres.

ACROVYN®

● Acrovyn

HCR-200 Crash Rails

203mm high, classic flat style crash rails for areas prone to extensive damage from heavily laden trolleys and other equipment.



Quick Lock




Severe Duty

www.c-sgroup.co.uk/2534

- Impact resistant, textured cover over continuous aluminium retainer
- Free-floating cover design and three internal, continuous bumper cushions absorb impact force
- Mounted on Quick Lock brackets for ease of installation and maintenance
- Return to wall end caps for additional protection

QUICK LOCK



HCR-200

COLOURS & TEXTURE



Solid Colours: Acrovyn (27)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- End caps
- External corners
- Quick Lock brackets

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
- Staggered fixings at max 600mm centres. Fixing into studwork or pattresses recommended.



ACROVYN®

● Acrovyn PVC-Free

SCR-150N Crash Rails

152mm high, classic flat profile crash rails offering effective protection for areas vulnerable to damage.




Heavy/Medium Duty

www.c-sgroup.co.uk/389

- Impact resistant, textured cover over continuous aluminium retainer as standard
- A version mounted on aluminium clips for areas requiring medium duty protection
- Free-floating cover design and a continuous, internal bumper cushion for effective impact protection

CONTINUOUS RETAINER


HEAVY DUTY



SCR-150MN

MOUNTING CLIPS

MEDIUM DUTY



SCR-150N

COLOURS & TEXTURE



Solid Colours: Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- End caps
- External corners

STOCK LENGTHS & FIXINGS

- Acrovyn PVC-Free - 3.0m
- Fix at max 600mm centres; aluminium clips at max 600mm centres.

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

BG-10 Bumper Guards


102mm high, bullnose style bumper guards designed to keep wheeled equipment away from the wall. Often used at low level in combination with handrails or other crash rails.



Medium Duty




www.c-sgroup.co.uk/2535



- Acrovyn cover over continuous aluminium retainer
- Large bullnose profile flexes for maximum bumper action protection
- Mounted on spacers for extra stand-off from the wall

SPACER MOUNTED



PRODUCT CODES	SPACER MOUNTED
Acrovyn	BG-10
Acrovyn PVC-Free	BG-10N

COLOURS & TEXTURE



Solid Colours: Acrovyn (27),
Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- End caps
- External corners

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m;
Acrovyn PVC-Free - 3.0m
- Fix at max 600mm centres.

ACROVYN®

TP Rub Rails

 Acrovyn



A range of easy to install rub rails protecting walls from scuffs, scratches and abrasions caused by pedestrian traffic, chairs or lightweight trolleys.



Medium Duty


www.c-sgroup.co.uk/390

- 3mm thick, textured and through-coloured rub rails
- Bullnose edges to mould profile to the wall
- Four heights to suit project requirements
- Simple installation using tape or adhesive



Bullnose top and bottom edge to mould profile to the wall

COLOURS & TEXTURE



Solid Colours: All Acrovyn Sheet Colours (36)



Texture: Shadowgrain

See Colour Foldout **page 150**.

PRODUCT CODES	100MM HIGH	150MM HIGH	200MM HIGH	300MM HIGH
Acrovyn	TP-100	TP-150	TP-200	TP-300

ACCESSORIES

- Preformed internal or external corners can be supplied to order
- Adhesive foam tape (can be factory applied if required)
- Construction adhesive

STOCK LENGTHS & FIXINGS


- Acrovyn - 4.0m
- Installation using adhesive foam tape or construction adhesive

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

FR-225 Rub Rails

57mm high, crescent shaped, unobtrusive rub rails offering light duty protection for walls and doors.




Light Duty

 www.c-sgroup.co.uk/388



- Acrovyn cover over continuous aluminium retainer
- Low profile crescent shape
- Free-floating cover design flexes on impact



COLOURS & TEXTURE



Solid Colours: Acrovyn (27),
Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

PRODUCT CODES

Acrovyn
Acrovyn PVC-Free

SURFACE MOUNTED

FR-225
FR-225N

ACCESSORIES

- End caps
- External corners
- Vertical accent trims (optional) -
Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- Acrovyn - 4.0m
Acrovyn PVC-Free - 3.0m
- Fix at max 600mm centres.

Acrovyn® Bed Head Protection

Bed Head Protectors are designed to protect walls or wall mounted equipment from damage at bed head locations.

They are typically used in healthcare facilities, where patient beds are frequently moved around or adjusted. Surface and bracket mounted options are available in a range of designs to suit all protection requirements.

Where a durable, wipe clean wall finish or personalisation of bedrooms is required, our solid colour sheet options or bespoke Acrovyn by Design panels will provide an attractive and long-lasting surface.

APPLICATIONS:

- Healthcare wards, en-suite rooms and intensive care units
- Care homes
- Hotel bedrooms

 www.c-sgroup.co.uk/2564



- 1 BL-10V Bed Head Protectors
Page 112
- 2 Acrovyn by Design
Page 50
- 3 BL-4C Bed Head Protectors
Page 113



Durable Acrovyn by Design murals can be used to personalise bed spaces and create a healing environment.

Large bullnose profile flexes upon impact and recovers to its original shape. Textured finish helps to minimise the appearance of scratches and abrasions.

BL-10V

Continuous aluminium retainer adds strength, and mounting spacers keep profile off the wall.





The Range

BL-10H

● Acrovyn ● Acrovyn PVC-Free

Type: Horizontal, single

Mounting: Spacers or extended brackets

Duty Rating: Medium

Page 110



BL-40V

● Acrovyn Bactericide

Type: Vertical, pair

Mounting: Extended brackets

Duty Rating: Medium

Page 111



BL-10V

● Acrovyn ● Acrovyn PVC-Free

Type: Vertical, pair

Mounting: Spacers or extended brackets

Duty Rating: Medium

Page 112



BL-4C

● Acrovyn ● Acrovyn PVC-Free

Type: Vertical, pair

Mounting: Quick Lock or extended brackets

Duty Rating: Severe

Page 113



Flat Bed Head Protection

Type: Impact resistant Sheet, solid colours and bespoke designs

Mounting: Adhesive

Page 114



 www.c-sgroup.co.uk/2564

ACROVYN®

 Acrovyn
 Acrovyn PVC-Free

BL-10H Bed Head Protectors

Horizontal bed head protectors designed to prevent damage to wall and wall mounted equipment from frequently moved beds.



Medium Duty


www.c-sgroup.co.uk/2565


- Impact resistant, textured cover over continuous aluminium retainer
- Shock absorbing cover flexes on impact
- Mounted on spacers or custom length, powder coated aluminium brackets
- Supplied as kits for ease of installation

COLOURS & TEXTURE




Solid Colours: Acrovyn (27),
Acrovyn PVC-Free (15)




Texture: Shadowgrain

See Colour Foldout **page 152**.

SPACER MOUNT



EXTENDED BRACKET



PRODUCT CODES	SPACER MOUNT	EXTENDED BRACKET
Acrovyn	BL-10H	BL-10HE
Acrovyn PVC-Free	BL-10HN	BL-10HEN

ACCESSORIES

- Supplied pre-cut with end caps and mounting accessories included

STOCK LENGTHS & FIXINGS

- **Rail:** 1100mm standard (inc. end caps); 1600mm max.
Extended brackets: 300mm long, or cut to suit (min. 90mm)
- Fix at max 400mm centres; fixing to studwork or pattresses recommended, particularly for bracket variants

ACROVYN®

● Acrovyn Bactericide

BL-40V Bed Head Protectors

Pairs of circular, vertical bed head protectors designed to protect walls from damage caused by frequently moved or height adjusted beds.



Medium Duty



Bactericide Certified



www.c-sgroup.co.uk/8515

- A pair of tubular 40mm Ø unobtrusive bed head protectors
- Smooth cover with added bactericide, ideal for hygienic environments (tested to ISO 22196 see **page 10**)
- Continuous aluminium retainer for strength
- Mounted on stainless steel brackets
- Supplied as kits for ease of installation

BRACKET MOUNT



BL-40V

COLOURS & TEXTURE



Solid Colours: Acrovyn (27)



Texture: Smooth

See Colour Foldout **page 152**.

ACCESSORIES

- Supplied pre-cut with end stops and brackets included
- Horizontal accent trims (optional) - Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- 700mm standard (inc. end stops); stainless steel brackets to provide 104mm overall projection from the wall
- Fix at max 500mm vertical centres; fixing to studwork or pattresses recommended

ACROVYN®

 Acrovyn
 Acrovyn PVC-Free

BL-10V Bed Head Protectors

Pairs of vertical bed head protectors for applications where beds are often moved around and their heights frequently adjusted.




Medium Duty



www.c-sgroup.co.uk/2568

- Impact resistant, textured cover over continuous aluminium retainer
- Shock absorbing cover flexes on impact
- Mounted on spacers or custom length, powder coated aluminium brackets
- Supplied as kits for ease of installation

SPACER MOUNT



EXTENDED BRACKET



PRODUCT CODES	SPACER MOUNT	EXTENDED BRACKET
Acrovyn	BL-10V	BL-10VE
Acrovyn PVC-Free	BL-10VN	BL-10VEN

COLOURS & TEXTURE



Solid Colours: Acrovyn (27),
Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- Supplied pre-cut with end caps and mounting accessories included

STOCK LENGTHS & FIXINGS

- 700mm standard (inc. end caps); extended brackets 300mm long, or cut to suit (min. 90mm)
- Fix at max 500mm vertical centres. Fixing to studwork or pattresses recommended, particularly for extended bracket variants

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

BL-4C Bed Head Protectors

Pairs of vertical bed head protectors offering severe duty protection to walls and wall mounted equipment from damage caused by frequently moved beds.



Quick Lock




Severe Duty



www.c-sgroup.co.uk/2571

- Impact resistant, textured cover over continuous aluminium retainer
- Free-floating cover and internal, continuous bumper cushion for effective impact protection
- Mounted on Quick Lock brackets or custom length, powder coated aluminium brackets
- Supplied as kits for ease of installation

QUICK LOCK



EXTENDED BRACKET



PRODUCT CODES	QUICK LOCK	EXTENDED BRACKET
Acrovyn	BL-4C	BL-4CE
Acrovyn PVC-Free	BL-4CN	BL-4CEN

COLOURS & TEXTURE



Solid Colours: Acrovyn (27), Acrovyn PVC-Free (15)



Texture: Shadowgrain

See Colour Foldout **page 152**.

ACCESSORIES

- Supplied pre-cut with end caps and brackets included
- Vertical accent trims (optional) - Black (standard) or Light Grey

STOCK LENGTHS & FIXINGS

- 700mm standard (inc. end caps); extended brackets 300mm long, or cut to suit (min. 90mm)
- Fix at max 350mm vertical centres; Fixing to studwork or pattresses recommended, particularly for extended bracket variants

ACROVYN®

● Acrovyn ● Acrovyn PVC-Free

Flat Bed Head Protection

Acrovyn Sheet or Acrovyn by Design can be installed behind beds to provide a bespoke, decorative and protective wall finish.



Medium Duty


www.c-sgroup.co.uk/16633


- Used on projects where personalised or a more domestic look is required
- Can be used in combination with other bed head protectors
- Available in a wide range of colours and finishes, or can incorporate bespoke artwork
- Sizes to suit project requirements
- Economical and easy to install

ACROVYN SHEET - ACROVYN PVC-FREE SHEET



COLOURS & TEXTURE



Solid Colours:

Acrovyn Sheet (36)

Acrovyn PVC-Free Sheet (36)



Finishes: Acrovyn Sheet (12)

- Woodgrains, Metals and Concretes



Acrovyn by Design: Bespoke imagery or colours



Texture: Suede or Smooth (select Acrovyn colours)

ACROVYN BY DESIGN - BESPOKE IMAGERY OR COLOURS



See Colour Foldout **pages 150 -151.**



Stainless Steel Protection

Our stainless steel models offer a sleek, smooth appearance and robust protection for hotel, commercial and retail environments.

As they are inherently hygienic, they're also suitable for areas where cleanliness is of paramount importance.

The range includes options for protecting walls, corners, glazing and other building features.

APPLICATIONS:

- Kitchens and food serving areas
- Laboratories
- Pharmaceutical manufacturing
- Food manufacturing
- Retail areas
- Corridors with regular wheeled traffic
- Back-of-house areas

 www.c-sgroup.co.uk/16686



- 1 Floor Mounted LLRSS
Page 122
- 2 CRC-150
Page 120



Tubular rail system manufactured from highly durable 304L Grade stainless steel

LLRSS

Robust brackets for floor or wall mounting

Stainless steel end caps or end stops can be specified to suit project needs





The Range

CRC-150

● Stainless Steel



Height: 150mm

Duty Rating: Heavy

Page 120

CRS

● Stainless Steel



Height: 100, 150, 200mm

Duty Rating: Heavy

Page 121

LLRSS

● Stainless Steel



Height: 178mm

Duty Rating: Severe

Page 122



PP-76

● Stainless Steel

Height: 900mm

Duty Rating: Severe

Page 123



Stainless Steel Corner Guards

● Stainless Steel

Leg: 30, 50, 75mm

Duty Rating: Heavy

Page 124

Also available:

HRS-6

● Stainless Steel



Size: 40mm Ø Handrail

Brackets: Stainless steel

Page 79

Stainless Steel Sheet

● Stainless Steel



Thickness: 1mm

Size: 2500 x 1250mm

Page 44



ACROVYN®

● Stainless Steel

CRC-150 Crash Rails


150mm high, robust stainless steel crash rails in a curved profile, suitable for ultra-clean environments.



Heavy Duty

www.c-sgroup.co.uk/394

- Stainless steel cover in a brushed finish
- End caps pre-welded to surveyed rail lengths for ease of installation
- Mounted over a continuous aluminium retainer for added strength



CRC-150

MATERIAL & FINISH



Material: Grade 304L
Stainless Steel



Finish: Brushed

ACCESSORIES

- End caps pre-welded to surveyed rail lengths

STOCK LENGTHS & FIXINGS

- Lengths to cutting schedule from stock lengths of max 3.0m
- Fix at max. 400mm centres

ACROVYN®

● Stainless Steel

CRS Series Crash Rails


A range of stainless steel crash rails in a classic profile offering high durability and impact protection.




Heavy Duty



www.c-sgroup.co.uk/6869



- Stainless steel cover in a brushed finish
- Available in three heights to suit project requirements
- End caps pre-welded to surveyed rail lengths for ease of installation
- Mounted using pre-drilled continuous stainless steel clips



MATERIAL & FINISH



Material: Grade 304L
Stainless Steel



Finish: Brushed

ACCESSORIES

- End caps pre-welded to surveyed rail lengths
- Supplied complete with top and bottom stainless steel clips

STOCK LENGTHS & FIXINGS

- Lengths to cutting schedule from stock lengths of max 3.0m
- Continuous fixing clips supplied pre-drilled in lengths to suit profile sizes

ACROVYN®


● Stainless Steel

LLRSS Low Level Crash Rails

Severe duty, stainless steel rails, ideal for protecting fully glazed corridor walls and other interior features.



Severe Duty



www.c-sgroup.co.uk/395


- 51mm ø stainless steel tubular rail
- Mounted on robust stainless steel brackets for extra stability
- Suitable for floor or wall mounting
- Radiused sections can be supplied to be fitted around columns and other features (min 600mm radius)

FLOOR MOUNTED



WALL MOUNTED



MATERIAL & FINISH



Material: Grade 304L
Stainless Steel



Finish: Brushed

ACCESSORIES

- End caps
- End stops
- Internal / external corners
- Brackets for floor / wall mounting

STOCK LENGTHS & FIXINGS

- Rail: 3.0m
- Brackets at max. 1000mm centres

ACROVYN®

● Stainless Steel

PP-76 Posts

Severe duty, stainless steel posts designed to protect architectural features, corners and doors by deflecting wheeled traffic away.




Severe Duty



www.c-sgroup.co.uk/2543

- Robust stainless steel posts designed for floor mounting
- Supplied with base plate cover to conceal fixings for a neat finish
- Available in a range of heights to suit application (900mm as standard)
- Complete with domed stainless steel cap



MATERIAL & FINISH



Material: Grade 304L Stainless Steel



Finish: Brushed

STOCK LENGTHS & FIXINGS

- 900mm high as standard, other heights can be supplied if required

ACROVYN®

● Stainless Steel

Stainless Steel Corner Guards

Surface mounted stainless steel corner guards offering heavy duty protection to vulnerable external corners.



Heavy Duty


www.c-sgroup.co.uk/8505


- Manufactured from 1mm thick stainless steel
- Cranked edges provide a slight void behind corner guards to accommodate wall irregularities
- Available in three leg sizes to suit project requirements
- Designed to suit 90° corners as standard. Custom angles can be supplied on request.
- Installed using construction adhesive or can be mechanically fastened

90° CORNERS*



* Custom angles can be supplied on request

PRODUCT CODES	90° CORNERS		
	30MM LEG	50MM LEG	75MM LEG
Stainless Steel	30A	50A	75A

MATERIAL & FINISH



Material: Grade 304L Stainless Steel



Finish: Brushed

STOCK LENGTHS & FIXINGS

- Lengths: 3.0m
- Installation using construction adhesive (can be supplied if required) or mechanical fasteners



EPDM Rubber Protection

Our EPDM rubber wall protection range has excellent shock-absorbing and weather resistant qualities and is ideal for protecting back of house, manufacturing and delivery areas from damage caused by vehicular traffic, trolleys and carts.

Robust EPDM profiles are suitable for both interior and exterior environments and can be fixed directly to concrete, steel, masonry or timber.

APPLICATIONS:

- Service corridors
- Back of house areas
- Loading bays
- Baggage re-claim
- Warehouses
- Car parks



www.c-sgroup.co.uk/16687



- 1 200W50 with optional hazard tape
Page 130
- 2 100C
Page 134
- 3 200W30
Page 130
- 4 75C
Page 134



Manufactured from EPDM Rubber for excellent resistance to UV and weathering. Suitable for both interior and exterior applications.

Robust crash rail design to offer severe duty protection in heavily abused areas.

200W50

Optional self adhesive hazard tape (white reflective tape also available).





The Range

200W

● EPDM Rubber



Height: 200mm

Duty Rating: Severe

See page 130

150W20

● EPDM Rubber



Height: 150mm

Duty Rating: Severe

See page 131

D-Section

● EPDM Rubber



Height: 75,100mm

Duty Rating: Severe

See page 132

60B

● EPDM Rubber



Height: 60mm

Duty Rating: Heavy

See page 133



EPDM Rubber Corner Guards

● EPDM Rubber

Height: 75,100mm

Duty Rating: Severe

See page 134

 www.c-sgroup.co.uk/16687

ACROVYN®

● EPDM Rubber

200W Crash Rails

200mm high, severe duty EPDM rubber crash rails, capable of withstanding the toughest knocks in back of house, delivery and car park areas.



Severe Duty

www.c-sgroup.co.uk/406

- EPDM rubber crash rails available in two thicknesses to suit project requirements
- Suitable for interior and exterior applications
- Optional light reflective or hazard tapes
- Can be fixed to circular columns using steel binding
- External and internal corners can be achieved through on-site mitering

SURFACE MOUNTED



200W30



200W50

MATERIAL



Black EPDM Rubber

ACCESSORIES

- Optional light reflective, self adhesive inserts - White or Yellow/Black



STOCK LENGTHS & FIXINGS

- Lengths: 3.0m
- Fix at max. 300mm staggered centres

ACROVYN®

● EPDM Rubber

150W20 Crash Rails


150mm high, slimline EPDM rubber crash rails used for protecting walls from damage caused by trolleys, carts and vehicles.



Severe Duty



www.c-sgroup.co.uk/407



- Severe duty EPDM rubber crash rails
- Suitable for interior and exterior applications
- Snap-in cover strip conceals fixings for a neat finish
- Supplied with internal aluminium strip for firm wall fastening
- External and internal corners can be achieved through on-site mitering

SURFACE MOUNTED



150W20

MATERIAL



Black EPDM Rubber

STOCK LENGTHS & FIXINGS

- Lengths: 3.0m
- Fixing: Fix at max. 400mm centres

ACROVYN®

● EPDM Rubber

D-Section Crash Rails

75mm or 100mm high, D-section rubber crash rails offering severe duty impact protection for interior and exterior areas.



Severe Duty


www.c-sgroup.co.uk/408



- Severe duty EPDM rubber crash rails
- Available in two sizes to suit project requirements
- Suitable for interior and exterior applications
- Hollow design flexes under impact, absorbing its force
- Optional rubber end plugs and bolt bung covers available
- External and internal corners can be achieved through on-site mitering

MATERIAL




Black EPDM Rubber

SURFACE MOUNTED



75D



100D

ACCESSORIES

- End plugs
- Bolt bung covers

STOCK LENGTHS & FIXINGS

- Lengths: 3.0m
- Fix at max. 400mm centres. Sections require drilling on site, or can be supplied pre-drilled to special order

ACROVYN®

● EPDM Rubber

60B Guards


60mm high, discreet B-section rubber guards offering heavy duty protection for vulnerable back of house areas.



Heavy Duty




www.c-sgroup.co.uk/410



- Heavy duty EPDM rubber guards
- Continuous aluminium fixing strip for firm fixing to the wall
- Suitable for interior and exterior applications
- External and internal corners can be achieved through on-site mitering

SURFACE MOUNTED



60B

MATERIAL



Black EPDM Rubber

ACCESSORIES

- End caps

STOCK LENGTHS & FIXINGS

- Lengths: 3.0m
- Fix at max. 400mm centres

ACROVYN®

● EPDM Rubber

EPDM Rubber Corner Guards

75mm or 100mm leg, robust corner guards offering excellent corner protection for interior and exterior areas.




Severe Duty


www.c-sgroup.co.uk/411

- Severe duty, EPDM rubber corner guards
- Available in two sizes to suit project requirements
- Suitable for interior and exterior applications
- Installation using construction adhesive and/or proprietary fastenings
- 100C model is grooved on the internal surface to afford greater adhesion

SURFACE MOUNTED



75C



100C


COLOURS & TEXTURE



Material: Black EPDM Rubber

STOCK LENGTHS & FIXINGS

- Lengths: 3.0m
- Mechanical fixing at max. 300mm staggered centres, or construction adhesive



Acrovyn® Door Protection

Doors and door frames are two building components most vulnerable to damage, and will often require periodic maintenance or replacement throughout the life of the building.

Wood veneer or high pressure laminate just can't handle the same abuse as durable Acrovyn. Our impact-resistant Acrovyn Sheet has been protecting doors in thousands of facilities worldwide, saving money in maintenance and costly repairs.

Built up from plates and/or formed sections, our door protection solutions can accommodate different door and door frame styles and sizes.

The product is available in a wide range of solid colours, woodgrain, metal and concrete finishes, or with Acrovyn by Design to make your door protection completely bespoke.

APPLICATIONS:

- High traffic interior environments in a wide range of sectors from healthcare and education to retail and airports
- New and refurbished doors

For a range of impact resistant Acrovyn Doors (including 30min and 60min fire doors) and fire rated Door Edge Protectors refer to **Acrovyn Doors** brochure or visit: www.c-sgroup.co.uk/2635

 www.c-sgroup.co.uk/16726



- 1 Half Moon push plate in 2mm Acrovyn Sheet
Page 142
- 2 Half height door protection in 2mm Acrovyn Sheet, Wave design
Page 142
- 3 TP-200 Rub Rail
Page 104
- 4 Full height Door Cladding in 2mm Acrovyn Sheet
Page 140
- 5 Door Frame Protection in 2mm Acrovyn Sheet
Page 145



SUITABLE FOR NEW DOORS AND REFURBISHMENT OF EXISTING DOORS



KEY BENEFITS



Hygiene - prevents dents, cracks and scratches which are ideal breeding ground for bacteria

Maintenance - eliminates or reduces the need for premature replacement or repair, protecting budgets

Appearance - prevents deterioration of door surfaces over its life cycle





The Range

Door Cladding



● Acrovyn ● Acrovyn PVC-Free

Colours: 36 solid,
12 finishes

Page 140

Door Face Protection



● Acrovyn ● Acrovyn PVC-Free

Colours: 36 solid,
12 finishes, Acrovyn by
Design

Page 142

Door Edge Protectors



● Acrovyn

Colours: 36 solid,
12 finishes

Page 144

Door Frame Protection



● Acrovyn ● Acrovyn PVC-Free

Colours: 36 solid,
12 finishes

Page 145



 www.c-sgroup.co.uk/16726

ACROVYN®

Door Cladding

● Acrovyn ● Acrovyn PVC-Free



Bespoke manufactured Acrovyn Door Cladding creates a highly durable finish for extended life cycle and reduced maintenance costs.

 www.c-sgroup.co.uk/2575

- Manufactured to custom specified sizes from 2mm Acrovyn Sheet or 1.5mm Acrovyn PVC-Free Sheet
- Plates and channels or formed angles are utilised to create a highly protective finish to door faces and edges.
- Full and part height solutions available.



COLOURS & TEXTURE



Solid Colours: Acrovyn (36)
Acrovyn PVC-Free (36)



Finishes: Acrovyn (12) -
Woodgrains, Metals and
Concretes



Texture: Suede

For a range of impact resistant, post-formed or fully encapsulated Acrovyn Doors (including 30min and 60min fire doors) refer to **Acrovyn Doors** brochure or visit: www.c-sgroup.co.uk/2635

See Colour Foldout **pages 150 -151.**

DOOR CLADDING OPTIONS

- Combination of edge protection channels and plates for door face protection. Plates are typically supplied with bevelled edges (round or 45° bevel can be selected) to overlap channels. Straight edges can be supplied for butting to channels in new door applications or where door faces are rebated.


NOTE: Door edges have to be rebated to allow for sheet thickness.

- Large size formed angles for protection of edges and faces.


NOTE: Allowances have to be made for the thickness of sheet to ensure a good fit in the door frame. Rebating or adjusting is likely to be required, especially in part height applications.

- Full and part height solutions available in any of our standard colours and finishes.

CHANNELS AND PLATES



FORMED ANGLES



DESIGN PROTECTION TO SUIT YOUR REQUIREMENTS



Part height protection, channels/plates or angles.



Half height plates and full height channels.



Full height protection, either channels/plates or formed angles.



Full height protection utilising decorative finishes for an attractive, natural look.

ACROVYN®



Acrovyn



Acrovyn PVC-Free

Door Face Protection

Simple, economical solution for protecting the most used and vulnerable areas of new or existing doors.


www.c-sgroup.co.uk/2577

- Manufactured to custom specified sizes from 2mm Acrovyn Sheet, 1.5mm Acrovyn PVC-Free Sheet or Acrovyn by Design.
- Plate edges are square as standard or can be bevelled to 45° or a radius on request
- Rectangular shapes and a selection of standard decorative designs are available
- Custom shapes can be easily accommodated

KICK AND PUSH PLATES



Kick and push plates are ideal for protecting door faces of swing doors and the areas around the door handle / lock of any room door.

PARTIAL PROTECTION



Most damage happens at the lower part of the door. Partial door face protection eliminates these problems while providing a decorative finish.

FULL FACE PROTECTION



In areas where damage can be expected at any height of the door, or unified look of the door face is required, our full face protection provides a solution.

COLOURS & TEXTURE



Solid Colours: Acrovyn (36), Acrovyn PVC-Free (36)



Finishes: Acrovyn (12) - Woodgrains, Metals and Concretes



Acrovyn by Design: Bespoke imagery



Texture: Suede

NOTE:

Allowances need to be made to accommodate Acrovyn Sheet thickness in relation to the door frame to ensure a good fit.

See Colour Foldout **pages 150 -151.**

STANDARD DESIGNS



01. RAINBOW



02. HALF MOON



03. LOCATE



04. RAINBOW WITH STRIP



05. DUNE



06. WAVE



07. INVERT



08. CITYSCAPE




09. OMBRE



10. VALLEY



CUSTOM DESIGN
Incorporating
Acrovyn by Design



CUSTOM DESIGN
Custom cut sheet

ACROVYN®




Door Edge Protectors

Simple to install, robust and cost-effective solution for preventing damage to edges of new and existing timber core doors.


 www.c-sgroup.co.uk/2579

- Manufactured from 2mm Acrovyn Sheet and incorporating 8mm thick inner Acrovyn lipping
- Can be fitted to one or both door edges and used in combination with door face protection if required
- Straight edge as standard, 45° or round bevel optional
- Supplied with colour matched pellets to conceal fixings
- To suit 44mm or 54mm thick doors with radiused edges (other thicknesses can be accommodated*)
- Standard height 2100mm (heights up to 2700mm can be manufactured)


to suit 44mm or 54mm door thicknesses as standard




INSTALLATION OPTIONS



Door edge protector only



Installed flush with door face protection



Overlapping door face protection

COLOURS & TEXTURE



Solid Colours:
Acrovyn (36)



Texture: Suede

See Colour Foldout **page 150**.

For options designed to suit FD30 and FD60 fire doors refer to **Acrovyn® Doors** brochure or visit: www.c-sgroup.co.uk/2635


** Tooling charges may apply. Contact us to discuss your requirements.*

Door Frame Protection


An effective protection solution for vulnerable timber or metal door frames and architraves.

 www.c-sgroup.co.uk/2578

- Made to customer specified sizes from 2mm Acrovyn Sheet or 1.5mm Acrovyn PVC-Free Sheet
- Built up from a series of channel and angle sections to provide full frame or architrave protection
- Full or partial height protection can be supplied
- Channels can be supplied to suit square or rounded edge sections*



Note: Sheet thickness should be taken into account in calculation of sizes. We will require internal dimensions of the frame protection required.



COLOURS & TEXTURE



Solid Colours: Acrovyn (36)
Acrovyn PVC-Free (36)



Finishes: Acrovyn (12) -
Woodgrains, Metals and
Concretes



Texture: Suede

See Colour Foldout **pages 150 -151**.

**Tooling charges may apply. Contact us to discuss your requirements.*

Our Services

SPECIFICATION SUPPORT



SPECIFICATION DOCUMENTS

Need help with specification? Detailed specification texts for our products are available. Contact your local CS Office or download from our website.

ACROVYN SHOWCASE

To help with the design process, we've developed Acrovyn Showcase app which allows you to visualise your wall protection designs. See **page 12** for more information.

BIM OBJECTS

BIM Objects are available on request, contact your local CS office or visit our website.

CUSTOM PRODUCTS/COLOURS

We understand that every project is unique and our standard designs may not always be suitable. We can work with you to design a bespoke solution that meets your project's specific requirements.

KNOWLEDGE BANK



PRODUCT PRESENTATIONS

CPD and Product Presentations are available either in person, via webinar or on-demand should you wish to learn more about relevant legislation and how our solutions can help you meet their requirements.

WEBSITE

Our website features blogs and other educational content to help you specify and understand legislation requirements and case studies showcasing product applications across a range of market sectors.

TECHNICAL SUPPORT



PRODUCT SELECTION ADVICE

Our teams know our products inside out, and are available whenever you need them. Get in touch if you need advice on designing a protection scheme to suit your project, or relevant legislation requirements.

DATASHEETS

Detailed datasheets for all our products are available via your local CS Office or our website.

SITE VISITS

Site visits to advise on protection solutions, solve issues or measure up for accurate estimating can be booked. Contact your local CS Office for more information.

SAMPLES



PRODUCT SAMPLES

We can supply you with free of charge colour swatches and product samples to help you make the right choice for your project. These can either be ordered via our website or by contacting your local CS Office.

VIRTUAL PRODUCT SAMPLES

We have developed unique, digital samples of our products, available in PDF format, which allow you to view them in 3D, rotate and even change the colour. Available to download from our website.

FACTORY SERVICES



CUTTING AND FORMING

We can deliver our products cut to custom lengths to spare you on-site cutting and allow for faster installations.

Tolerances +/- 1 mm

PRE-FABRICATION

We do the assembly so you don't have to. We can deliver "ready to install" handrail assemblies to allow for speedy installations:

- Fast, clean and effortless installations
- No on-site cutting
- Fewer installation personnel needed

EXTRUSION TO CUSTOM LENGTHS

We can extrude our profiles to lengths of your choice in order to minimise cutting waste.

Minimum order of 150 meters per product – 4-5 weeks delivery. Gross manufacturing tolerances + 20 to + 40 mm extra length.

CUSTOM COLOURS

We can produce custom colours to suit your interior design scheme or brand, subject to minimum order quantities. Please contact your local CS Office for further details.

INSTALLATION



INSTALLATION INSTRUCTIONS

Installation instructions showcasing the optimal way of installing our products to ensure a quality end result are available from your local CS Office or our website.

INSTALLATION SERVICES

We can manage the installation of our products for you, either through our own local installers or through our network of recommended contractors. Talk to your local CS Office to learn more about this service.

Acrovyn®

Colour Range





Discover
our vibrant
Acrovyn
colour range



Acrovyn® Colour Range

Our new palette of standard colours and decorative finishes offers designers limitless possibilities to enhance and protect any interior environment.

Colour availability varies across our wide range, so when selecting products to effectively protect your interiors refer to the table and detailed colour pages to find the right colours for your project.



In the table on **page 149** we have included a handy guide to the nearest matches to RAL, RAL Design and NCS colours, so that you can ensure wall protection either matches or sufficiently contrasts with other interior surfaces and decor elements.

We have also provided Light Reflectance Values (LRVs)* for all solid colours and finishes to help you design all-inclusive schemes, which consider the needs of users with visual impairment (for further guidance on this see **page 18**).

We understand that our standard range may not provide you with perfect choices to fit your design vision, so we can produce bespoke colours for you, subject to minimum quantities. Contact us to discuss your requirements.

Explore the full range of our colour and finishes on **pages 150-152**.

COLOUR SAMPLE SERVICE

Due to limitations of print and computer screens, actual Acrovyn colours may vary. If colour selection is important on your project, take advantage of our free-of-charge colour sample service.

Please contact your local CS Office or visit our website to request your colour samples.



*Light Reflectance Value (LRV) indicates the amount of light reflected by a surface and can be used to assess the degree of visual contrast between different surfaces. LRV values for our colours and finishes have been determined using the CIE Y value measurement method.

WALL PROTECTION
COLOUR AVAILABILITY

				Acrovyn Textured Sheet	Acrovyn PVC-Free Textured Sheet	Acrovyn Smooth Sheet	Acrovyn Bactericide Sheet	SO,TF-N and TP Models	Acrovyn Profiles	Acrovyn PVC-Free Profiles
Code	Colour / Finishes	RAL / RAL Design	NCS							
9003	Snow White	9003	S 0500-N	●	●	●	● †	●	●	
9010	Pure White	9010	S 0502-6	●	●	●	●	●		
949	White	9003	S 0300-N							●
933	Mission White	9001	S 1002-Y50R	●	●			●		●
100	Eggshell	1013	S 1005-Y10R	●	●			●	●	●
801	Grey Cloud	080 60 05	S 1502-Y50R	●	●	●	●	●	●	
187	Tan Bark	070 70 10	S 3005-Y50R	●	●			●	●	●
26	Taupe	060 50 05	S 5005-Y80R	●	●			●	●	
8019	Earth	8019	S 8005-Y80R	●	●			●		
7044	Felt	7044	S 2502-Y	●	●			●	●	
136	Pearl Grey	7004	S 3500-N	●	●			●	●	●
162	Charcoal	7037	S 5500-N	●	●			●	●	●
7043	Anthracite	7043	S 7000-N	●	●			●	●	
260	Misty Grey	280 90 05	S 0505-R80B	●	●			●	●	●
24	Dove Grey	200 70 05	S 2502-B	●	●	●	●	●	●	
7024	Graphite	7024	S 7502-B	●	●			●		
108	Black	7021	S 8000-N	●	●			●	●	●
11	Aqua Blue	250 80 20	S 1030-R90B	●	●	●	●	●		
325	Cape Blue	240 60 15	S 3020-R90B	●	●			●	●	
112	Pacific Blue	5012	S 1560-R90B	●	●			●	●	
520	Imperial Purple	290 50 15	S 5020-R60B	●	●			●	●	
1015	Ice Blue	260 80 10	S 1015-R80B	●	●	●		●	●	
5018	Lagoon	5018	S 2050-B30G	●	●			●		
4030	Baltic Blue	230 50 20	S 4030-B10G	●	●			●	●	●
129	Yale Blue	5001	S 6030-R90B	●	●			●	●	●
1510	Almond Green	180 80 05	S 1510-B80G	●	●	●	●	●	●	
22	Anise	110 80 40	S 1040-G40Y	●	●			●		
3040	Prairie Green	130 60 30	S 3040-G30Y	●	●			●	●	
6020	Sequoia Green	200 40 10	S 6020-B50G	●	●			●	●	
101	French Cream	1015	S 1010-Y20R	●	●	●		●	●	●
16	Golden Yellow	080 80 70	S 0560-Y10R	●	●			●	●	●
17	Tangerine	060 70 70	S 1060-Y30R	●	●			●	●	
845	Spectrum Red	3020	S 2070-Y90R	●	●			●	●	●
510	Powder Pink	350 90 05	S 0507-R20B	●	●	●		●	●	●
2040	Coral Blush	020 60 30	S 2040-R	●	●	●		●		
2050	Pink Grapefruit	030 60 40	S 2050-Y80R	●	●			●	●	
32	Sugar Plum	350 30 30	S 4040-R30B	●	●			●		●
51	Natural Oak			●				● *	● **	
36	Bleached Oak			●				● *	● **	
52	Golden Oak			●				● *	● **	
53	Walnut			●				● *	● **	
38	Smoked Oak			●				● *	● **	
39	Wenge			●				● *	● **	
54	Grey Concrete			●				● *	● **	
55	Taupe Concrete			●				● *	● **	
56	Black Concrete			●				● *	● **	
06	Brushed Metal			●				● *	● **	
57	Bronze			●				● *	● **	
58	Copper			●				● *	● **	

† Smooth option available * SO-50 Models only ** Select Models

Acrovyn® Sheet

SOLID COLOURS

Key

- A

Acrovyn 2mm or 1mm; Suede Texture (36)
- AF

Acrovyn PVC-Free 1.5mm or 1mm; Suede Texture (36)
- AS

Acrovyn 2mm; Smooth (10)
- BT

Acrovyn Bactericide 2mm; Suede Texture (6)
- BS

Acrovyn Bactericide 2mm; Smooth (1)

<div><div>A AF AS BT BS</div><div>9003 Snow White LRV 86</div></div>	<div><div>A AF AS BT</div><div>9010 Pure White LRV 83</div></div>	<div><div>A AF</div><div>933 Mission White LRV 74</div></div>	<div><div>A AF</div><div>100 Eggshell LRV 73</div></div>
<div><div>A AF AS BT</div><div>801 Grey Cloud LRV 64</div></div>	<div><div>A AF</div><div>187 Tan Bark LRV 40</div></div>	<div><div>A AF</div><div>26 Taupe LRV 24</div></div>	<div><div>A AF</div><div>8019 Earth LRV 7</div></div>
<div><div>A AF</div><div>7044 Felt LRV 50</div></div>	<div><div>A AF</div><div>136 Pearl Grey LRV 39</div></div>	<div><div>A AF</div><div>162 Charcoal LRV 22</div></div>	<div><div>A AF</div><div>7043 Anthracite LRV 14</div></div>
<div><div>A AF</div><div>260 Misty Grey LRV 80</div></div>	<div><div>A AF AS BT</div><div>24 Dove Grey LRV 49</div></div>	<div><div>A AF</div><div>7024 Graphite LRV 10</div></div>	<div><div>A AF</div><div>108 Black LRV 8</div></div>
<div><div>A AF AS BT</div><div>11 Aqua Blue LRV 50</div></div>	<div><div>A AF</div><div>325 Cape Blue LRV 32</div></div>	<div><div>A AF</div><div>112 Pacific Blue LRV 24</div></div>	<div><div>A AF</div><div>520 Imperial Purple LRV 16</div></div>
<div><div>A AF AS</div><div>1015 Ice Blue LRV 63</div></div>	<div><div>A AF</div><div>5018 Lagoon LRV 31</div></div>	<div><div>A AF</div><div>4030 Baltic Blue LRV 20</div></div>	<div><div>A AF</div><div>129 Yale Blue LRV 8</div></div>
<div><div>A AF AS BT</div><div>1510 Almond Green LRV 60</div></div>	<div><div>A AF</div><div>22 Anise LRV 56</div></div>	<div><div>A AF</div><div>3040 Prairie Green LRV 29</div></div>	<div><div>A AF</div><div>6020 Sequoia Green LRV 13</div></div>
<div><div>A AF AS</div><div>101 French Cream LRV 70</div></div>	<div><div>A AF</div><div>16 Golden Yellow LRV 66</div></div>	<div><div>A AF</div><div>17 Tangerine LRV 47</div></div>	<div><div>A AF</div><div>845 Spectrum Red LRV 15</div></div>
<div><div>A AF AS</div><div>510 Powder Pink LRV 79</div></div>	<div><div>A AF AS</div><div>2040 Coral Blush LRV 31</div></div>	<div><div>A AF</div><div>2050 Pink Grapefruit LRV 28</div></div>	<div><div>A AF</div><div>32 Sugar Plum LRV 13</div></div>

Acrovyn® Sheet & Profiles

DECORATIVE FINISHES

- Key**
- (A)** Acrovyn Sheet 2mm; Suede Texture (12)
 - (AP)** Acrovyn Profiles (select models) (12)

(A)

(AP)

51

Natural Oak

LRV 54

(A)

(AP)

36

Bleached Oak

LRV 40

(A)

(AP)

53

Walnut

LRV 27

Acrovyn Finishes can be specified for 2mm Acrovyn Sheet and a selection of Acrovyn Profiles:

(A)

(AP)

52

Golden Oak

LRV 37

(A)

(AP)

38

Smoked Oak

LRV 18

(A)

(AP)

39

Wenge

LRV 10

SSM-20 Corner Guards **Page 65**
SO-50 Corner Guards **Page 67**

(A)

(AP)

54

Grey Concrete

LRV 43

(A)

(AP)

55

Taupe Concrete

LRV 25

(A)

(AP)

56

Black Concrete

LRV 10

HRE-6 Handrails **Page 76**
HRO-6 Handrails **Page 81**
HRB-20 Hand/ Crash Rails (handrail section only)

(A)

(AP)

06

Brushed Metal

LRV 30

(A)

(AP)

57

Bronze

LRV 33

(A)

(AP)

58

Copper

LRV 31

SCR-80 Crash Rails **Page 96**

Acrovyn® Timber Handrails

TIMBER AND VARNISH OPTIONS

Oak

Unfinished

Oak

Natural

Oak

Golden

Oak

Walnut

Beech

Unfinished

Beech

Natural

Beech

Golden

Beech

Walnut

Maple

Unfinished

Maple

Natural

Maple

Golden

Maple

Walnut

Acrovyn® Profiles

SOLID COLOURS

Key

- (A)** Acrovyn; Shadowgrain Texture (27)
- (AF)** Acrovyn PVC-Free; Shadowgrain Texture (15)

<div><div>(A)</div><div>9003</div><div>Snow White</div><div>LRV 86</div></div>	<div><div>(AF)</div><div>949</div><div>White</div><div>LRV 90</div></div>	<div><div>(AF)</div><div>933</div><div>Mission White</div><div>LRV 74</div></div>	<div><div>(A)(AF)</div><div>100</div><div>Eggshell</div><div>LRV 73</div></div>
<div><div>(A)</div><div>801</div><div>Grey Cloud</div><div>LRV 64</div></div>	<div><div>(A)(AF)</div><div>187</div><div>Tan Bark</div><div>LRV 40</div></div>	<div><div>(A)</div><div>26</div><div>Taupe</div><div>LRV 24</div></div>	<div><div>(A)</div><div>7044</div><div>Felt</div><div>LRV 50</div></div>
<div><div>(A)(AF)</div><div>260</div><div>Misty Grey</div><div>LRV 80</div></div>	<div><div>(A)</div><div>24</div><div>Dove Grey</div><div>LRV 49</div></div>	<div><div>(A)(AF)</div><div>136</div><div>Pearl Grey</div><div>LRV 39</div></div>	<div><div>(A)(AF)</div><div>162</div><div>Charcoal</div><div>LRV 22</div></div>
<div><div>(A)</div><div>7043</div><div>Anthracite</div><div>LRV 14</div></div>	<div><div>(A)(AF)</div><div>108</div><div>Black</div><div>LRV 8</div></div>		
<div><div>(A)</div><div>1015</div><div>Ice Blue</div><div>LRV 63</div></div>	<div><div>(A)</div><div>112</div><div>Pacific Blue</div><div>LRV 24</div></div>	<div><div>(A)</div><div>325</div><div>Cape Blue</div><div>LRV 32</div></div>	<div><div>(A)(AF)</div><div>129</div><div>Yale Blue</div><div>LRV 8</div></div>
<div><div>(A)</div><div>1510</div><div>Almond Green</div><div>LRV 60</div></div>	<div><div>(A)</div><div>3040</div><div>Prairie Green</div><div>LRV 29</div></div>	<div><div>(A)</div><div>6020</div><div>Sequoia Green</div><div>LRV 13</div></div>	<div><div>(A)(AF)</div><div>4030</div><div>Baltic Blue</div><div>LRV 20</div></div>
<div><div>(A)(AF)</div><div>101</div><div>French Cream</div><div>LRV 70</div></div>	<div><div>(A)(AF)</div><div>16</div><div>Golden Yellow</div><div>LRV 66</div></div>	<div><div>(A)</div><div>17</div><div>Tangerine</div><div>LRV 47</div></div>	<div><div>(A)(AF)</div><div>845</div><div>Spectrum Red</div><div>LRV 15</div></div>
<div><div>(A)(AF)</div><div>510</div><div>Powder Pink</div><div>LRV 79</div></div>	<div><div>(A)</div><div>2050</div><div>Pink Grapefruit</div><div>LRV 28</div></div>	<div><div>(AF)</div><div>32</div><div>Sugar Plum</div><div>LRV 13</div></div>	<div><div>(A)</div><div>520</div><div>Imperial Purple</div><div>LRV 16</div></div>

CS SOLUTIONS:

Acrovyn® Wall & Door Protection

Acrovyn by Design® Bespoke Wall Protection

Acrovyn® Doors Impact Resistant Doorsets

Pedisystems® Entrance Matting

Wallglaze® Performance Coatings

Supertrak® Plus Cubicle Curtain Track

Omniwall® Interior Partitions

Expansion Joint Covers

Architectural Louvres

Airfoil® Solar Shading

Explovent® Explosion Venting

APC Dayliter™ Fire and Smoke Vents

Dexpale™ Lighting Displays

CONSTRUCTION SPECIALTIES (UK) LTD

1010 Westcott Venture Park,
Westcott, Aylesbury, Bucks, HP18 0XB
United Kingdom

+44 1296 652800
sales@c-sgroup.co.uk
www.c-sgroup.co.uk

