



Delta Balustrades

EXPERTISE YOU CAN LEAN ON

# VISTA

[www.deltabalustrades.com](http://www.deltabalustrades.com)



# MODERN VISTA BALUSTRADES

The Vista balustrade range has evolved over 30 years, culminating in a minimalist design that offers completely uninterrupted lines of vision and unimpeded views.

Incorporating elegant and free standing frameless glass panels with no intermediate supports, Vista is the perfect balustrade to enhance ambient light both internally and externally.



**MANY CUSTOMERS CHOOSE THE VISTA RANGE, TO PROVIDE A ROBUST PERFORMANCE AND A TOUCH OF CLASS TO THE MOST ULTRA-MODERN OR CLASSIC DEVELOPMENT.**



## HANDRAIL OPTIONS

The tactile nature of a handrail can add so much to a balustrade, how it feels can be as important as how it looks. Handrails, either offset or slotted directly on to the glass, can be customised to suit your particular needs in terms of aesthetics and purpose.

Our range leads the way in design, engineering and flexibility, giving you the choice to accomplish beauty within your budget.



# HANDRAIL FINISHES



OPTION

**01**

> **SIGMA™**

Sigma™ satin polished 304 grade stainless steel is designed specifically to withstand decades of very heavy usage in the most demanding of internal environments.

OPTION

**02**

> **ULTRA™**

Ultra™ 304 grade stainless steel with external grade finish is specifically designed for outdoor applications. Ultra™ 316 grade stainless steel with a bright polished finish is suitable for marine environments, ideal for use in swimming pool areas.

OPTION

**05**

> **HIMET™**

HiMet™ coated systems are fashioned in several metallic finishes, including silver, gold and nickel, and are a warm-to-the-touch alternative to stainless steel.

OPTION

**06**

> **HIMEX™**

The HiMex™ metallic polyester coated system has all the features of the HiMet™ range and is designed specifically for external applications.

OPTION

**03**

> **HIBUILD™**

The HiBuild™ colour polyester coated system has it all: advanced scratch resistance, a comfortable grip, and the all-important warm-to-the-touch DDA requirement.

OPTION

**04**

> **HIBEX™**

The HiBex™ colour polyester coated system has all the features of the HiBuild™ range and is designed specifically for external applications.

OPTION

**07**

> **DELAMERE™**

The Delamere™ range of quality lacquered hardwood handrails is available as standard in oak, ash, cherry, maple and walnut, and other prestige hardwoods are available on request.

OPTION

**08**

> **DELAMEREX™**

The DelamereX™ hardwood effect handrail system requires no varnishing or maintenance, offers a cost-effective alternative to hardwood, and helps our customers actively reduce their carbon footprint, sustaining valuable timber resources.

**EXPERTISE  
YOU CAN  
LEAN ON  
EVERY DAY**

**TOP  
CAPPING  
OPTION**



Small Top Capping


**HANDRAIL  
FIXING  
OPTIONS**



Offset Barrel Bracket (BB5)



Offset Radius Bracket (BB3)



Slotted Handrail (BB6)



# BASE FIXING

Structural glass balustrades invariably form an integral part of the stair or floor edge detailing. Through years of experience, a wide range of unique solutions have been developed for base fixing Vista structural glass balustrades.

Our technical team are always ready to assist with your detailed requirements; either visible point fixings, clamping plates or concealed base channels.



**BASE  
FIXING  
OPTIONS**



Slimline 2-point Side  
Fixing (SF6)



Clamp Plate to Steel  
Stringer (SF8)

**ALUMINIUM  
BASE CHANNELS**




BC1



BC2



BC3



BC4







## TECHNICAL SPECIFICATION



## SPECIFICATION GUIDE

- > Choose handrail series and handrail finish (see pages 6 & 7)
- > Choose handrail fixing type (see page 7)
- > Choose VISTA structural glass balustrade and specify glass type ie. toughened or laminated
- > Choose glass thickness (for advice please contact our technical team)
- > Choose base fixing detail from standard options (see pages 10 & 11) or detail to be confirmed with Delta Balustrades
- > Specify horizontal loading as indicated by architect or building control. I.e. 0.74kN/m, 1.5kN/m or 3.0kN/m
- > Specify associated wall fixed handrails if required


## HANDRAIL SIZES

- > 40 Series
- > 50 Series
- > Top capping (to be used with laminated glass)




# TECHNICAL SPECIFICATION


## HANDRAIL OPTIONS





Offset barrel Bracket (BB5)




Offset Radius Bracket (BB3)




Slotted Handrail (BB6)




## BASE FIXING OPTIONS




Aluminium Channel (BC1)\*




Aluminium Channel (BC2)\*




Aluminium Channel (BC3)\*




Aluminium Channel (BC4)\*



Slimline 2-Point Side Fixing (SF6)\*



Clamp Plate to Steel Stringer (SF8)\*



Slimline 2-Point Side Fixing (SF6)\*

\*Size of glass and fixing may vary dependent on load requirements



## NOTES

## NOTES





# VISTA





**Delta Balustrades**

EXPERTISE YOU CAN LEAN ON

Delta Balustrades Ltd

Millbuck Way, Sandbach, Cheshire, CW11 3JA

**Tel** 01270 753 383 **Email** [info@deltabalustrades.com](mailto:info@deltabalustrades.com)

[www.deltabalustrades.com](http://www.deltabalustrades.com)