

BENCHES



Cast stone Class 1 FSC Exotic wood -Electro-polished stainless steel 316L

4x M12 Shelve - length 200mm for Ville 1 Free standing, partly buried for Ville 2, Soleil, Vent















Class 1 PEFC European Robinia 4x M12 Shelve - length 200mm Free-standing




















Cast stone Free-standing 624 kg FIXING WEIGHT

Micro etched / Polished / Velvet Waterproof and anti-graffiti protection











HANDLING











Designers: Karen Schou Andersen & Hans Christian Asmussen (DK)

FIXING WEIGHT Free standing 290 kg




















MATERIAL FIXING WEIGHT Cast stone Free-standing 1.416 kg

FINISHES












Stainless steel armrest 4x M12 Shelve - Length 200 mm Small : 753 kg - Long : 1.936 kg
















Free standing 2.416 kg

FIXING WEIGHT
















FIXING WEIGHT Free-standing See plans




















See table



80x45x100 cm - 816 kg 80x55x100 cm - 1008 kg

45x45x100 cm - 358 kg 80x45x100 cm - 632 kg

45x45x100 cm - 362 kg 80x45x100 cm - 490 kg 80x55x100 cm - 604 kg















UHPC 4x M10 Shelve - length 120 mm Table: 280 kg FIXING WEIGHT

Fair faced Waterproof and anti-graffiti protection












UHPC 4x M6 Shelve - length 120 mm Bench: 65/80 kg Seat: 28 kg FIXING WEIGHT

Fair faced Waterproof and anti-graffiti protection












MATERIAL Cast ston


FIXING 2x M12 Shelve - length 200mn

see table

INISHES Micro etched / Polished / Velvet

Waterproof and anti-graffiti protection





Renches

Type 1 - 250/50/35 cm - 1.094 kg
Type 2 - 200/50/35 cm - 875 kg
Type 3 - 150/50/35 cm - 657 kg
Type 4 - 100/50/35 cm - 440 kg
Type 5 - 50/50/35 cm - 220 kg







1ATERIAL Cast stone

FIXING 2x M12 Shelve - length 200mm

see table

NISHES Micro etched / Polished / Velvet

Waterproof and anti-graffiti protection



GEOMETRY 400 50 2500 / 2000 / 1500 / 1000 / 500 Top view ,125, 250 ,125, 2500 / 2000 / 1500 / 1000 / 500 500 Side view Front view HANDLING

Bench with planter 40/25/30 cm

Type 1.1 - 250/50/35 cm - 1.019 kg Type 2.4 - 200/50/35 cm - 775 kg Type 3.2 - 150/50/35 cm - 581 kg

Bench with planter 40/10/30 cm Type 1.3 - 250/50/35 cm - 1.064 kg Type 2.3 - 200/50/35 cm - 820 kg Bench with planter 12,5/25/30 cm Type 1.2 - 250/50/35 cm - 1.070 kg Type 2.1 - 200/50/35 cm - 828 kg

Bench with long planter 10/30 cm Type 1.4 - 250/50/35 cm - 989 kg Type 2.2 - 200/50/35 cm - 770 kg Type 3.4 - 150/50/35 cm - 552 kg Type 4.1 - 100/50/35 cm - 335 kg










Cast stone Free-standing 1.450 kg

Micro etched Waterproof and anti-graffiti protection Structured












FIXING WEIGHT Free-standing 800 kg












Lacquered steel Free-standing 460 kg



















Designer: Studio Segers (BE)

SPECIFICATIONS

ATERIAL UHP


Galvanized steel
FIXING 4x M10 Shelve

VEIGHT 140 F

FINISHES Fair face

Waterproof and anti-graffiti protection












Cast stone 2x M12 Shelve/element 5.280 kg FIXING WEIGHT

























Designer: Roel Vandebeek (BE)


SPECIFICATIONS


MATERIAL Cast stone
FIXING Free-standing
WEIGHT 800 kg

INISHES Micro etche

Micro etched Waterproof and anti-graffiti protection














Cast stone Free-standing 5.400 kg













Cast stone 2x M12 Shelve 907 kg












Cast stone Free-standing 1.870 kg FIXING WEIGHT












Cast stone 2x M12 Shelve - length 200 mm 640 kg

FIXING WEIGHT














Cast stone Free-standing 700 kg FIXING WEIGHT












MATERIAL Cast stone FIXING 4x M10 Shelve WEIGHT 165 kg












Cast stone 2x M12 Shelve


















MATERIALS Cast stone

Wood: Sapelli on stainless steel structure 4x M12 Shelve - length 200 mm

WFIGHT 1 320 kg

INISHES Fair faced / Micro etched / Polished / Velve

Waterproof and anti-graffiti protectior














Free-standing 560 kg/pc - 2.240 kg/composition



















Wood: Sapelli on 50 or 100 cm stainless steel frame 2x M12 Shelve - length 200 mm Large - 1.100 kg / Small - 308 kg FIXING WEIGHT




















To bury partly 950 kg/part - 4 parts = 3.800 kg

Micro etched / Polished / Velvet Waterproof and anti-graffiti protection









HANDLING




Composition



FIXING WEIGHT




























MATERIAL FIXING WEIGHT


Cast stone To bury partly see table

FINISHES


Micro etched / Polished / Velvet Waterproof and anti-graffiti protection



GEOMETRY



Front view



Side view






HANDLING





FIXING WEIGHT














MATERIAL Cast ston


FIXING 4x M12 Shelve - length 200 mr

GHT see table

NISHES Micro etched / Polished / Velvet

Waterproof and anti-graffiti protectior





ype ELD-Line 3 - 120/43/43 Cin - 230 kg


Type LED-Line 4 - 120/45/65 cm - 388 kg

Type LED-Line 1 - 220/45/45 cm - 1.070 k

Type LED-Line 2 - 220/45/45 cm - 885 kg

Type LED-Line 3 - 220/45/45 cm - 425 k

Type LED-Line 4 - 220/45/65 cm - /12 kg













MATERIAL Cast stor

FIXING 4x M12 Shelve - length 200 mi

see table

NISHES Micro etched / Polished / Velvet

Waterproof and anti-graffiti protectior





Top view

Top view

| Section 100 view | Control of the contr

HANDLING





Side view





MATERIAL Cast stone

FIXING 2x M12 Shelve - length 200 mr


VEIGHT see table

INISHES Fair faced / Micro etched / Polished / Velve

laterproof and anti-graffiti protection











Family II 300/40/65 cm 684 k 200/40/65 cm 456 k 100/40/65 cm 228 k

Family III 300/40/65 cm 900 kg 200/40/65 cm 600 kg

100/40/65 cm 300 kg










see table












see table





| | LxWxH (cm) | Thickness (cm) | Weight (kg |
|------------|------------|----------------|------------|
| Ambla | 100/45/45 | 12 | 215 |
| | 150/45/45 | 12 | 280 |
| | 200/45/45 | 12 | 344 |
| Ambla UHPC | 100/45/45 | 6 | 115 |
| | 150/45/45 | 6 | 147 |
| | 200/45/45 | 6 | 180 |












see table


















see table














see table















see table
















see table














FIXING WEIGHT

see table





Circular Dia 300 cm - 4.240 kg - 848 kg/part - 5 parts

Dia 400 cm - 5.940 kg - 990 kg/part - 6 parts

Dia 500 cm - 7.632 kg - 954 kg/part - 8 parts

Dia 600 cm - 9.324 kg - 1.036 kg/part - 9 parts










MATERIAL FIXING WEIGHT

Cast stone Free-standing A - 280 kg / B - 280 kg / C - 340 kg

Micro etched Waterproof and anti-graffiti protection











Cast stone 2x M12 Shelve - length 200 mm 360 kg FIXING WEIGHT



