## CONSTRUCTION PRODUCTS REGULATION DECLARATION of PERFORMANCE



Product Identification:	Multipanel® WetFlor™
Type:	Heterogeneous PVC Floor Covering: <b>Thickness</b> : 2.0mm, <b>Density</b> : c1750 kg/m <sup>3</sup>
Intended use:	PVC floor covering for wetrooms
Company:	Grant Westfield Ltd Westfield Avenue Edinburgh United Kingdom EH11 2QH
System of Assessment and Verification of Constancy of Performance (AVCP):	System 3
Notified Body Number:	SGS-CSTC Standards Technical Services (Shanghai) Co Ltd, 3rd Building, No 889, Yishan Road, Xuhui, Shanghai, China 200233 performed initial type testing under EN 14041:2004 Resilient Textile and Laminate Floor Coverings – Essential Characteristics on 23 January 2015.  SATRA Technology Centre Ltd, Wyndham Way, Telford Way, Kettering, United Kingdom, NN16 8SD performed initial type testing for slip resistance to BS 7676-2:2002+A1:2013 and DIN 51130:2014 on 26 May 2016, and water tightness to BS EN 13553 Annex A:2015 on 13 October 2016.
Provisions:	EN 14041 Resilient, textile and laminate floor coverings EN 13553 Resilient floor coverings - Polyvinyl chloride floor coverings for use in special wet areas - Specification

Essential characteristics	Performance
Reaction to fire	EN 13501-1:2007+A1:2009: E <sub>ft</sub>
Water tightness	EN 13553:2015: Pass
Slip Resistance	EN 13893:2002: DS DIN 51130: R11 BS 7976-1:2002+A1:2013: Low Slip
Thermal conductivity	EN 12667:2001: 0.056 m <sup>2</sup> .K/W
Electrical behaviour	NPD
Content of Pentachlorophenol	EN 14041:2004/AC:2006: <1mg/kg
Release of Formaldehyde	EN 14041:2004/AC:2006: E1

The performance of the product identified for the type specified is in conformity with the declared performance in the essential characteristics above.

The declaration of performance is issued under the sole responsibility of Grant Westfield Ltd.

Signed for and on behalf of Grant Westfield Ltd by:

Sarah McLean, Managing Director

SIGNATURE:

S. Myran

**DATE AND PLACE OF ISSUE** Edinburgh on 14/02/2017