


SEGMO Tree grid

MSE1



The picture is only illustrative, it may not exactly match the product described.

Product description	Modular tree protection system consisting of grates - steel frames and solid wood seats. The construction consists of a frame - a steel weldment of circular shape under the ground level, anchored to the concrete base. To the frame are fitted grates and benches. Seat consists of 7 massive wooden laths (for one segment) of trapezoidal shape.
Material	Construction: steel grade 11 treated with powder coating Solid wood: spruce, oak, wood pine ThermoWood®, tropical wood
Surface treatment	Galvanized steel treated with powder coating in colour variations: RAL 7016 (anthracite grey), RAL 9005 (jet black), RAL 9006 (white aluminium), RAL 9007 (grey aluminium). Other RAL shades according to RAL sampler on request only. Spruce – two-layer impregnation and lacquer mixed with water with beeswax Tropical wood – treated with teak oil Oak – treated with impregnation and a glaze with biocidal effect Thermally modified wood pine ThermoWood® – penetration coating for wood with UV protection
Dimensions	Outer diameter 1600 mm, inner diameter 720 mm, height 440 mm
Anchoring	Anchoring is done with six stainless steel threaded rods M10 of length min. 150 mm and four nut cover caps M10 with a chemical anchor into concrete foundations prepared in advance. A detailed drawing is available for download on the website for each particular product.



[DOWNLOAD PDF SAMPLER >](#)