

*Armitage
Shanks*



+
The
new
Contour
21+
range

**Shaped for the most
demanding conditions**





Robust and reliable, hygienic and hardwearing

Contour 21+ is our next generation range designed to perform when and where it matters in the world's toughest, most heavily used spaces.

It's the successor to our leading **Piccolo 21+** range, with features and functions you can depend on for quality, hygiene and ease of use over a longer lifespan.

*Armitage
Shanks*



More benefits built in



+ Robust Cartridge

All new **Firmaflow SL cartridge** is **tested to 500,000 cycles** (300,000 more than the durability test required for WRAS) to last longer.



+ Hygienic

Self draining spout on taps and Anti stagnation valve fitted to shower valves means no static water, less biofilm attachment, and **reduced risk of pathogens**.



+ Anti-vandal

Durable by design, with **detergent-proof markings** and Allen key-secured outlet flow straighteners.



+ Scald safe

Temperature limiter, set on installation, **can restrict handle movement** in the hot direction.



+ Nickel free

Nickel free waterways **eliminate the risk** of drinking water contamination.



+ Easy to install

Easyfix installation makes it **fast and simple to fix** **Contour 21+** to the basin.



*Armitage
Shanks*



+

Engineered to perform and protect anywhere

**From schools to care homes,
hospitals to hotels, factories
to services: wherever washrooms
are heavily used, wherever
hygiene and durability matter,
wherever form and function
need to work together,
you'll find Contour 21+.**

Rigorously designed from the inside out to withstand overuse and misuse for a long, safe and sanitary lifespan, it can even cut your long-term costs, working perfectly for longer thanks to its robust, enduring quality.

Matched by timeless looks and anti-vandal features, it's the ideal solution for any high-demand environment – performing and protecting you and everyone who uses it, every day.



*Armitage
Shanks*




Features at a glance

Basin pillars pair

BC123AA



- Nickel free
- Self draining spout
- Anti vandal laminar flow stream straightener
- Ceramic disc valves
- G 1/2" Tail
- WRAS: 1806023




SL basin mixer no waste, medical handle, copper tails

BC122AA



- Easy to operate handle
- 15mm copper tails
- Nickel free
- Self draining spout
- Anti vandal 5LPM laminar flow stream straightener
- FIRMAFLOW cartridge
- Temperature limit stop
- Easyfix installation
- WRAS: 1811013




SL basin mixer no waste, flexible tails (PEX)

BC121AA



- PEX lined flexible tails with 15mm compression connectors
- Nickel free
- Self draining spout
- Anti vandal 5LPM laminar flow stream straightener
- FIRMAFLOW cartridge
- Temperature limit stop
- Easyfix installation
- WRAS: 1811013




SL basin mixer no waste, copper tails

BC120AA



- 10mm copper tails with 15mm compression connectors
- Nickel free
- Self draining spout
- Anti vandal 5LPM laminar flow stream straightener
- FIRMAFLOW cartridge
- Temperature limit stop
- Easyfix installation
- WRAS: 1811013




SL basin mixer PUW copper tails

BC119AA



- 10mm copper tails with 15mm compression connectors
- Nickel free
- Self draining spout
- Anti vandal 5LPM laminar flow stream straightener
- FIRMAFLOW cartridge
- Temperature limit stop
- Easyfix installation
- WRAS: 1811013




SL tall basin mixer no waste, copper tails

A6875AA



- 10mm copper tails with 15mm compression connectors
- Nickel free
- Self draining spout
- Anti vandal 5LPM laminar flow stream straightener
- FIRMAFLOW cartridge
- Temperature limit stop
- Heavy duty fixation kit to eliminate any loosening of tap in use
- WRAS: 1811013






Features at a glance

Thermostatic bath filler wall mounted TMV3

A7005AA



- Paddle lever control
- Thermostatic
- Cool touch body
- Thermal cleanse feature
- WRAS: 1807014
- TMV: NSF1972 0318




Thermostatic bath filler rim mounted TMV3

A7006AA



- Paddle lever control
- Thermostatic
- Cool touch body
- Thermal cleanse feature
- WRAS: 1807015
- TMV: NSF1972 0318




Thermostatic exposed shower with fast fix & thermal disinfection TMV3

A6876AA

Fittings do not include Armaglide
shower hoses B9306AA shown



- Paddle lever control
- Thermostatic
- Cool touch body
- Thermal cleanse feature
- Fastfix
- WRAS: 1806024
- TMV: NSF1971 0318




Thermostatic bath shower mixer wall mounted TMV2

A7004AA

Fittings do not include Armaglide shower hoses B9306AA shown



- Paddle lever control
- Thermostatic
- Cool touch body
- Thermal cleanse feature
- WRAS: 1807012
- TMV: NSF1970 0818




Thermostatic bath shower mixer rim mounted TMV2

A6877AA

Fittings do not include Armaglide shower hoses B9306AA shown



- Paddle lever control
- Thermostatic
- Cool touch body
- Thermal cleanse feature
- WRAS: 1807013
- TMV: NSF1970 0818




Anti-stagnation valve

F2605AA



- Automatically drains water from the hose after each use
- For use with Idealrain shower kits and sets



Ideal Standard taps, mixers and showers guarantee

Our confidence in the quality and reliability of Armitage Shanks products enables us to guarantee all taps, mixers and showers for five years from date of purchase. Parts are guaranteed for five years and will be replaced if found to be faulty. The guarantee does not cover general wear and tear.

Our guarantee covers all products that have been used in the manner they were intended, and does not apply to any products that have been misused or abused in any way. Products must be installed and cared for in line with our fixing instructions and local water byelaws.

In the unlikely event the product fails within five years, we offer a free replacement or replacement part (or nearest equivalent). Liability is limited to individual products and does not cover consequential loss or damage on installations.

Applies to UK and Republic of Ireland only. This guarantee does not affect your statutory rights.

Armitage Shanks

Armitage
Rugeley
Staffordshire
WS15 4BT

Tel: 01543 490 253

www.armitage-shanks.co.uk

Armitage Shanks

M50 Business Park
Ballymount
Dublin 12
Ireland

Tel: +(353) 01 456 4525

www.armitage-shanks.co.uk

Technical helpline: 0870 122 8822



Ideal Standard