# PLATINUM TURNSTILE





The LPS1175 Platinum Pedestrian Turnstile is intruder resistant to LPS1175: Issue 8 Security Rating B3 (SR2)

This is the first LPS1175 Security Rated Turnstile with a 120° rotor or 3 section walkway.\*

- Certified to LPS I 175: Issue 8
- LPS1175 Security Rating B3 (SR2)
- Certification number 1059c
- Option of 90° (4 section walkway) or 120° rotor (3 section walkway)



#### **BENEFITS & FEATURES**

- The Platinum Turnstile is approved to LPS1175 Issue 8 Security Rating B3.
- Heavy duty, high security turnstile. Red Book Listed
- This is the first LPS1175 Security Rated Turnstile with a 120° rotor or 3 section walkway.\*
- Anti-return solenoid
- LPS1175 Security Ratings B3 toolkit B, 3 minute attack time (certification 1059c)
- Power locking bolt provides turnstile lock down
- Designed and proven to withstand a considerable degree of physical attack
- Extra high security with a full CPNI approved fence line integration
- Fail secure turnstile will remain secure during power failure

#### CONSTRUCTION

- Cage: Fully welded steel cage backed with high security mesh to form a short walkway
- · Columns are used to mount card readers etc.
- Canopy: metal canopy with anti-drip guttering, with reinforced high security lid which lifts off for access
- Rotor: Option of 90° (4 section walkway) or 120° rotor (3 section walkway)
- High-strength steel rotors

#### **OPTIONS**

- Can be interfaced to any access control systems
- Manual release handle
- LED walkway lighting

### **CIVIL REQUIREMENTS**

L: 1600 x W: 1600 x D: 300 (millimetres)

Note: Power and control wiring ducts may be required

## **ELECTRICAL REQUIREMENTS** \*\*

- 230V 50HZ single phase supply
- \* Depending on configuration
- \*\* This is subject to a risk assessment to ensure the automatic equipment complies to BS EN 12453



