## **REFERENCE LIST**

SEMICONDUCTOR SOLAR PHARMA POWER GENERATION FOOD & BEVERAGE PULP AND PAPER CHEMICAL OIL AND GAS MINING AEROSPACE AND TRANSPORT



## General Short-Form References For the UK and Europe



Client	Plant Type	Capacity
Filtronic Compound Semiconductor Ltd, Newton Aycliffe	Ultrapure Water Treatment system including: Raw water pretreatment including storage tank & pumps, multi-media filters, degassers, GAC filters, Organic Traps, Filtered water storage	170m <sup>3</sup> /h
	UPW system including Primary RO, intermediate storage, vacuum deaerators, Primary mixed beds units and safety filters, UV systems, Secondary RO & UPW storage tanks UPW supply system including UV systems, cartridge mixed bed units, filtration systems and POU units	180m <sup>3</sup> /h
	Wastewater Treatment System including: Acid / Alkali stream with 2 x 100m <sup>3</sup> balance tanks, 3-stage neutralisation	85m <sup>3</sup> /h 45m <sup>3</sup> /h
	HF stream with 100m <sup>3</sup> balance tank, 3-stage neutralisation, flocculation, clarifier with sludge scraper, fully automatic filter press	45m <sup>3</sup> /h
	Advanced fluoride removal system with intermediate buffer tank, Sand and GAC filters, two fluoride absorbers, treated water tank, and regeneration system with softener. Final discharge system with two-stage neutralisation, cooling system and discharge monitoring for pH, flow, ammonia , fluoride and flow, plus 2000m <sup>3</sup> "Out of Specification" tank Chemical Bulk Storage and dosing systems for HCI, NaOH, NaHSO <sub>3</sub> , Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> , Ca(OH) <sub>2</sub> and NaCI	260m <sup>3</sup> /h
	Gold recovery system	
Nikon Milton Keynes	Pure Water treatment system including: Raw water pre-filtration & storage Twin stream pre-treatment each with duty / standby softeners, GAC filtration, Reverse Osmosis system Storage & pumping PW loop including mixed bed polishers, fine filtration, UV sterilisation, fine filtration	6m <sup>3</sup> /h
	Grinding & Polishing Wastewater treatment including: Buffer tanks, neutralisation & flocculation, settlement, sand filters and discharge monitoring, sludge thickener & filter	40m <sup>3</sup> /h
	press Oily wastewater treatment plant including: Buffer tank, Coagulation, DAF, Sand filters, cooling towers & recycling system	60m³/h
Nippon Electric Glass Cardiff	Cooling Water & Softening system including: Four softeners Two sand filters, two cooling towers, storage tanks etc	100m <sup>3</sup> /h 150m <sup>3</sup> /h
Cardin	HF & Cr treatment system including: HF reaction, coagulation & settlement systems Cr wastewater batch treatment system Final sand filtration Sludge thickener & filter press Reagent storage & dosing systems for H <sub>2</sub> SO <sub>4</sub> , Ca(OH) <sub>2</sub> , NaHSO <sub>3</sub> , HCI, PAC & polyelectrolyte	0.5m <sup>3</sup> /h
Toray Textiles Europe Ltd. Mansfield	Process water treatment Wastewater treatment	
Toyota Motor Manufacturing Burnaston	Deionised Water Treatment system & Associated wastewater treatment	
Toa Medical Electronics Germany	Deionised Water Treatment system & Associated wastewater treatment	
Toyotasa Turkey	Deionised Water Treatment system	
Suzuki Hungary	Deionised Water Treatment system	

Client	Plant Type	Capacity
	<b>UPW production system</b> including: Raw water pre-treatment with heat exchanger, 3 x Multi- media filters & degasser, 3 x GAC filters and Organic Traps with regeneration system Intermediate treatment system with Primary RO, Permeate storage, 2 x Primary mixed beds, 2 x 50m <sup>3</sup> DI water storage tanks, intermediate filters, Secondary RO & 50m <sup>3</sup> storage tank	110m <sup>3</sup> /h
	Two final polishing system with cartridge mixed bed polishers and U/F Chemical bulk storage systems for NaOH, NaCl, HCl & coagulant	2m <sup>3</sup> /h
	-	120m <sup>3</sup> /h
Shin-Etsu Handotai Livingston	Wastewater Treatment System including: Fluoride stream with 10m <sup>3</sup> buffer tank, two-stage precipitation, flocculation Main Treatment stream with 2 x 90 m <sup>3</sup> buffer tanks, coagulation, neutralisation, flocculation and settlement with sludge scraper Biological treatment system with	180m <sup>3</sup> /h
	Two-stage denitrification, Nitrification, Settlement tank with sludge scraper, GAC filtration Sludge thickener with scraper, 2 x 1.05m <sup>3</sup> filter presses Regeneration wastewater neutralisation system Final Discharge monitoring including pH, turbidity, ammonia and flow Chemical bulk storage & dosing systems for Ca(OH) <sub>2</sub> , H <sub>2</sub> SO <sub>4</sub> , NaOH, Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> , H <sub>3</sub> PO <sub>4</sub> , IPA, polyelectrolyte Raw water supply system	
Hoya Lens Deutschland	Deionised Water Treatment system & Associated wastewater treatment	
TMI Europe Italy	Wastewater Treatment	
Vistakon Ltd. (Johnson & Johnson) Limerick	<ul> <li>Purified Water system including heat exchanger, GAC filter, softeners, 1<sup>e</sup> &amp; 2<sup>e</sup> RO, UV sterilisers, mixed bed &amp; storage etc</li> <li>Pure steam generator system</li> <li>WFi system including mixed bed polishers, heat exchanger, Still &amp; storage etc</li> <li>Product mixing &amp; filling systems</li> <li>pH adjustment using CO<sub>2</sub></li> <li>Blow-Fill-Seal filling system</li> <li>Full validation</li> </ul>	3m <sup>3</sup> /h TW 160kg/h 0.5m <sup>3</sup> /h
Outokumpu Stainless Ltd.	<ul> <li>Descale 1 facility including:</li> <li>Fully automatic coil pickling facility (H<sub>2</sub>SO<sub>4</sub> / H<sub>2</sub>O<sub>2</sub> type pickle) including all ancillary equipment, control system, mechanical handling etc.</li> <li>Fume extraction &amp; Scrubbing system including packed tower scrubber</li> <li>Chemical bulk storage and automated dosing system including:</li> <li>77%w/w H<sub>2</sub>SO<sub>4</sub>, 30%w/w HF, 35%w/w H<sub>2</sub>O<sub>2</sub></li> <li>Wastewater treatment plant including:</li> <li>Spent Acid storage &amp; transfer systems</li> <li>Two-stage neutralisation, lamella tube clarifier &amp; discharge monitoring</li> <li>Sludge thickeners &amp; fully automated filter press</li> <li>Lime silo, slurry tanks and slurry dosing systems</li> </ul>	50m <sup>3</sup> /h
Shanks Waste Solutions, Marston Vale	Bulk storage and dosing system for 47%w/w NaOH Dosing systems for H₃PO₄ & antifoam TOVEKO sand filter (model S-450) in 2205 duplex alloy & ancillaries	30m <sup>3</sup> /h

Client	Plant Type	Capacity
Outokumpu Stainless Ltd.	Descale 2 facility including: Chemical bulk storage and automated dosing system including: 69%w/w HNO <sub>3</sub> , 35%w/wHF, 35% H <sub>2</sub> O <sub>2</sub> Wastewater treatment including: Spent Acid & Wastewater collection & balancing systems Spent Acid storage & transfer system Spent Alkali transfer & storage system Two-stage neutralisation system Sludge Thickener	20m <sup>3</sup> /h
Outokumpu Stainless Ltd.	<b>Recycling system</b> for wastewater from de-scaling section, hydrocyclone-based system	40m <sup>3</sup> /h
BOC Edwards Paris	Batch Wastewater Treatment system including: Acid, Alkali & Ammonia wastewater storage & transfer systems Batch treatment tank with semi-automatic sequence control Chemical storage & dosing systems for H <sub>2</sub> SO <sub>4</sub> , NaOH, Ca(OH) <sub>2</sub> , CaCl <sub>2</sub> and polyelectrolyte Sludge filter press with acid cloth cleaning system Final pH adjustment system with polishing filter, discharge monitoring & transfer system Segregated floor spillage systems	
Seagate Technologies	Ultrapure Water system upgrade including EDI (electrodeionisation)	
Limavady Sumikei Czech s.r.o. Benatky nad Labem Czech Republic	<ul> <li>Water supply system for process use including softeners, softened water storage, safety filters and Primary RO system Process water feed to various production processes including intermediate filter &amp; UV systems</li> <li>Main water recycling system for extrusion process including Secondary RO, storage and distribution Reject stream recovery system including coagulation, flocculation, sand filtration, GAC filtration, settlement of dirty wash water streams</li> <li>Final neutralisation for system losses , final discharge monitoring</li> <li>Cooling Tower dosing systems for biocide &amp; inhibitor, 3 systems including automatic controllers</li> </ul>	10m <sup>3</sup> /h 36m <sup>3</sup> /h >96% recovery
Inspectorate International Witham	Wastewater treatment from chemical laboratories Balance tank & pumps Coagulation, neutralisation, flocculation, tube settlement, TOVEKO sand filter, polishing filters, mercury polishing filters, final discharge monitoring & recording Dosing systems for H <sub>2</sub> SO <sub>4</sub> , FeCl <sub>3</sub> , NaOH, polyelectrolyte Sludge thickener, sludge filter press	4m <sup>3</sup> /h nominal
Innos, Southampton	Process dumps transfer, collection and bleed system Rinse water collection, transfer & neutralisation Dosing system for NaOH, floor spillage collection, safety equipment Final discharge monitoring Dual containment pipework system	1m <sup>3</sup> /h nominal
Jaguar Cars Ltd, Halewood	Wastewater Treatment & Process Dumps collection systems for Acid, Alkali and Paint wastes. Paint coagulation, Neutralisation, Flocculation,, two lamella tube settlers, Final discharge monitoring Sludge thickener, sludge filter press & filtrate recycling Bulk chemical storage & dosing for FeCl <sub>3</sub> , HCl & NaOH, incl. HCl scrubber. Additional dosing systems for polyelectrolyte & antifoam Floor spillage systems Full integrated control system with SCADA	(3 x 150m <sup>3</sup> and 3 x 120m <sup>3</sup> ) ≤75m <sup>3</sup> /h

Client	Plant Type	Capacity
	Total-loss wastewater treatment plant from manufacture of aircraft components. Plant includes:	20m <sup>3</sup> /h
	Chromium reduction pH Neutralisation	
	Flocculation Lamella Tube clarifier	
GE Aerospace	Continuous gravity "Toveko" tertiary sand filter	
lamble	Sludge collection and thickening tank plus filter press Discharge monitoring	
	Later upgrade to chemical dosing systems, to accept bulk chemical deliveries	
	Later upgrade to add treatment of tartaric acid	
	Ultrapure Water production system including: Pre-filter	
	Raw water heater	
	Duplex softeners Softened water storage	0.7m <sup>3</sup> /h
PETEC,	ROCEDIS Reverse Osmosis / EDI	0.7111711
Sedgefield	UPW storage and supply loop with UV	
Jeagonola	UPW heater and polisher unit	
	Wastewater treatment system including:	3m <sup>3</sup> /h
	Wastewater collection, transfer & two-stage neutralisation (acid / alkali)	3m <sup>-</sup> /h
	Four spent solution transfer & collection systems	
	Bulk storage & acid dosing systems including:	
	33m <sup>3</sup> storage tank for 70%w/w Hydrofluoric Acid plus	
	integral bund	
	Tank filling system HF delivery pumps including double-walled pipework system	
Otelinox	with leak detection.	
Targoviste	HF delivery system to three process steps	
Romania	Control system including plc with automatic filling control	
	system	
	<b>60% Nitric Acid</b> system including Tank filling HNO <sub>3</sub> delivery pumps with single skin stainless steel	
	pipework	
	Factory production expansion including: Water supply system for process use including softeners,	10m <sup>3</sup> /h
	softened water storage, safety filters and Primary RO system	
	Process water feed to various production processes	
Sumikai Czach a r a	including intermediate filter & UV systems	
Sumikei Czech s.r.o.	Main makes and line and find and the	00. <sup>3</sup> "
Benatky nad Labem	Main water recycling system for extrusion process including filtration, neutralisation, storage and distribution	36m <sup>3</sup> /h
Czech Republic	moleculary metalon, noticuloution, storage and distribution	>96%
	Final neutralisation for system losses , final discharge monitoring	recovery
	Provision for future expansion	
Ray Owen Plating	Special lon Exchange system for removal of Iron & Zinc	3m <sup>3</sup> /h
	contaminants from Trivalent Chromium Passivate solution	
Telford	Skid-mounted system including Backwash liquor make-up & recovery	
	& Regeneration system	
Alstom Power Plants	Demineralisation	
RWE npower, Pembroke UK	Raw Water storage & back-washable filters Ultrafiltration with CIP system	2 x 86m <sup>3</sup> /h
UK	RO pre-filters	
	Double Pass RO units with CIP system Permeate storage & pumping	2 x 84m <sup>3</sup> /h
	Mixed bed exchangers	2 x 60m <sup>3</sup> /h
	Bulk storage & dilution systems for 96% $H_2SO_4$ & 32% NaOH Neutralisation system	

Client	Plant Type	Capacity
Egbin Power Plant, Lagos, Nigeria	Raw Water Pre-treatment system upgrade / refurbishment Coagulation, pH adjustment, flocculation, settlement, gravity sand filtration, sludge dewatering, chemical dosing & control system	300m <sup>3</sup> /h
	Deionised Water Make-up System 2 x 100% Carbon Filter, Cation, Anion, Mixed bed system External regeneration for mixed beds Chemical bulk storage, delivery & measure systems Deionised Water Storage Wastewater Treatment system Control system	240m <sup>3</sup> /h
	All ancillaries including Health & Safety equipment	4.0 3.0
LAB S.A for KARA Roskilde Denmark	<b>Treatment of wastewater from Flue Gas Desulphurisation</b> 2-stage Neutralisation & oxidation, Precipitation and Flocculation Lamella clarifier, sludge thickener & fully mechanised filter press. Post-precipitation stage, pressure sand filters, pH adjustment and final ion exchange system Chemical dosing for Ca(OH) <sub>2</sub> , NaOH, TMT15, Anti-scalant, FeCl <sub>3</sub> & Polymer Acid cleaning facilities for main plant, auto electrode cleaning	16m <sup>3</sup> /h
Tallent Automotive Cannock, UK	<b>Treatment of wastewater from metal finishing</b> pH correction, flocculation, Lamella Tube Settler Alkali dumps tank & bleed system Sludge collection and filter press IBC-based dosing systems for H <sub>2</sub> SO <sub>4</sub> and NaOH Emulsion –based dilution and dosing system for polymer	10m <sup>3</sup> /h
	Deionised Water Treatment Plant Softener / Reverse Osmosis unit, plus all interconnecting pipework to production equipment	5m <sup>3</sup> /h
GE Aerospace Hamble (Second Plant)	Total-loss wastewater treatment plant from manufacture of aircraft components. Plant includes: Wastewater Balance Tank Chromium reduction pH Neutralisation Neutralisation of tartaric acid stream Flocculation Lamella Tube clarifier Continuous gravity "Toveko" tertiary sand filter Sludge collection and thickening tank plus filter press Discharge monitoring	20m <sup>3</sup> /h
	automatically-switched IBCs Remote plant monitoring and alarm transmission Interconnecting pipework for transfer systems from	
LAB S.A for Amagerforbraending Denmark (Second plant)	Production areas <b>Treatment of wastewater from Flue Gas Desulphurisation</b> Complete twin-stream plant, each line incorporating: Buffer tank, Coarse & Fine Neutralisation & oxidation, Precipitation and Flocculation Lamella clarifier, sludge thickener & fully mechanised filter press. Post-precipitation stage, pressure sand filters, pH adjustment and Ammonia removal (scrubber) Granular Activated Carbon filtration, Cation exchange, Arsenic removal, Final discharge control & measurement Chemical dosing facilities for FeCl <sub>3</sub> , CaCO <sub>3</sub> , HCl, NaOH, TMT15, Anti-scalant, & Polymer Acid cleaning facilities for main plant, auto electrode cleaning	2 x 10m <sup>3</sup> /h

Client	Plant Type	Capacity
KCS Herr Voss for Egypt	Total-loss wastewater treatment plant from cleaning ofaluminium coil. Plant includes:AcidificationOil flotationpH NeutralisationFlocculationLamella Tube clarifierSludge collection and thickening tank plus filter pressChemical dosing H2SO4, NaOH & Polymer	3m <sup>3</sup> /h
	<b>Water Treatment plant</b> including: Activated Carbon filter Base Exchange softeners Reverse Osmosis system Mixed Bed Polishers	2.5m <sup>3</sup> /h
	Total-loss wastewater treatment plant from manufacture of aerospace components. Plant includes: Ammonia treatment Acid dumps collection & bleed system pH Neutralisation	5m <sup>3</sup> /h
Chromalloy	Flocculation	
Somercotes (Second Plant)	Lamella Tube clarifier Continuous gravity "Toveko" tertiary sand filter Sludge collection and thickening tank plus filter press	
	Discharge monitoring (pH, flow, Nickel) Chemical dosing H <sub>2</sub> SO <sub>4</sub> , NaOH & Polymer Containment bund	
Heathrow Airport Ltd. Snow-base	Total-loss wastewater treatment plant for Sweeper Waste. Plant includes: Gross solids removal & conveyor system Fuel Interceptor Wastewater Balance tank Circular Interceptor (oil & fuel removal) pH Neutralisation Trace metal precipitation Flocculation Dissolved Air Flotation Oil & Sludge transfer system and Holding tank TOC monitoring & Wastewater Diversion system Low & High TOC Concentration Holding tanks Automatic blending and discharge system On-line TOC analysis and control On-line COD analysis Automatic blending & control system IBC-based automatic dosing for FeCl <sub>3</sub> , TMT15 & NaOH Automatic polyelectrolyte dilution & dosing system	10m <sup>3</sup> /h
GE Caledonian Prestwick	Upgrade of existing wastewater treatment plant for aero- engine maintenance (original supplied 1990) Wastewater Balance Tanks Chromium reduction pH Neutralisation Flocculation Lamella Tube clarifier Final pH adjustment Sludge collection and thickening tank plus filter press Discharge monitoring	

**H+E** ranks among the world's leading suppliers in the fields of: water & wastewater treatment, and energy efficiency. Based on its global presence, the **H+E GROUP** has completed projects in over 50 countries.





Tel: +44 1403 272772

sales@he-water.co.uk www.he-water.co.uk