

Cheriton


Quality Accessories on Georgian and Victorian Plates

Capturing all the charm and elegance of the Georgian and Victorian period. The plates are traditional cast brass with a choice of finishes. The range consists of two designs, Georgian and Victorian.

- Two designs – Georgian and Victorian
- Georgian available in two finishes
- Victorian available in six finishes
- Switch inserts to match the plate finish
- Standard box-fix electrical accessories
- Grid and EuroFix options also available (see separate GRID-IT and EuroFix sections for inserts.)



Cheriton Range



90 TCM W

91 R21 AB-B

95 SPN BC-W

98 R22 BK-B

Plate finishes available in this range

Georgian Plate Finishes



Antique Brass

Polished Brass

Victorian Plate Finishes



Antique Brass

Black Nickel

Bright Chrome




Polished Brass


Satin Brass

Satin Chrome

Hamilton Cheriton



Victorian Plate Depth 7.5mm
Georgian Plate Depth 10.5mm



Box-Fix to Back Box

Cheriton

Victorian Rocker Switches



93 R23 AB-B



98 R26 BK-B

| Plate Finish | Insert Finish / Surround Colour | 1 gang 10AX 2 Way Rocker | 2 gang 10AX 2 Way Rocker | 3 gang 10AX 2 Way Rocker | 4 gang 10AX 2 Way Rocker | 6 gang 10AX 2 Way Rocker |
|--------------------------------|---------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Antique Brass | Antique Brass/Black | 93 R21 AB-B | 93 R22 AB-B | 93 R23 AB-B | 93 R24 AB-B | 93 R26 AB-B |
| Antique Brass | Black/Black | 93 R21 BL-B | 93 R22 BL-B | 93 R23 BL-B | 93 R24 BL-B | 93 R26 BL-B |
| Black Nickel | Black Nickel/Black | 98 R21 BK-B | 98 R22 BK-B | 98 R23 BK-B | 98 R24 BK-B | 98 R26 BK-B |
| Bright Chrome | Bright Chrome/Black | 95 R21 BC-B | 95 R22 BC-B | 95 R23 BC-B | 95 R24 BC-B | 95 R26 BC-B |
| Bright Chrome | Bright Chrome/White | 95 R21 BC-W | 95 R22 BC-W | 95 R23 BC-W | 95 R24 BC-W | 95 R26 BC-W |
| Bright Chrome | Black/Black | 95 R21 BL-B | 95 R22 BL-B | 95 R23 BL-B | 95 R24 BL-B | 95 R26 BL-B |
| Bright Chrome | White/White | 95 R21 WH-W | 95 R22 WH-W | 95 R23 WH-W | 95 R24 WH-W | 95 R26 WH-W |
| Polished Brass | Black/Black | 92 R21 BL-B | 92 R22 BL-B | 92 R23 BL-B | 92 R24 BL-B | 92 R26 BL-B |
| Polished Brass | Polished Brass/Black | 92 R21 PB-B | 92 R22 PB-B | 92 R23 PB-B | 92 R24 PB-B | 92 R26 PB-B |
| Polished Brass | Polished Brass/White | 92 R21 PB-W | 92 R22 PB-W | 92 R23 PB-W | 92 R24 PB-W | 92 R26 PB-W |
| Polished Brass | White/White | 92 R21 WH-W | 92 R22 WH-W | 92 R23 WH-W | 92 R24 WH-W | 92 R26 WH-W |
| Satin Brass | Black/Black | 94 R21 BL-B | 94 R22 BL-B | 94 R23 BL-B | 94 R24 BL-B | 94 R26 BL-B |
| Satin Brass | Satin Brass/Black | 94 R21 SB-B | 94 R22 SB-B | 94 R23 SB-B | 94 R24 SB-B | 94 R26 SB-B |
| Satin Brass | Satin Brass/White | 94 R21 SB-W | 94 R22 SB-W | 94 R23 SB-W | 94 R24 SB-W | 94 R26 SB-W |
| Satin Brass | White/White | 94 R21 WH-W | 94 R22 WH-W | 94 R23 WH-W | 94 R24 WH-W | 94 R26 WH-W |
| Satin Chrome | Black/Black | 96 R21 BL-B | 96 R22 BL-B | 96 R23 BL-B | 96 R24 BL-B | 96 R26 BL-B |
| Satin Chrome | Satin Chrome/Black | 96 R21 SC-B | 96 R22 SC-B | 96 R23 SC-B | 96 R24 SC-B | 96 R26 SC-B |
| Satin Chrome | Satin Chrome/White | 96 R21 SC-W | 96 R22 SC-W | 96 R23 SC-W | 96 R24 SC-W | 96 R26 SC-W |
| Satin Chrome | White/White | 96 R21 WH-W | 96 R22 WH-W | 96 R23 WH-W | 96 R24 WH-W | 96 R26 WH-W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 25mm | 25mm | 25mm |
| Technical Insert Ref: | | R21 | R22 | R23 | R24 | R26 |

Georgian Rocker Switches



91 R21 AB-B



90 R22 WH-W

| Plate Finish | Insert Finish / Surround Colour | 1 gang 10AX 2 Way Rocker | 2 gang 10AX 2 Way Rocker | 3 gang 10AX 2 Way Rocker | 4 gang 10AX 2 Way Rocker | 6 gang 10AX 2 Way Rocker |
|--------------------------------|---------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Antique Brass | Antique Brass/Black | 91 R21 AB-B | 91 R22 AB-B | 91 R23 AB-B | 91 R24 AB-B | 91 R26 AB-B |
| Antique Brass | Black/Black | 91 R21 BL-B | 91 R22 BL-B | 91 R23 BL-B | 91 R24 BL-B | 91 R26 BL-B |
| Polished Brass | Black/Black | 90 R21 BL-B | 90 R22 BL-B | 90 R23 BL-B | 90 R24 BL-B | 90 R26 BL-B |
| Polished Brass | Polished Brass/Black | 90 R21 PB-B | 90 R22 PB-B | 90 R23 PB-B | 90 R24 PB-B | 90 R26 PB-B |
| Polished Brass | Polished Brass/White | 90 R21 PB-W | 90 R22 PB-W | 90 R23 PB-W | 90 R24 PB-W | 90 R26 PB-W |
| Polished Brass | White/White | 90 R21 WH-W | 90 R22 WH-W | 90 R23 WH-W | 90 R24 WH-W | 90 R26 WH-W |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 25mm | 25mm | 25mm |
| Technical Insert Ref: | | R21 | R22 | R23 | R24 | R26 |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Rocker Switches







93 R31 AB-B



98 TPBL-B

CHERITON RANGE

| Plate Finish | Insert Finish / Surround Colour |  |  |  |  |
|--------------------------------|---------------------------------|---|---|---|---|
| | | 1 gang 10AX Intermediate Rocker | 2 gang 10AX Intermediate Rocker | 1 gang 10AX Push To Make Retractive Rocker | 1 gang 10AX Triple Pole Rocker |
| Antique Brass | Antique Brass/Black | 93 R31 AB-B | 93 R32 AB-B | 93 RRT AB-B | - |
| Antique Brass | Black/Black | 93 R31 BL-B | 93 R32 BL-B | - | 93 TP BL-B |
| Black Nickel | Black Nickel/Black | 98 R31 BK-B | - | - | - |
| Black Nickel | Black/Black | - | - | - | 98 TP BL-B |
| Bright Chrome | Bright Chrome/Black | 95 R31 BC-B | 95 R32 BC-B | 95 RRT BC-B | - |
| Bright Chrome | Bright Chrome/White | 95 R31 BC-W | 95 R32 BC-W | 95 RRT BC-W | - |
| Bright Chrome | Black/Black | 95 R31 BL-B | 95 R32 BL-B | 95 RRT BL-B | 95 TP BL-B |
| Bright Chrome | White/White | 95 R31 WH-W | 95 R32 WH-W | 95 RRT WH-W | 95 TP WH-W |
| Polished Brass | Black/Black | 92 R31 BL-B | 92 R32 BL-B | 92 RRT BL-B | 92 TP BL-B |
| Polished Brass | Polished Brass/Black | 92 R31 PB-B | 92 R32 PB-B | 92 RRT PB-B | - |
| Polished Brass | Polished Brass/White | 92 R31 PB-W | 92 R32 PB-W | 92 RRT PB-W | - |
| Polished Brass | White/White | 92 R31 WH-W | 92 R32 WH-W | 92 RRT WH-W | 92 TP WH-W |
| Satin Brass | Black/Black | 94 R31 BL-B | 94 R32 BL-B | 94 RRT BL-B | 94 TP BL-B |
| Satin Brass | Satin Brass/Black | 94 R31 SB-B | 94 R32 SB-B | 94 RRT SB-B | - |
| Satin Brass | Satin Brass/White | 94 R31 SB-W | 94 R32 SB-W | 94 RRT SB-W | - |
| Satin Brass | White/White | 94 R31 WH-W | 94 R32 WH-W | 94 RRT WH-W | 94 TP WH-W |
| Satin Chrome | Black/Black | 96 R31 BL-B | 96 R32 BL-B | 96 RRT BL-B | 96 TP BL-B |
| Satin Chrome | Satin Chrome/Black | 96 R31 SC-B | 96 R32 SC-B | 96 RRT SC-B | - |
| Satin Chrome | Satin Chrome/White | 96 R31 SC-W | 96 R32 SC-W | 96 RRT SC-W | - |
| Satin Chrome | White/White | 96 R31 WH-W | 96 R32 WH-W | 96 RRT WH-W | 96 TP WH-W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 25mm | 25mm |
| Technical Insert Ref: | | R31 | R32 | RRT | TP |





Georgian Rocker Switches



91 R32 AB-B



90 RRT PB-W

| Plate Finish | Insert Finish / Surround Colour |  |  |  |  |
|--------------------------------|---------------------------------|---|---|---|---|
| | | 1 gang 10AX Intermediate Rocker | 2 gang 10AX Intermediate Rocker | 1 gang 10AX Push To Make Retractive Rocker | 1 gang 10AX Triple Pole Rocker |
| Antique Brass | Antique Brass/Black | 91 R31 AB-B | 91 R32 AB-B | 91 RRT AB-B | - |
| Antique Brass | Black/Black | 91 R31 BL-B | 91 R32 BL-B | - | 91 TP BL-B |
| Polished Brass | Black/Black | 90 R31 BL-B | 90 R32 BL-B | 90 RRT BL-B | 90 TP BL-B |
| Polished Brass | Polished Brass/Black | 90 R31 PB-B | 90 R32 PB-B | 90 RRT PB-B | - |
| Polished Brass | Polished Brass/White | 90 R31 PB-W | 90 R32 PB-W | 90 RRT PB-W | - |
| Polished Brass | White/White | 90 R31 WH-W | 90 R32 WH-W | 90 RRT WH-W | 90 TP WH-W |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 25mm | 25mm |
| Technical Insert Ref: | | R31 | R32 | RRT | TP |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton








Victorian Toggle Switches



93 T21



94 T24

| |  |  |  |  |  |  |  |
|-------------------------|---|---|---|---|---|---|---|
| Plate Finish | 1 gang 20AX 2 Way Toggle | 2 gang 20AX 2 Way Toggle | 3 gang 20AX 2 Way Toggle | 4 gang 20AX 2 Way Toggle | 1 gang 20AX Intermediate Toggle | 1 gang 20AX Double Pole Toggle | 1 gang 10AX Push To Make/ Push To Break Retractive Toggle |
| Antique Brass | 93 T21 | 93 T22 | 93 T23 | 93 T24 | 93 T31 | 93 TDP | 93 TRT |
| Black Nickel | 98 T21 | 98 T22 | 98 T23 | 98 T24 | 98 T31 | 98 TDP | 98 TRT |
| Bright Chrome | 95 T21 | 95 T22 | 95 T23 | 95 T24 | 95 T31 | 95 TDP | 95 TRT |
| Polished Brass | 92 T21 | 92 T22 | 92 T23 | 92 T24 | 92 T31 | 92 TDP | 92 TRT |
| Satin Brass | 94 T21 | 94 T22 | 94 T23 | 94 T24 | 94 T31 | 94 TDP | 94 TRT |
| Satin Chrome | 96 T21 | 96 T22 | 96 T23 | 96 T24 | 96 T31 | 96 TDP | 96 TRT |
| Nominal Size: | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | 25mm | 25mm | 25mm | 25mm | 25mm | 25mm | 25mm |
| Technical Insert Ref: | T21 | T22 | T23 | T24 | T31 | TDP | TRT |








Georgian Toggle Switches



90 T21



91 T24

| |  |  |  |  |  |  |  |
|-------------------------|---|---|---|---|---|---|---|
| Plate Finish | 1 gang 20AX 2 Way Toggle | 2 gang 20AX 2 Way Toggle | 3 gang 20AX 2 Way Toggle | 4 gang 20AX 2 Way Toggle | 1 gang 20AX Intermediate Toggle | 1 gang 20AX Double Pole Toggle | 1 gang 10AX Push To Make/ Push To Break Retractive Toggle |
| Antique Brass | 91 T21 | 91 T22 | 91 T23 | 91 T24 | 91 T31 | 91 TDP | 91 TRT |
| Polished Brass | 90 T21 | 90 T22 | 90 T23 | 90 T24 | 90 T31 | 90 TDP | 90 TRT |
| Nominal Size: | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm |
| Minimum Wall Box Depth: | 25mm | 25mm | 25mm | 25mm | 25mm | 25mm | 25mm |
| Technical Insert Ref: | T21 | T22 | T23 | T24 | T31 | TDP | TRT |

Cheriton

Victorian Power Sockets

CHERITON RANGE




96 SS1 BL-B



94 US99 W



1 gang 13A
Double Pole
Switched
Socket



2 gang 13A
Double Pole
Switched
Socket




1 gang 2A
Unswitched
Socket




1 gang 5A
Unswitched
Socket



1 gang 13A
Unswitched
Socket



2 gang 13A
Unswitched
Socket



Shaver Dual
Voltage
Unswitched
Socket
(Vertically
Mounted)

| Plate Finish | Insert Finish / Surround Colour | 1 gang 13A Double Pole Switched Socket | 2 gang 13A Double Pole Switched Socket | 1 gang 2A Unswitched Socket | 1 gang 5A Unswitched Socket | 1 gang 13A Unswitched Socket | 2 gang 13A Unswitched Socket | Shaver Dual Voltage Unswitched Socket (Vertically Mounted) |
|--------------------------------|---------------------------------|--|--|-----------------------------|-----------------------------|------------------------------|------------------------------|--|
| Antique Brass | Antique Brass/Black | 93 SS1 AB-B | 93 SS2 AB-B | - | - | - | - | - |
| Antique Brass | Black/Black | 93 SS1 BL-B | 93 SS2 BL-B | 93 US2 B | 93 US5 B | 93 US13 B | 93 US99 B | 93 SHS B |
| Black Nickel | Black Nickel/Black | 98 SS1 BK-B | 98 SS2 BK-B | - | - | - | - | - |
| Black Nickel | Black/Black | - | - | 98 US2 B | 98 US5 B | - | - | 98 SHS B |
| Bright Chrome | Bright Chrome/Black | 95 SS1 BC-B | 95 SS2 BC-B | - | - | - | - | - |
| Bright Chrome | Bright Chrome/White | 95 SS1 BC-W | 95 SS2 BC-W | - | - | - | - | - |
| Bright Chrome | Black/Black | 95 SS1 BL-B | 95 SS2 BL-B | 95 US2 B | 95 US5 B | 95 US13 B | 95 US99 B | 95 SHS B |
| Bright Chrome | White/White | 95 SS1 WH-W | 95 SS2 WH-W | 95 US2 W | 95 US5 W | 95 US13 W | 95 US99 W | 95 SHS W |
| Polished Brass | Black/Black | 92 SS1 BL-B | 92 SS2 BL-B | 92 US2 B | 92 US5 B | 92 US13 B | 92 US99 B | 92 SHS B |
| Polished Brass | Polished Brass/Black | 92 SS1 PB-B | 92 SS2 PB-B | - | - | - | - | - |
| Polished Brass | Polished Brass/White | 92 SS1 PB-W | 92 SS2 PB-W | - | - | - | - | - |
| Polished Brass | White/White | 92 SS1 WH-W | 92 SS2 WH-W | 92 US2 W | 92 US5 W | 92 US13 W | 92 US99 W | 92 SHS W |
| Satin Brass | Black/Black | 94 SS1 BL-B | 94 SS2 BL-B | 94 US2 B | 94 US5 B | 94 US13 B | 94 US99 B | 94 SHS B |
| Satin Brass | Satin Brass/Black | 94 SS1 SB-B | 94 SS2 SB-B | - | - | - | - | - |
| Satin Brass | Satin Brass/White | 94 SS1 SB-W | 94 SS2 SB-W | - | - | - | - | - |
| Satin Brass | White/White | 94 SS1 WH-W | 94 SS2 WH-W | 94 US2 W | 94 US5 W | 94 US13 W | 94 US99 W | 94 SHS W |
| Satin Chrome | Black/Black | 96 SS1 BL-B | 96 SS2 BL-B | 96 US2 B | 96 US5 B | 96 US13 B | 96 US99 B | 96 SHS B |
| Satin Chrome | Satin Chrome/Black | 96 SS1 SC-B | 96 SS2 SC-B | - | - | - | - | - |
| Satin Chrome | Satin Chrome/White | 96 SS1 SC-W | 96 SS2 SC-W | - | - | - | - | - |
| Satin Chrome | White/White | 96 SS1 WH-W | 96 SS2 WH-W | 96 US2 W | 96 US5 W | 96 US13 W | 96 US99 W | 96 SHS W |
| Nominal Size: | | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 86.5mm x 146.0mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm | 35mm | 35mm | 47mm |
| Technical Insert Ref: | | SS1 | SS2 | US2 | US5 | US13 | US99 | SHS |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton








Georgian Power Sockets



90 SS1 BL-B



91 US99 B

| Plate Finish | Insert Finish / Surround Colour |  |  |  |  |  |  |  |
|----------------|---------------------------------|---|---|---|---|---|--|---|
| | | 1 gang 13A Double Pole Switched Socket | 2 gang 13A Double Pole Switched Socket | 1 gang 2A Unswitched Socket | 1 gang 5A Unswitched Socket | 1 gang 13A Unswitched Socket | 2 gang 13A Unswitched Socket | Shaver Dual Voltage Unswitched Socket (Vertically Mounted) |
| Antique Brass | Antique Brass/Black | 91 SS1 AB-B | 91 SS2 AB-B | - | - | - | - | - |
| Antique Brass | Black/Black | 91 SS1 BL-B | 91 SS2 BL-B | 91 US2 B | 91 US5 B | 91 US13 B | 91 US99 B | 91 SHS B |
| Polished Brass | Black/Black | 90 SS1 BL-B | 90 SS2 BL-B | 90 US2 B | 90 US5 B | 90 US13 B | 90 US99 B | 90 SHS B |
| Polished Brass | Polished Brass/Black | 90 SS1 PB-B | 90 SS2 PB-B | - | - | - | - | - |
| Polished Brass | Polished Brass/White | 90 SS1 PB-W | 90 SS2 PB-W | - | - | - | - | - |
| Polished Brass | White/White | 90 SS1 WH-W | 90 SS2 WH-W | 90 US2 W | 90 US5 W | 90 US13 W | 90 US99 W | 90 SHS W |
| | Nominal Size: | 88.0mm x 88.0mm | 146.0mm x 86.5mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm | 86.5mm x 146.0mm |
| | Minimum Wall Box Depth: | 35mm | 35mm | 35mm | 35mm | 35mm | 35mm | 47mm |
| | Technical Insert Ref: | SS1 | SS2 | US2 | US5 | US13 | US99 | SHS |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton








Victorian Television Coaxial Sockets



95 TV W



92 TVSAT W

| Plate Finish | Insert Colour |  |  |  |  |  |  |  |
|--------------------------------|---------------|---|---|---|---|---|---|---|
| | | 1 gang Non-Isolated TV 1in/1out | 2 gang Non-Isolated TV 2in/2out | Isolated TV/FM Diplexer 1in/2out | 1 gang Isolated TV 1in/1out | 2 gang Non-Isolated TV+Satellite 2in/2out | 1 gang Non-Isolated Satellite | 1 gang Isolated Satellite |
| Antique Brass | Black | 93 TV B | 93 TV2 B | 93 TVFM B | 93 TVI B | 93 TVSAT B | 93 SATN B | 93 SATI B |
| Black Nickel | Black | 98 TV B | 98 TV2 B | 98 TVFM B | 98 TVI B | 98 TVSAT B | 98 SATN B | 98 SATI B |
| Bright Chrome | Black | 95 TV B | 95 TV2 B | 95 TVFM B | 95 TVI B | 95 TVSAT B | 95 SATN B | 95 SATI B |
| Bright Chrome | White | 95 TV W | 95 TV2 W | 95 TVFM W | 95 TVI W | 95 TVSAT W | 95 SATN W | 95 SATI W |
| Polished Brass | Black | 92 TV B | 92 TV2 B | 92 TVFM B | 92 TVI B | 92 TVSAT B | 92 SATN B | 92 SATI B |
| Polished Brass | White | 92 TV W | 92 TV2 W | 92 TVFM W | 92 TVI W | 92 TVSAT W | 92 SATN W | 92 SATI W |
| Satin Brass | Black | 94 TV B | 94 TV2 B | 94 TVFM B | 94 TVI B | 94 TVSAT B | 94 SATN B | 94 SATI B |
| Satin Brass | White | 94 TV W | 94 TV2 W | 94 TVFM W | 94 TVI W | 94 TVSAT W | 94 SATN W | 94 SATI W |
| Satin Chrome | Black | 96 TV B | 96 TV2 B | 96 TVFM B | 96 TVI B | 96 TVSAT B | 96 SATN B | 96 SATI B |
| Satin Chrome | White | 96 TV W | 96 TV2 W | 96 TVFM W | 96 TVI W | 96 TVSAT W | 96 SATN W | 96 SATI W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 25mm | 25mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | TV | TV2 | TVFM | TVI | TVSAT | SATN | SATI |








Georgian Television Coaxial Sockets



90 TVSAT B



91 SATI B

| Plate Finish | Insert Colour |  |  |  |  |  |  |  |
|--------------------------------|---------------|---|---|---|---|---|---|---|
| | | 1 gang Non-Isolated TV 1in/1out | 2 gang Non-Isolated TV 2in/2out | Isolated TV/FM Diplexer 1in/2out | 1 gang Isolated TV 1in/1out | 2 gang Non-Isolated TV+Satellite 2in/2out | 1 gang Non-Isolated Satellite | 1 gang Isolated Satellite |
| Antique Brass | Black | 91 TV B | 91 TV2 B | 91 TVFM B | 91 TVI B | 91 TVSAT B | 91 SATN B | 91 SATI B |
| Polished Brass | Black | 90 TV B | 90 TV2 B | 90 TVFM B | 90 TVI B | 90 TVSAT B | 90 SATN B | 90 SATI B |
| Polished Brass | White | 90 TV W | 90 TV2 W | 90 TVFM W | 90 TVI W | 90 TVSAT W | 90 SATN W | 90 SATI W |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 25mm | 25mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | TV | TV2 | TVFM | TVI | TVSAT | SATN | SATI |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton







Victorian Digital Television Sockets - Screened Non-Isolated / DAB Compatible



93 DTVF B




92 DENT W

| Plate Finish | Insert Colour |  |  |  |  |  |  |
|--------------------------------|---------------|---|---|---|---|---|---|
| Antique Brass | Black | 93 DTRID B | 93 DTVF B | 93 DTVM B | 93 DSAT B | 93 DENT B | 93 DSAT+ B |
| Black Nickel | Black | 98 DTRID B | 98 DTVF B | 98 DTVM B | 98 DSAT B | 98 DENT B | 98 DSAT+ B |
| Bright Chrome | Black | 95 DTRID B | 95 DTVF B | 95 DTVM B | 95 DSAT B | 95 DENT B | 95 DSAT+ B |
| Bright Chrome | White | 95 DTRID W | 95 DTVF W | 95 DTVM W | 95 DSAT W | 95 DENT W | 95 DSAT+ W |
| Polished Brass | Black | 92 DTRID B | 92 DTVF B | 92 DTVM B | 92 DSAT B | 92 DENT B | 92 DSAT+ B |
| Polished Brass | White | 92 DTRID W | 92 DTVF W | 92 DTVM W | 92 DSAT W | 92 DENT W | 92 DSAT+ W |
| Satin Brass | Black | 94 DTRID B | 94 DTVF B | 94 DTVM B | 94 DSAT B | 94 DENT B | 94 DSAT+ B |
| Satin Brass | White | 94 DTRID W | 94 DTVF W | 94 DTVM W | 94 DSAT W | 94 DENT W | 94 DSAT+ W |
| Satin Chrome | Black | 96 DTRID B | 96 DTVF B | 96 DTVM B | 96 DSAT B | 96 DENT B | 96 DSAT+ B |
| Satin Chrome | White | 96 DTRID W | 96 DTVF W | 96 DTVM W | 96 DSAT W | 96 DENT W | 96 DSAT+ W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | DTRID | DTV F | DTVM | DSAT | DENT | DSAT+ |







Georgian Digital Television Sockets - Screened Non-Isolated / DAB Compatible



91 DTRID B



90 DSAT+ W

| Plate Finish | Insert Colour |  |  |  |  |  |  |
|--------------------------------|---------------|---|---|---|---|---|---|
| Antique Brass | Black | 91 DTRID B | 91 DTVF B | 91 DTVM B | 91 DSAT B | 91 DENT B | 91 DSAT+ B |
| Polished Brass | Black | 90 DTRID B | 90 DTVF B | 90 DTVM B | 90 DSAT B | 90 DENT B | 90 DSAT+ B |
| Polished Brass | White | 90 DTRID W | 90 DTVF W | 90 DTVM W | 90 DSAT W | 90 DENT W | 90 DSAT+ W |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | DTRID | DTV F | DTVM | DSAT | DENT | DSAT+ |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Telephone and Data Outlets



93 J12 B



94 2J45 W

CHERITON RANGE

| Plate Finish | Insert Finish | 1 gang Telephone Master | 1 gang Telephone Slave | 1 gang RJ12 Outlet - Unshielded | 2 gang RJ12 Outlet - Unshielded | 1 gang RJ45 CAT 5E Outlet - Unshielded | 2 gang RJ45 CAT 5E Outlet - Unshielded |
|--------------------------------|---------------|-------------------------|------------------------|---------------------------------|---------------------------------|--|--|
| Antique Brass | Black | 93 TCM B | 93 TCS B | 93 J12 B | 93 2J12 B | 93 J45 B | 93 2J45 B |
| Black Nickel | Black | 98 TCM B | 98 TCS B | 98 J12 B | 98 2J12 B | 98 J45 B | 98 2J45 B |
| Bright Chrome | Black | 95 TCM B | 95 TCS B | 95 J12 B | 95 2J12 B | 95 J45 B | 95 2J45 B |
| Bright Chrome | White | 95 TCM W | 95 TCS W | 95 J12 W | 95 2J12 W | 95 J45 W | 95 2J45 W |
| Polished Brass | Black | 92 TCM B | 92 TCS B | 92 J12 B | 92 2J12 B | 92 J45 B | 92 2J45 B |
| Polished Brass | White | 92 TCM W | 92 TCS W | 92 J12 W | 92 2J12 W | 92 J45 W | 92 2J45 W |
| Satin Brass | Black | 94 TCM B | 94 TCS B | 94 J12 B | 94 2J12 B | 94 J45 B | 94 2J45 B |
| Satin Brass | White | 94 TCM W | 94 TCS W | 94 J12 W | 94 2J12 W | 94 J45 W | 94 2J45 W |
| Satin Chrome | Black | 96 TCM B | 96 TCS B | 96 J12 B | 96 2J12 B | 96 J45 B | 96 2J45 B |
| Satin Chrome | White | 96 TCM W | 96 TCS W | 96 J12 W | 96 2J12 W | 96 J45 W | 96 2J45 W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | TCM | TCS | J12 | 2J12 | J45 | 2J45 |

Georgian Telephone and Data Outlets



91 TCS B



90 2J45 W

| Plate Finish | Insert Finish | 1 gang Telephone Master | 1 gang Telephone Slave | 1 gang RJ12 Outlet - Unshielded | 2 gang RJ12 Outlet - Unshielded | 1 gang RJ45 CAT 5E Outlet - Unshielded | 2 gang RJ45 CAT 5E Outlet - Unshielded |
|--------------------------------|---------------|-------------------------|------------------------|---------------------------------|---------------------------------|--|--|
| Antique Brass | Black | 91 TCM B | 91 TCS B | 91 J12 B | 91 2J12 B | 91 J45 B | 91 2J45 B |
| Polished Brass | Black | 90 TCM B | 90 TCS B | 90 J12 B | 90 2J12 B | 90 J45 B | 90 2J45 B |
| Polished Brass | White | 90 TCM W | 90 TCS W | 90 J12 W | 90 2J12 W | 90 J45 W | 90 2J45 W |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm |
| Minimum Wall Box Depth: | | 25mm | 25mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | TCM | TCS | J12 | 2J12 | J45 | 2J45 |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Double Pole Switches



95 45 W



94 45N B



1 gang 20AX
Double Pole
Rocker



1 gang 20AX
Double Pole
Rocker +
Neon




1 gang 20AX
Double Pole
Rocker +
Neon +
Cable Outlet




1 gang 45A
Double Pole
Red Rocker



1 gang 45A
Double Pole
Red Rocker +
Neon



1 gang 45A
Double Pole Red
Rocker + Neon
(Vertically
Mounted)



45A Double Pole
Red Rocker +
Neon +
13A Switched
Socket

| Plate Finish | Insert Finish / Surround Colour | 1 gang 20AX Double Pole Rocker | 1 gang 20AX Double Pole Rocker + Neon | 1 gang 20AX Double Pole Rocker + Neon + Cable Outlet | 1 gang 45A Double Pole Red Rocker | 1 gang 45A Double Pole Red Rocker + Neon | 1 gang 45A Double Pole Red Rocker + Neon (Vertically Mounted) | 45A Double Pole Red Rocker + Neon + 13A Switched Socket |
|----------------|---------------------------------|--------------------------------|---------------------------------------|--|-----------------------------------|--|---|---|
| Antique Brass | Antique Brass/Black | 93 DP AB-B | 93 DPN AB-B | 93 DPNC AB-B | - | - | - | 93 45SS1 AB-B |
| Antique Brass | Black/Black | 93 DP BL-B | 93 DPN BL-B | 93 DPNC BL-B | 93 45 B | 93 45N B | 93 45V B | 93 45SS1 BL-B |
| Black Nickel | Black Nickel/Black | - | 98 DPN BK-B | - | - | - | - | 98 45SS1 BK-B |
| Black Nickel | Black/Black | - | - | - | 98 45 B | 98 45N B | - | - |
| Bright Chrome | Bright Chrome/Black | 95 DP BC-B | 95 DPN BC-B | 95 DPNC BC-B | - | - | - | 95 45SS1 BC-B |
| Bright Chrome | Bright Chrome/White | 95 DP BC-W | 95 DPN BC-W | 95 DPNC BC-W | - | - | - | 95 45SS1 BC-W |
| Bright Chrome | Black/Black | 95 DP BL-B | 95 DPN BL-B | 95 DPNC BL-B | 95 45 B | 95 45N B | 95 45V B | 95 45SS1 BL-B |
| Bright Chrome | White/White | 95 DP WH-W | 95 DPN WH-W | 95 DPNC WH-W | 95 45 W | 95 45N W | 95 45V W | 95 45SS1 WH-W |
| Polished Brass | Black/Black | 92 DP BL-B | 92 DPN BL-B | 92 DPNC BL-B | 92 45 B | 92 45N B | 92 45V B | 92 45SS1 BL-B |
| Polished Brass | Polished Brass/Black | 92 DP PB-B | 92 DPN PB-B | 92 DPNC PB-B | - | - | - | 92 45SS1 PB-B |
| Polished Brass | Polished Brass/White | 92 DP PB-W | 92 DPN PB-W | 92 DPNC PB-W | - | - | - | 92 45SS1 PB-W |
| Polished Brass | White/White | 92 DP WH-W | 92 DPN WH-W | 92 DPNC WH-W | 92 45 W | 92 45N W | 92 45V W | 92 45SS1 WH-W |
| Satin Brass | Black/Black | 94 DP BL-B | 94 DPN BL-B | 94 DPNC BL-B | 94 45 B | 94 45N B | 94 45V B | 94 45SS1 BL-B |
| Satin Brass | Satin Brass/Black | 94 DP SB-B | 94 DPN SB-B | 94 DPNC SB-B | - | - | - | 94 45SS1 SB-B |
| Satin Brass | Satin Brass/White | 94 DP SB-W | 94 DPN SB-W | 94 DPNC SB-W | - | - | - | 94 45SS1 SB-W |
| Satin Brass | White/White | 94 DP WH-W | 94 DPN WH-W | 94 DPNC WH-W | 94 45 W | 94 45N W | 94 45V W | 94 45SS1 WH-W |
| Satin Chrome | Black/Black | 96 DP BL-B | 96 DPN BL-B | 96 DPNC BL-B | 96 45 B | 96 45N B | 96 45V B | 96 45SS1 BL-B |
| Satin Chrome | Satin Chrome/Black | 96 DP SC-B | 96 DPN SC-B | 96 DPNC SC-B | - | - | - | 96 45SS1 SC-B |
| Satin Chrome | Satin Chrome/White | 96 DP SC-W | 96 DPN SC-W | 96 DPNC SC-W | - | - | - | 96 45SS1 SC-W |
| Satin Chrome | White/White | 96 DP WH-W | 96 DPN WH-W | 96 DPNC WH-W | 96 45 W | 96 45N W | 96 45V W | 96 45SS1 WH-W |
| | Nominal Size: | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 86.5mm x 146.0mm | 146.0mm x 86.5mm |
| | Minimum Wall Box Depth: | 25mm | 25mm | 25mm | 35mm | 35mm | 35mm | 35mm |
| | Technical Insert Ref: | DP | DPN | DPNC | 45 | 45N | 45V | 45SS1 |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Georgian Double Pole Switches



91 DP AB-B



90 DPNC WH-W

CHERITON RANGE



1 gang 20AX
Double Pole
Rocker



1 gang 20AX
Double Pole
Rocker +
Neon




1 gang 20AX
Double Pole
Rocker +
Neon +
Cable Outlet



1 gang 45A
Double Pole
Red Rocker



1 gang 45A
Double Pole
Red Rocker +
Neon



1 gang 45A
Double Pole
Red Rocker +
Neon
(Vertically
Mounted)



45A Double Pole
Red Rocker +
Neon +
13A Switched
Socket

| Plate Finish | Insert Finish / Surround Colour | | | | | | |
|----------------|---------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|
| Antique Brass | Antique Brass/Black | 91 DP AB-B | 91 DPN AB-B | 91 DPNC AB-B | - | - | - |
| Antique Brass | Black/Black | 91 DP BL-B | 91 DPN BL-B | 91 DPNC BL-B | 91 45 B | 91 45N B | 91 45V B |
| Polished Brass | Black/Black | 90 DP BL-B | 90 DPN BL-B | 90 DPNC BL-B | 90 45 B | 90 45N B | 90 45V B |
| Polished Brass | Polished Brass/Black | 90 DP PB-B | 90 DPN PB-B | 90 DPNC PB-B | | | 90 45SS1 PB-B |
| Polished Brass | Polished Brass/White | 90 DP PB-W | 90 DPN PB-W | 90 DPNC PB-W | - | - | - |
| Polished Brass | White/White | 90 DP WH-W | 90 DPN WH-W | 90 DPNC WH-W | 90 45 W | 90 45N W | 90 45V W |
| | Nominal Size: | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 86.5mm x 146.0mm |
| | Minimum Wall Box Depth: | 25mm | 25mm | 25mm | 35mm | 35mm | 35mm |
| | Technical Insert Ref: | DP | DPN | DPNC | 45 | 45N | 45V |
| | | | | | | | 146.0mm x 86.5mm |
| | | | | | | | 35mm |
| | | | | | | | 45SS1 |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Connection Units



96 SPN WH-W



98 FOBK-B



1 gang 13A
Double Pole
Fused Spur



1 gang 13A
Double Pole
Fused Spur +
Neon



1 gang 13A
Double Pole
Fused Spur +
Neon +
Cable Outlet



1 gang 13A
Fuse Only



1 gang 13A
Fuse +
Cable Outlet



1 gang 20A
Cable Outlet

| Plate Finish | Insert Finish / Surround Colour | 1 gang 13A Double Pole Fused Spur | 1 gang 13A Double Pole Fused Spur + Neon | 1 gang 13A Double Pole Fused Spur + Neon + Cable Outlet | 1 gang 13A Fuse Only | 1 gang 13A Fuse + Cable Outlet | 1 gang 20A Cable Outlet |
|--------------------------------|---------------------------------|-----------------------------------|--|---|----------------------|--------------------------------|-------------------------|
| Antique Brass | Antique Brass/Black | 93 SP AB-B | 93 SPN AB-B | 93 SPNC AB-B | 93 FO AB-B | 93 FOC AB-B | - |
| Antique Brass | Black/Black | 93 SP BL-B | 93 SPN BL-B | 93 SPNC BL-B | 93 FO BL-B | 93 FOC BL-B | 93 CO B |
| Black Nickel | Black Nickel/Black | 98 SP BK-B | 98 SPN BK-B | - | 98 FO BK-B | - | - |
| Bright Chrome | Bright Chrome/Black | 95 SP BC-B | 95 SPN BC-B | 95 SPNC BC-B | 95 FO BC-B | 95 FOC BC-B | - |
| Bright Chrome | Bright Chrome/White | 95 SP BC-W | 95 SPN BC-W | 95 SPNC BC-W | 95 FO BC-W | 95 FOC BC-W | - |
| Bright Chrome | Black/Black | 95 SP BL-B | 95 SPN BL-B | 95 SPNC BL-B | 95 FO BL-B | 95 FOC BL-B | 95 CO B |
| Bright Chrome | White/White | 95 SP WH-W | 95 SPN WH-W | 95 SPNC WH-W | 95 FO WH-W | 95 FOC WH-W | 95 CO W |
| Polished Brass | Black/Black | 92 SP BL-B | 92 SPN BL-B | 92 SPNC BL-B | 92 FO BL-B | 92 FOC BL-B | 92 CO B |
| Polished Brass | Polished Brass/Black | 92 SP PB-B | 92 SPN PB-B | 92 SPNC PB-B | 92 FO PB-B | 92 FOC PB-B | - |
| Polished Brass | Polished Brass/White | 92 SP PB-W | 92 SPN PB-W | 92 SPNC PB-W | 92 FO PB-W | 92 FOC PB-W | - |
| Polished Brass | White/White | 92 SP WH-W | 92 SPN WH-W | 92 SPNC WH-W | 92 FO WH-W | 92 FOC WH-W | 92 CO W |
| Satin Brass | Black/Black | 94 SP BL-B | 94 SPN BL-B | 94 SPNC BL-B | 94 FO BL-B | 94 FOC BL-B | 94 CO B |
| Satin Brass | Satin Brass/Black | 94 SP SB-B | 94 SPN SB-B | 94 SPNC SB-B | 94 FO SB-B | 94 FOC SB-B | - |
| Satin Brass | Satin Brass/White | 94 SP SB-W | 94 SPN SB-W | 94 SPNC SB-W | 94 FO SB-W | 94 FOC SB-W | - |
| Satin Brass | White/White | 94 SP WH-W | 94 SPN WH-W | 94 SPNC WH-W | 94 FO WH-W | 94 FOC WH-W | 94 CO W |
| Satin Chrome | Black/Black | 96 SP BL-B | 96 SPN BL-B | 96 SPNC BL-B | 96 FO BL-B | 96 FOC BL-B | 96 CO B |
| Satin Chrome | Satin Chrome/Black | 96 SP SC-B | 96 SPN SC-B | 96 SPNC SC-B | 96 FO SC-B | 96 FOC SC-B | - |
| Satin Chrome | Satin Chrome/White | 96 SP SC-W | 96 SPN SC-W | 96 SPNC SC-W | 96 FO SC-W | 96 FOC SC-W | - |
| Satin Chrome | White/White | 96 SP WH-W | 96 SPN WH-W | 96 SPNC WH-W | 96 FO WH-W | 96 FOC WH-W | 96 CO W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | SP | SPN | SPNC | FO | FOC | CO |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Georgian Connection Units



91 FO AB-B



90 CO B

CHERITON RANGE



1 gang 13A
Double Pole
Fused Spur



1 gang 13A
Double Pole
Fused Spur + Neon



1 gang 13A
Double Pole
Fused Spur +
Neon +
Cable Outlet



1 gang 13A
Fuse Only



1 gang 13A
Fuse +
Cable Outlet



1 gang 20A
Cable Outlet

| Plate Finish | Insert Finish / Surround Colour | | | | | | |
|----------------|---------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Antique Brass | Antique Brass/Black | 91 SP AB-B | 91 SPN AB-B | 91 SPNC AB-B | 91 FO AB-B | 91 FOC AB-B | - |
| Antique Brass | Black/Black | 91 SP BL-B | 91 SPN BL-B | 91 SPNC BL-B | 91 FO BL-B | 91 FOC BL-B | 91 CO B |
| Polished Brass | Black/Black | 90 SP BL-B | 90 SPN BL-B | 90 SPNC BL-B | 90 FO BL-B | 90 FOC BL-B | 90 CO B |
| Polished Brass | Polished Brass/Black | 90 SP PB-B | 90 SPN PB-B | 90 SPNC PB-B | 90 FO PB-B | 90 FOC PB-B | - |
| Polished Brass | Polished Brass/White | 90 SP PB-W | 90 SPN PB-W | 90 SPNC PB-W | 90 FO PB-W | 90 FOC PB-W | - |
| Polished Brass | White/White | 90 SP WH-W | 90 SPN WH-W | 90 SPNC WH-W | 90 FO WH-W | 90 FOC WH-W | 90 CO W |
| | Nominal Size: | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 88.0mm x 88.0mm |
| | Minimum Wall Box Depth: | 35mm | 35mm | 35mm | 35mm | 35mm | 35mm |
| | Technical Insert Ref: | SP | SPN | SPNC | FO | FOC | CO |

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton





Victorian LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers







96 1XLEDITB100



90 4XLEDITB100

| Plate Finish | Insert Finish |  |  |  |  |
|--------------------------------|----------------|--|--|--|--|
| | | 1 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer | 2 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer | 3 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer | 4 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer |
| Antique Brass | Antique Brass | 93 1XLEDITB100 | 93 2XLEDITB100 | 93 3XLEDITB100 | 93 4XLEDITB100 |
| Black Nickel | Black Nickel | 98 1XLEDITB100 | 98 2XLEDITB100 | 98 3XLEDITB100 | 98 4XLEDITB100 |
| Bright Chrome | Bright Chrome | 95 1XLEDITB100 | 95 2XLEDITB100 | 95 3XLEDITB100 | 95 4XLEDITB100 |
| Polished Brass | Polished Brass | 92 1XLEDITB100 | 92 2XLEDITB100 | 92 3XLEDITB100 | 92 4XLEDITB100 |
| Satin Brass | Satin Brass | 94 1XLEDITB100 | 94 2XLEDITB100 | 94 3XLEDITB100 | 94 4XLEDITB100 |
| Satin Chrome | Satin Chrome | 96 1XLEDITB100 | 96 2XLEDITB100 | 96 3XLEDITB100 | 96 4XLEDITB100 |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XLEDITB | 2XLEDITB | 3XLEDITB | 4XLEDITB |

Georgian LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers

| Plate Finish | Insert Finish |  |  |  |  |
|--------------------------------|----------------|---|--|--|--|
| | | 1 gang 100W LED Trailing/ Push On/ Off Rotary 2 Way Switching Dimmer | 2 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer | 3 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer | 4 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer |
| Antique Brass | Antique Brass | 91 1XLEDITB100 | 91 2XLEDITB100 | 91 3XLEDITB100 | 91 4XLEDITB100 |
| Polished Brass | Polished Brass | 90 1XLEDITB100 | 90 2XLEDITB100 | 90 3XLEDITB100 | 90 4XLEDITB100 |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XLEDITB | 2XLEDITB | 3XLEDITB | 4XLEDITB |

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.

NOTE: Please refer to the Dimmer Technical Section for the max Wattage.

NOTE: Please contact our Technical Department for compatibility.

Cheriton

Victorian LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers



98 3X100LED




92 4X100LED

| Plate Finish | Insert Finish | 1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer | 2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer | 3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer | 4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer |
|--------------------------------|----------------|---|---|---|---|
| Antique Brass | Antique Brass | 93 1X100LED | 93 2X100LED | 93 3X100LED | 93 4X100LED |
| Black Nickel | Black Nickel | 98 1X100LED | 98 2X100LED | 98 3X100LED | 98 4X100LED |
| Bright Chrome | Bright Chrome | 95 1X100LED | 95 2X100LED | 95 3X100LED | 95 4X100LED |
| Polished Brass | Polished Brass | 92 1X100LED | 92 2X100LED | 92 3X100LED | 92 4X100LED |
| Satin Brass | Satin Brass | 94 1X100LED | 94 2X100LED | 94 3X100LED | 94 4X100LED |
| Satin Chrome | Satin Chrome | 96 1X100LED | 96 2X100LED | 96 3X100LED | 96 4X100LED |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1X100LED | 2X100LED | 3X100LED | 4X100LED |

Georgian LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers



91 3X100LED



90 4X100LED

| Plate Finish | Insert Finish | 1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer | 2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer | 3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer | 4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer |
|--------------------------------|----------------|---|---|---|---|
| Antique Brass | Antique Brass | 91 1X100LED | 91 2X100LED | 91 3X100LED | 91 4X100LED |
| Polished Brass | Polished Brass | 90 1X100LED | 90 2X100LED | 90 3X100LED | 90 4X100LED |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1X100LED | 2X100LED | 3X100LED | 4X100LED |

Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 Note: Please refer to the Dimmer Technical Section for the max Wattage

Cheriton

Victorian Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



95 2X40



95 3X40

| Plate Finish | Insert Finish | 1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer | 2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang | 3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer | 4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang | 1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer |
|--------------------------------|----------------|--|--|--|--|--|
| Antique Brass | Antique Brass | 93 1X40 | 93 2X40 | 93 3X40 | 93 4X40 | 93 1X60 |
| Black Nickel | Black Nickel | 98 1X40 | 98 2X40 | 98 3X40 | 98 4X40 | 98 1X60 |
| Bright Chrome | Bright Chrome | 95 1X40 | 95 2X40 | 95 3X40 | 95 4X40 | 95 1X60 |
| Polished Brass | Polished Brass | 92 1X40 | 92 2X40 | 92 3X40 | 92 4X40 | 92 1X60 |
| Satin Brass | Satin Brass | 94 1X40 | 94 2X40 | 94 3X40 | 94 4X40 | 94 1X60 |
| Satin Chrome | Satin Chrome | 96 1X40 | 96 2X40 | 96 3X40 | 96 4X40 | 96 1X60 |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1X40 | 2X40 | 3X40 | 4X40 | 1X60 |

Georgian Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



91 2X40



90 4X40

| Plate Finish | Insert Finish | 1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer | 2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang | 3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer | 4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang | 1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer |
|--------------------------------|----------------|--|--|--|--|--|
| Antique Brass | Antique Brass | 91 1X40 | 91 2X40 | 91 3X40 | 91 4X40 | 91 1X60 |
| Polished Brass | Polished Brass | 90 1X40 | 90 2X40 | 90 3X40 | 90 4X40 | 90 1X60 |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm | 88.0mm x 88.0mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1X40 | 2X40 | 3X40 | 4X40 | 1X60 |

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base

NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%

NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

NOTE: Please refer to the Dimmer Technical Section for the max wattage

Cheriton

Victorian Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



98 1X2V



94 1X2V



1 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer




2 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer

| Plate Finish | Insert Finish | | |
|--------------------------------|----------------|-----------------|-----------------|
| Antique Brass | Antique Brass | 93 1X2V | 93 2X2V |
| Black Nickel | Black Nickel | 98 1X2V | 98 2X2V |
| Bright Chrome | Bright Chrome | 95 1X2V | 95 2X2V |
| Polished Brass | Polished Brass | 92 1X2V | 92 2X2V |
| Satin Brass | Satin Brass | 94 1X2V | 94 2X2V |
| Satin Chrome | Satin Chrome | 96 1X2V | 96 2X2V |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm |
| Technical Insert Ref: | | 1X2V | 2X2V |

Georgian Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



90 1X2V



91 1X2V



1 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer



2 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer

| Plate Finish | Insert Finish | | |
|--------------------------------|----------------|-----------------|-----------------|
| Antique Brass | Antique Brass | 91 1X2V | 91 2X2V |
| Polished Brass | Polished Brass | 90 1X2V | 90 2X2V |
| Nominal Size: | | 88.0mm x 88.0mm | 88.0mm x 88.0mm |
| Minimum Wall Box Depth: | | 35mm | 35mm |
| Technical Insert Ref: | | 1X2V | 2X2V |

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Cheriton





Victorian Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



93 1XTE



94 3XTE

| Plate Finish | Insert Finish |  1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |  2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |  3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |  4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |
|--------------------------------|----------------|--|--|--|---|
| Antique Brass | Antique Brass | 93 1XTE | 93 2XTE | 93 3XTE | 93 4XTE |
| Black Nickel | Black Nickel | 98 1XTE | 98 2XTE | 98 3XTE | 98 4XTE |
| Bright Chrome | Bright Chrome | 95 1XTE | 95 2XTE | 95 3XTE | 95 4XTE |
| Polished Brass | Polished Brass | 92 1XTE | 92 2XTE | 92 3XTE | 92 4XTE |
| Satin Brass | Satin Brass | 94 1XTE | 94 2XTE | 94 3XTE | 94 4XTE |
| Satin Chrome | Satin Chrome | 96 1XTE | 96 2XTE | 96 3XTE | 96 4XTE |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XTE | 2XTE | 3XTE | 4XTE |





Georgian Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



91 2XTE



90 4XTE

| Plate Finish | Insert Finish |  1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |  2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |  3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |  4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer |
|--------------------------------|----------------|--|--|--|---|
| Antique Brass | Antique Brass | 91 1XTE | 91 2XTE | 91 3XTE | 91 4XTE |
| Polished Brass | Polished Brass | 90 1XTE | 90 2XTE | 90 3XTE | 90 4XTE |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XTE | 2XTE | 3XTE | 4XTE |

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base

NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%

NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

NOTE: Please refer to the Dimmer Technical Section for the max wattage

Cheriton





Victorian Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers







92 1XTSPB B



92 3XTMPB W

| Plate Finish | Insert Finish / Surround Colour |  1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |  2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |  3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |  4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |
|-------------------------|---------------------------------|--|--|--|--|
| Antique Brass | Antique Brass/Black | 93 1XTM AB-B | 93 2XTM AB-B | 93 3XTM AB-B | 93 4XTM AB-B |
| Black Nickel | Black Nickel/Black | 98 1XTM BK-B | 98 2XTM BK-B | 98 3XTM BK-B | 98 4XTM BK-B |
| Bright Chrome | Bright Chrome/Black | 95 1XTM BC-B | 95 2XTM BC-B | 95 3XTM BC-B | 95 4XTM BC-B |
| Bright Chrome | Bright Chrome/White | 95 1XTM BC-W | 95 2XTM BC-W | 95 3XTM BC-W | 95 4XTM BC-W |
| Polished Brass | Polished Brass/Black | 92 1XTM PB-B | 92 2XTM PB-B | 92 3XTM PB-B | 92 4XTM PB-B |
| Polished Brass | Polished Brass/White | 92 1XTM PB-W | 92 2XTM PB-W | 92 3XTM PB-W | 92 4XTM PB-W |
| Satin Brass | Satin Brass/Black | 94 1XTM SB-B | 94 2XTM SB-B | 94 3XTM SB-B | 94 4XTM SB-B |
| Satin Brass | Satin Brass/White | 94 1XTM SB-W | 94 2XTM SB-W | 94 3XTM SB-W | 94 4XTM SB-W |
| Satin Chrome | Satin Chrome/Black | 96 1XTM SC-B | 96 2XTM SC-B | 96 3XTM SC-B | 96 4XTM SC-B |
| Satin Chrome | Satin Chrome/White | 96 1XTM SC-W | 96 2XTM SC-W | 96 3XTM SC-W | 96 4XTM SC-W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XTM | 2XTM | 3XTM | 4XTM |

Georgian Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers

| Plate Finish | Insert Finish / Surround Colour |  1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |  2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |  3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |  4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer |
|-------------------------|---------------------------------|--|--|--|--|
| Antique Brass | Antique Brass/Black | 91 1XTM AB-B | 91 2XTM AB-B | 91 3XTM AB-B | 91 4XTM AB-B |
| Polished Brass | Polished Brass/Black | 90 1XTM PB-B | 90 2XTM PB-B | 90 3XTM PB-B | 90 4XTM PB-B |
| Polished Brass | Polished Brass/White | 90 1XTM PB-W | 90 2XTM PB-W | 90 3XTM PB-W | 90 4XTM PB-W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XTM | 2XTM | 3XTM | 4XTM |

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage


Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Multi-Way Touch Slave Controllers



95 1XTS BC-W




94 4XTS SB-B

| Plate Finish | Insert Finish/ Surround Colour | 1 gang Multi-Way Touch Slave Controller | 2 gang Multi-Way Touch Slave Controller | 3 gang Multi-Way Touch Slave Controller | 4 gang Multi-Way Touch Slave Controller |
|--------------------------------|-----------------------------------|--|--|--|--|
| Antique Brass | Antique Brass/Black | 93 1XTS AB-B | 93 2XTS AB-B | 93 3XTS AB-B | 93 4XTS AB-B |
| Black Nickel | Black Nickel/Black | 98 1XTS BK-B | 98 2XTS BK-B | 98 3XTS BK-B | 98 4XTS BK-B |
| Bright Chrome | Bright Chrome/Black | 95 1XTS BC-B | 95 2XTS BC-B | 95 3XTS BC-B | 95 4XTS BC-B |
| Bright Chrome | Bright Chrome/White | 95 1XTS BC-W | 95 2XTS BC-W | 95 3XTS BC-W | 95 4XTS BC-W |
| Polished Brass | Polished Brass/Black | 92 1XTS PB-B | 92 2XTS PB-B | 92 3XTS PB-B | 92 4XTS PB-B |
| Polished Brass | Polished Brass/White | 92 1XTS PB-W | 92 2XTS PB-W | 92 3XTS PB-W | 92 4XTS PB-W |
| Satin Brass | Satin Brass/Black | 94 1XTS SB-B | 94 2XTS SB-B | 94 3XTS SB-B | 94 4XTS SB-B |
| Satin Brass | Satin Brass/White | 94 1XTS SB-W | 94 2XTS SB-W | 94 3XTS SB-W | 94 4XTS SB-W |
| Satin Chrome | Satin Chrome/Black | 96 1XTS SC-B | 96 2XTS SC-B | 96 3XTS SC-B | 96 4XTS SC-B |
| Satin Chrome | Satin Chrome/White | 96 1XTS SC-W | 96 2XTS SC-W | 96 3XTS SC-W | 96 4XTS SC-W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XTS | 2XTS | 3XTS | 4XTS |

Georgian Multi-Way Touch Slave Controllers



91 1XTS AB-B



90 4XTS PB-W

| Plate Finish | Insert Finish/ Surround Colour | 1 gang Multi-Way Touch Slave Controller | 2 gang Multi-Way Touch Slave Controller | 3 gang Multi-Way Touch Slave Controller | 4 gang Multi-Way Touch Slave Controller |
|--------------------------------|-----------------------------------|--|--|--|--|
| Antique Brass | Antique Brass/Black | 91 1XTS AB-B | 91 2XTS AB-B | 91 3XTS AB-B | 91 4XTS AB-B |
| Polished Brass | Polished Brass/Black | 90 1XTS PB-B | 90 2XTS PB-B | 90 3XTS PB-B | 90 4XTS PB-B |
| Polished Brass | Polished Brass/White | 90 1XTS PB-W | 90 2XTS PB-W | 90 3XTS PB-W | 90 4XTS PB-W |
| Nominal Size: | | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | | 35mm | 35mm | 35mm | 35mm |
| Technical Insert Ref: | | 1XTS | 2XTS | 3XTS | 4XTS |

NOTE: To only be used with Touch Masters

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Blank Plates



93 BPS



94 BPD

| Plate Finish | Single Blank Plate | Double Blank Plate |
|-------------------------|--------------------|--------------------|
| Antique Brass | 93 BPS | 93 BPD |
| Black Nickel | 98 BPS | 98 BPD |
| Bright Chrome | 95 BPS | 95 BPD |
| Polished Brass | 92 BPS | 92 BPD |
| Satin Brass | 94 BPS | 94 BPD |
| Satin Chrome | 96 BPS | 96 BPD |
| Nominal Size: | 88.5mm x 88.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | Any Box | Any Box |
| Technical Insert Ref: | BPS | BPD |

Georgian Blank Plates



91 BPS



90 BPD

| Plate Finish | Single Blank Plate | Double Blank Plate |
|-------------------------|--------------------|--------------------|
| Antique Brass | 91 BPS | 91 BPD |
| Polished Brass | 90 BPS | 90 BPD |
| Nominal Size: | 88.5mm x 88.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | Any Box | Any Box |
| Technical Insert Ref: | BPS | BPD |

Insert Surround Colour Key: (-B) Black, (-W) White




Cheriton

Victorian GRID-IT Grid Fix Plates complete with Fixing Grid



94 3GP

96 6GP






| Plate Finish | 1 Gang Grid Fix Aperture Plate with Grid | 2 Gang Grid Fix Aperture Plate with Grid | 3 Gang Grid Fix Aperture Plate with Grid | 4 Gang Grid Fix Aperture Plate with Grid | 6 Gang Grid Fix Aperture Plate with Grid |
|-------------------------|--|--|--|--|--|
| Antique Brass | 93 1GP | 93 2GP | 93 3GP | 93 4GP | 93 6GP |
| Bright Chrome | 95 1GP | 95 2GP | 95 3GP | 95 4GP | 95 6GP |
| Satin Chrome | 96 1GP | 96 2GP | 96 3GP | 96 4GP | 96 6GP |
| Polished Brass | 92 1GP | 92 2GP | 92 3GP | 92 4GP | 92 6GP |
| Satin Brass | 94 1GP | 94 2GP | 94 3GP | 94 4GP | 94 6GP |
| Nominal Size: | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm | 148.5mm x 148.5mm |
| Minimum Wall Box Depth: | As Per Insert | As Per Inserts | As Per Inserts | As Per Inserts | As Per Inserts |
| Technical Insert Ref: | 1GP | 2GP | 3GP | 4GP | 6GP |

Georgian GRID-IT Grid Fix Plates complete with Fixing Grid



90 3GP

90 4GP



| Plate Finish | 1 Gang Grid Fix Aperture Plate with Grid | 2 Gang Grid Fix Aperture Plate with Grid | 3 Gang Grid Fix Aperture Plate with Grid | 4 Gang Grid Fix Aperture Plate with Grid | 6 Gang Grid Fix Aperture Plate with Grid |
|-------------------------|--|--|--|--|--|
| Antique Brass | 91 1GP | 91 2GP | 91 3GP | 91 4GP | 91 6GP |
| Polished Brass | 90 1GP | 90 2GP | 90 3GP | 90 4GP | 90 6GP |
| Nominal Size: | 88.0mm x 88.0mm | 88.0mm x 88.0mm | 146mm x 86.5mm | 146mm x 86.5mm | 150.5mm x 150.5mm |
| Minimum Wall Box Depth: | As Per Insert | As Per Insert | As Per Insert | As Per Insert | As Per Insert |
| Technical Insert Ref: | 1GP | 2GP | 3GP | 4GP | 6GP |

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.


Cheriton

Victorian GRID-IT Grid Fix Plates complete with Fixing Grid


CHERITON RANGE




96 8GP




90 8GP



8 Gang Grid Fix Aperture Plate with Grid




9 Gang Grid Fix Aperture Plate with Grid



12 Gang Grid Fix Aperture Plate with Grid




1 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with Inserts)




2 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with Inserts)

| Plate Finish | 96 8GP | 90 8GP | 95 12GP | 95 SS1GP | 95 SS2GP |
|-------------------------|-------------------|-----------------|-----------------|-----------------|------------------|
| Bright Chrome | 95 8GP | 95 9GP | 95 12GP | 95 SS1GP | 95 SS2GP |
| Satin Chrome | 96 8GP | 96 9GP | 96 12GP | 96 SS1GP | 96 SS2GP |
| Polished Brass | 92 8GP | 92 9GP | 92 12GP | 92 SS1GP | 92 SS2GP |
| Satin Brass | 94 8GP | 94 9GP | 94 12GP | 94 SS1GP | 94 SS2GP |
| Nominal Size: | 148.5mm x 148.5mm | 148.0mm x 210mm | 148.0mm x 210mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | As Per Inserts | As Per Inserts | As Per Inserts | As Per Insert | As Per Insert |
| Technical Insert Ref: | 8GP | 9GP | 12GP | SS1GP | SS2GP |


Georgian GRID-IT Grid Fix Plates complete with Fixing Grid



8 Gang Grid Fix Aperture Plate with Grid




9 Gang Grid Fix Aperture Plate with Grid



12 Gang Grid Fix Aperture Plate with Grid



1 Gang 13A Switched Socket Grid Fix Aperture (Grids supplied with inserts)



2 Gang 13A Switched Socket Grid Fix Aperture (Grid supplied with inserts)

| Plate Finish | 90 8GP | 90 9GP | 90 12GP | 90 SS1GP | 90 SS2GP |
|-------------------------|-------------------|-----------------|-----------------|-----------------|------------------|
| Polished Brass | 90 8GP | 90 9GP | 90 12GP | 90 SS1GP | 90 SS2GP |
| Nominal Size: | 150.5mm x 150.5mm | 150.0mm x 210mm | 150.0mm x 210mm | 88.0mm x 88.0mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | As Per Inserts | As Per Inserts | As Per Inserts | As Per Insert | As Per Insert |
| Technical Insert Ref: | 8GP | 9GP | 12GP | SS1GP | SS2GP |

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.

Cheriton

Victorian EuroFix Plates complete with Fixing Grid



95 EURO3



94 EURO4

| Plate Finish | 1 Module EuroFix 25x50mm Aperture Plate with Grid | 2 Module Eurofix 50x50mm Aperture Plate with Grid | 3 Module Eurofix 75x50mm Aperture Plate with Grid | 4 Module Eurofix 100x50mm Aperture Plate with Grid |
|-------------------------|---|---|---|--|
| Antique Brass | 93 EURO1 | 93 EURO2 | 93 EURO3 | 93 EURO4 |
| Black Nickel | 98 EURO1 | 98 EURO2 | 98 EURO3 | 98 EURO4 |
| Bright Chrome | 95 EURO1 | 95 EURO2 | 95 EURO3 | 95 EURO4 |
| Polished Brass | 92 EURO1 | 92 EURO2 | 92 EURO3 | 92 EURO4 |
| Satin Brass | 94 EURO1 | 94 EURO2 | 94 EURO3 | 94 EURO4 |
| Satin Chrome | 96 EURO1 | 96 EURO2 | 96 EURO3 | 96 EURO4 |
| Nominal Size: | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | As Per Insert | As Per Inserts | As Per Inserts | As Per Inserts |
| Technical Insert Ref: | EURO1 | EURO2 | EURO3 | EURO4 |

Georgian EuroFix Plates complete with Fixing Grid



91 EURO1



90 EURO2

| Plate Finish | 1 Module EuroFix 25x50mm Aperture Plate with Grid | 2 Module Eurofix 50x50mm Aperture Plate with Grid | 3 Module EuroFix 75x50mm Aperture Plate with Grid | 4 Module Eurofix 100x50mm Aperture Plate with Grid |
|-------------------------|---|---|---|--|
| Antique Brass | 91 EURO1 | 91 EURO2 | 91 EURO3 | 91 EURO4 |
| Polished Brass | 90 EURO1 | 90 EURO2 | 90 EURO3 | 90 EURO4 |
| Nominal Size: | 88.5mm x 88.5mm | 88.5mm x 88.5mm | 146.0mm x 86.5mm | 146.0mm x 86.5mm |
| Minimum Wall Box Depth: | As Per Insert | As Per Inserts | As Per Inserts | As Per Inserts |
| Technical Insert Ref: | EURO1 | EURO2 | EURO3 | EURO4 |

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.