

Linea-Perlina CFX[®] Range


Elegant and classic with a Beaded Edge Frame

The Linea CFX[®] range comes in five different designs to suit either contemporary or classic interiors. Linea CFX[®] has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.

- Seven stunning front plate finishes and Six frame and insert finishes
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



Linea-Perlina CFX® Range




LINEA-PERLINA CFX RANGE


Product Code Configurator

1. Select the required electrical accessory from the following pages.
e.g. **LPX R23** = Linea-Perlina CFX 3 gang 10AX 2 way Rocker Switch.
2. Using the Frames & Finishes Chart on the next page;
 - a. Select the required Frame Finish
e.g. Polished Brass = **PB**-__-__.
 - b. Select the required Front Plate Finish
e.g. Satin Brass = __-**SB**__.
 - c. Select the required Insert Surround Colour
e.g. White = __-__-**W**.













Therefore a Linea-Perlina CFX 3 gang 10AX 2 way Rocker Switch as illustrated below = **LPX R23 PB-SB W**



Hamilton Linea-Perlina CFX® Concealed Fixing



Frames and Finishes chart

Frame and Insert Finish	Polished Brass (PB)	Satin Brass (SB)	Antique Brass (AB)	Connaught Bronze (HB)	Copper Bronze (CB)	Etrium Bronze (EB)	Richmond Bronze (RB)
Polished Brass Frame Matching Insert with White Surround	 PB-PB W	 PB-SB W	 PB-AB W				
Polished Brass Frame Matching Insert with Black Surround	 PB-PB B	 PB-SB B	 PB-AB B				
Antique Brass Frame Matching Insert with Black Surround		 AB-SB B	 AB-AB B				
Connaught Bronze Frame (HB) Matching Insert with Black Surround				 HB-HB B			
Copper Bronze Frame (CB) Matching Insert with Black Surround					 CB-CB B		
Etrium Bronze Frame (EB) Matching Insert with Black Surround						 EB-EB B	
Richmond Bronze Frame (RB) Matching Insert with Black Surround							 RB-RB B

Frame Finishes




Linea-Perlina CFX

Rocker Switches

LINEA-PERLINA CFX RANGE



LPX R21 CB-CB B



LPX R22 AB-SB B



LPX R23 PB-SB W



LPX R26 PB-PB W




1 gang 10AX 2 Way Rocker




2 gang 10AX 2 Way Rocker



3 gang 10AX 2 Way Rocker



4 gang 10AX 2 Way Rocker



6 gang 10AX 2 Way Rocker

Frame / Front Plate	1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	4 gang 10AX 2 Way Rocker	6 gang 10AX 2 Way Rocker
Antique Brass Frame/Antique Brass	LPX R21 AB-AB B	LPX R22 AB-AB B	LPX R23 AB-AB B	LPX R24 AB-AB B	LPX R26 AB-AB B
Antique Brass Frame/Polished Brass	LPX R21 AB-PB B	LPX R22 AB-PB B	LPX R23 AB-PB B	LPX R24 AB-PB B	LPX R26 AB-PB B
Antique Brass Frame/Satin Brass	LPX R21 AB-SB B	LPX R22 AB-SB B	LPX R23 AB-SB B	LPX R24 AB-SB B	LPX R26 AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX R21 HB-HB B	LPX R22 HB-HB B	LPX R23 HB-HB B	LPX R24 HB-HB B	LPX R26 HB-HB B
Copper Bronze Frame/Copper Bronze	LPX R21 CB-CB B	LPX R22 CB-CB B	LPX R23 CB-CB B	LPX R24 CB-CB B	LPX R26 CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX R21 EB-EB B	LPX R22 EB-EB B	LPX R23 EB-EB B	LPX R24 EB-EB B	LPX R26 EB-EB B
Polished Brass Frame/Antique Brass	LPX R21 PB-AB B	LPX R22 PB-AB B	LPX R23 PB-AB B	LPX R24 PB-AB B	LPX R26 PB-AB B
Polished Brass Frame/Antique Brass	LPX R21 PB-AB W	LPX R22 PB-AB W	LPX R23 PB-AB W	LPX R24 PB-AB W	LPX R26 PB-AB W
Polished Brass Frame/Polished Brass	LPX R21 PB-PB B	LPX R22 PB-PB B	LPX R23 PB-PB B	LPX R24 PB-PB B	LPX R26 PB-PB B
Polished Brass Frame/Polished Brass	LPX R21 PB-PB W	LPX R22 PB-PB W	LPX R23 PB-PB W	LPX R24 PB-PB W	LPX R26 PB-PB W
Polished Brass Frame/Satin Brass	LPX R21 PB-SB B	LPX R22 PB-SB B	LPX R23 PB-SB B	LPX R24 PB-SB B	LPX R26 PB-SB B
Polished Brass Frame/Satin Brass	LPX R21 PB-SB W	LPX R22 PB-SB W	LPX R23 PB-SB W	LPX R24 PB-SB W	LPX R26 PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX R21 RB-RB B	LPX R22 RB-RB B	LPX R23 RB-RB B	LPX R24 RB-RB B	LPX R26 RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	25mm	25mm	25mm	25mm	25mm
Technical Insert Ref:	R21	R22	R23	R24	R26


Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Rocker Switches



LPX R31 EB-EB B







LPX R32 PB-SB B



LPX RRT PB-PB W



LPX TP PB-PB W

Frame / Front Plate	 1 gang 10AX Intermediate Rocker	 2 gang 10AX Intermediate Rocker	 1 gang 10AX Push To Make/ Push to Break Retractive Rocker	 1 gang 10A Triple Pole Rocker
Antique Brass Frame/Antique Brass	LPX R31 AB-AB B	LPX R32 AB-AB B	LPX RRT AB-AB B	LPX TP AB-AB B
Antique Brass Frame/Polished Brass	LPX R31 AB-PB B	LPX R32 AB-PB B	LPX RRT AB-PB B	LPX TP AB-PB B
Antique Brass Frame/Satin Brass	LPX R31 AB-SB B	LPX R32 AB-SB B	LPX RRT AB-SB B	LPX TP AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX R31 HB-HB B	LPX R32 HB-HB B	LPX RRT HB-HB B	LPX TP HB-HB B
Copper Bronze Frame/Copper Bronze	LPX R31 CB-CB B	LPX R32 CB-CB B	LPX RRT CB-CB B	LPX TP CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX R31 EB-EB B	LPX R32 EB-EB B	LPX RRT EB-EB B	LPX TP EB-EB B
Polished Brass Frame/Antique Brass	LPX R31 PB-AB B	LPX R32 PB-AB B	LPX RRT PB-AB B	LPX TP PB-AB B
Polished Brass Frame/Antique Brass	LPX R31 PB-AB W	LPX R32 PB-AB W	LPX RRT PB-AB W	LPX TP PB-AB W
Polished Brass Frame/Polished Brass	LPX R31 PB-PB B	LPX R32 PB-PB B	LPX RRT PB-PB B	LPX TP PB-PB B
Polished Brass Frame/Polished Brass	LPX R31 PB-PB W	LPX R32 PB-PB W	LPX RRT PB-PB W	LPX TP PB-PB W
Polished Brass Frame/Satin Brass	LPX R31 PB-SB B	LPX R32 PB-SB B	LPX RRT PB-SB B	LPX TP PB-SB B
Polished Brass Frame/Satin Brass	LPX R31 PB-SB W	LPX R32 PB-SB W	LPX RRT PB-SB W	LPX TP PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX R31 RB-RB B	LPX R32 RB-RB B	LPX RRT RB-RB B	LPX TP RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	25mm	25mm	25mm	25mm
Technical Insert Ref:	R31	R32	RRT	TP

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Rocker Switches

LINEA-PERLINA CFX RANGE



LPX R212 HB-HB B









LPX R222 AB-PB B



LPX R242 AB-PB B



LPX R322 AB-SB B

Frame / Front Plate	 1 gang 20AX 2 Way Rocker	 2 gang 20AX 2 Way Rocker	 3 gang 20AX 2 Way Rocker	 4 gang 20AX 2 Way Rocker	 1 gang 20AX Intermediate Rocker	 2 gang 20AX Intermediate Rocker
Antique Brass Frame/Antique Brass	LPX R212 AB-AB B	LPX R222 AB-AB B	LPX R232 AB-AB B	LPX R242 AB-AB B	LPX R312 AB-AB B	LPX R322 AB-AB B
Antique Brass Frame/Polished Brass	LPX R212 AB-PB B	LPX R222 AB-PB B	LPX R232 AB-PB B	LPX R242 AB-PB B	LPX R312 AB-PB B	LPX R322 AB-PB B
Antique Brass Frame/Satin Brass	LPX R212 AB-SB B	LPX R222 AB-SB B	LPX R232 AB-SB B	LPX R242 AB-SB B	LPX R312 AB-SB B	LPX R322 AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX R212 HB-HB B	LPX R222 HB-HB B	LPX R232 HB-HB B	LPX R242 HB-HB B	LPX R312 HB-HB B	LPX R322 HB-HB B
Copper Bronze Frame/Copper Bronze	LPX R212 CB-CB B	LPX R222 CB-CB B	LPX R232 CB-CB B	LPX R242 CB-CB B	LPX R312 CB-CB B	LPX R322 CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX R212 EB-EB B	LPX R222 EB-EB B	LPX R232 EB-EB B	LPX R242 EB-EB B	LPX R312 EB-EB B	LPX R322 EB-EB B
Polished Brass Frame/Antique Brass	LPX R212 PB-AB B	LPX R222 PB-AB B	LPX R232 PB-AB B	LPX R242 PB-AB B	LPX R312 PB-AB B	LPX R322 PB-AB B
Polished Brass Frame/Antique Brass	LPX R212 PB-AB W	LPX R222 PB-AB W	LPX R232 PB-AB W	LPX R242 PB-AB W	LPX R312 PB-AB W	LPX R322 PB-AB W
Polished Brass Frame/Polished Brass	LPX R212 PB-PB B	LPX R222 PB-PB B	LPX R232 PB-PB B	LPX R242 PB-PB B	LPX R312 PB-PB B	LPX R322 PB-PB B
Polished Brass Frame/Polished Brass	LPX R212 PB-PB W	LPX R222 PB-PB W	LPX R232 PB-PB W	LPX R242 PB-PB W	LPX R312 PB-PB W	LPX R322 PB-PB W
Polished Brass Frame/Satin Brass	LPX R212 PB-SB B	LPX R222 PB-SB B	LPX R232 PB-SB B	LPX R242 PB-SB B	LPX R312 PB-SB B	LPX R322 PB-SB B
Polished Brass Frame/Satin Brass	LPX R212 PB-SB W	LPX R222 PB-SB W	LPX R232 PB-SB W	LPX R242 PB-SB W	LPX R312 PB-SB W	LPX R322 PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX R212 RB-RB B	LPX R222 RB-RB B	LPX R232 RB-RB B	LPX R242 RB-RB B	LPX R312 RB-RB B	LPX R322 RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm
Technical Insert Ref:	R212	R222	R232	R242	R312	R322

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Wide Rockers



LPX W10DP HB HB B



LPX WR21 CB-CB B



LPX WR21 PB-PB B



LPX WR23 PB-PB B



1 gang 10AX 2 Way Rocker



2 gang 10AX 2 Way Rocker



3 gang 10AX 2 Way Rocker



1 gang 10AX Intermediate Rocker



1 gang 10AX Push To Make Frame/ Push to Break Retractive Rocker



1 gang 10AX Double Pole Rocker

Frame Frame/ Front Plate

Antique Brass Frame/Antique Brass	LPX WR21 AB-AB B	LPX WR22 AB-AB B	LPX WR23 AB-AB B	LPX WR31 AB-AB B	LPX WRRT AB-AB B	LPX W10DP AB-AB B
Antique Brass Frame/Polished Brass	LPX WR21 AB-PB B	LPX WR22 AB-PB B	LPX WR23 AB-PB B	LPX WR31 AB-PB B	LPX WRRT AB-PB B	LPX W10DP AB-PB B
Antique Brass Frame/Satin Brass	LPX WR21 AB-SB B	LPX WR22 AB-SB B	LPX WR23 AB-SB B	LPX WR31 AB-SB B	LPX WRRT AB-SB B	LPX W10DP AB-SB B
Connaught Bronze Frame/ Connaught Bronze	LPX WR21 HB-HB B	LPX WR22 HB-HB B	LPX WR23 HB-HB B	LPX WR31 HB-HB B	LPX WRRT HB-HB B	LPX W10DP HB-HB B
Copper Bronze Frame/Copper Bronze	LPX WR21 CB-CB B	LPX WR22 CB-CB B	LPX WR23 CB-CB B	LPX WR31 CB-CB B	LPX WRRT CB-CB B	LPX W10DP CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX WR21 EB-EB B	LPX WR22 EB-EB B	LPX WR23 EB-EB B	LPX WR31 EB-EB B	LPX WRRT EB-EB B	LPX W10DP EB-EB B
Polished Brass Frame/Antique Brass	LPX WR21 PB-AB B	LPX WR22 PB-AB B	LPX WR23 PB-AB B	LPX WR31 PB-AB B	LPX WRRT PB-AB B	LPX W10DP PB-AB B
Polished Brass Frame/Antique Brass	LPX WR21 PB-AB W	LPX WR22 PB-AB W	LPX WR23 PB-AB W	LPX WR31 PB-AB W	LPX WRRT PB-AB W	LPX W10DP PB-AB W
Polished Brass Frame/Polished Brass	LPX WR21 PB-PB B	LPX WR22 PB-PB B	LPX WR23 PB-PB B	LPX WR31 PB-PB B	LPX WRRT PB-PB B	LPX W10DP PB-PB B
Polished Brass Frame/Polished Brass	LPX WR21 PB-PB W	LPX WR22 PB-PB W	LPX WR23 PB-PB W	LPX WR31 PB-PB W	LPX WRRT PB-PB W	LPX W10DP PB-PB W
Polished Brass Frame/Satin Brass	LPX WR21 PB-SB B	LPX WR22 PB-SB B	LPX WR23 PB-SB B	LPX WR31 PB-SB B	LPX WRRT PB-SB B	LPX W10DP PB-SB B
Polished Brass Frame/Satin Brass	LPX WR21 PB-SB W	LPX WR22 PB-SB W	LPX WR23 PB-SB W	LPX WR31 PB-SB W	LPX WRRT PB-SB W	LPX W10DP PB-SB W
Richmond Bronze Frame/ Richmond Bronze	LPX WR21 RB-RB B	LPX WR22 RB-RB B	LPX WR23 RB-RB B	LPX WR31 RB-RB B	LPX WRRT RB-RB B	LPX W10DP RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	25mm	25mm	25mm	25mm	25mm	25mm
Technical Insert Ref:	WR21	WR22	WR23	WR31	WRRT	W10DP

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Toggle Switches

LINEA-PERLINA CFX RANGE








LPX T21 AB-SB



LPX T22 PB-SB



LPX T23 CB-CB

Frame / Front Plate	 1 gang 20AX 2 Way Toggle	 2 gang 20AX 2 Way Toggle	 3 gang 20AX 2 Way Toggle	 4 gang 20AX 2 Way Toggle	 1 gang 20AX Intermediate Toggle
Antique Brass Frame/Antique Brass	LPX T21 AB-AB	LPX T22 AB-AB	LPX T23 AB-AB	LPX T24 AB-AB	LPX T31 AB-AB
Antique Brass Frame/Polished Brass	LPX T21 AB-PB	LPX T22 AB-PB	LPX T23 AB-PB	LPX T24 AB-PB	LPX T31 AB-PB
Antique Brass Frame/Satin Brass	LPX T21 AB-SB	LPX T22 AB-SB	LPX T23 AB-SB	LPX T24 AB-SB	LPX T31 AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX T21 HB-HB	LPX T22 HB-HB	LPX T23 HB-HB	LPX T24 HB-HB	LPX T31 HB-HB
Copper Bronze Frame/Copper Bronze	LPX T21 CB-CB	LPX T22 CB-CB	LPX T23 CB-CB	LPX T24 CB-CB	LPX T31 CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX T21 EB-EB	LPX T22 EB-EB	LPX T23 EB-EB	LPX T24 EB-EB	LPX T31 EB-EB
Polished Brass Frame/Antique Brass	LPX T21 PB-AB	LPX T22 PB-AB	LPX T23 PB-AB	LPX T24 PB-AB	LPX T31 PB-AB
Polished Brass Frame/Polished Brass	LPX T21 PB-PB	LPX T22 PB-PB	LPX T23 PB-PB	LPX T24 PB-PB	LPX T31 PB-PB
Polished Brass Frame/Satin Brass	LPX T21 PB-SB	LPX T22 PB-SB	LPX T23 PB-SB	LPX T24 PB-SB	LPX T31 PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX T21 RB-RB	LPX T22 RB-RB	LPX T23 RB-RB	LPX T24 RB-RB	LPX T31 RB-RB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm
Technical Insert Ref:	T21	T22	T23	T24	T31


Toggles to match Frame Finish as standard except where specified.

Linea-Perlina CFX

Power Sockets




LPX SS1 AB-SB B




LPX US2 AB-SB B



1 gang 13A
Double Pole
Switched Socket



2 gang 13A
Double Pole
Switched Socket




2 gang 13A Double
Pole Switched
Socket with 2 USB
Outlet 2x2.4A (4.8A
Total)



1 gang 2A
Unswitched
Socket



1 gang 5A
Unswitched
Socket



Shaver Dual Voltage
Unswitched Socket
(Vertically Mounted)

Frame / Front Plate	1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket with 2 USB Outlet 2x2.4A (4.8A Total)	1 gang 2A Unswitched Socket	1 gang 5A Unswitched Socket	Shaver Dual Voltage Unswitched Socket (Vertically Mounted)
Antique Brass Frame/Antique Brass	LPX SS1 AB-AB B	LPX SS2 AB-AB B	LPX SS2USBULT AB-AB B	LPX US2 AB-AB B	LPX US5 AB-AB B	LPX SHS AB-AB B
Antique Brass Frame/Polished Brass	LPX SS1 AB-PB B	LPX SS2 AB-PB B	LPX SS2USBULT AB-PB B	LPX US2 AB-PB B	LPX US5 AB-PB B	LPX SHS AB-PB B
Antique Brass Frame/Satin Brass	LPX SS1 AB-SB B	LPX SS2 AB-SB B	LPX SS2USBULT AB-SB B	LPX US2 AB-SB B	LPX US5 AB-SB B	LPX SHS AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX SS1 HB-HB B	LPX SS2 HB-HB B	LPX SS2USBULT HB-HB B	LPX US2 HB-HB B	LPX US5 HB-HB B	LPX SHS HB-HB B
Copper Bronze Frame/Copper Bronze	LPX SS1 CB-CB B	LPX SS2 CB-CB B	LPX SS2USBULT CB-CB B	LPX US2 CB-CB B	LPX US5 CB-CB B	LPX SHS CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX SS1 EB-EB B	LPX SS2 EB-EB B	LPX SS2USBULT EB-EB B	LPX US2 EB-EB B	LPX US5 EB-EB B	LPX SHS EB-EB B
Polished Brass Frame/Antique Brass	LPX SS1 PB-AB B	LPX SS2 PB-AB B	LPX SS2USBULT PB-AB B	LPX US2 PB-AB B	LPX US5 PB-AB B	LPX SHS PB-AB B
Polished Brass Frame/Antique Brass	LPX SS1 PB-AB W	LPX SS2 PB-AB W	LPX SS2USBULT PB-AB W	LPX US2 PB-AB W	LPX US5 PB-AB W	LPX SHS PB-AB W
Polished Brass Frame/Polished Brass	LPX SS1 PB-PB B	LPX SS2 PB-PB B	LPX SS2USBULT PB-PB B	LPX US2 PB-PB B	LPX US5 PB-PB B	LPX SHS PB-PB B
Polished Brass Frame/Polished Brass	LPX SS1 PB-PB W	LPX SS2 PB-PB W	LPX SS2USBULT PB-PB W	LPX US2 PB-PB W	LPX US5 PB-PB W	LPX SHS PB-PB W
Polished Brass Frame/Satin Brass	LPX SS1 PB-SB B	LPX SS2 PB-SB B	LPX SS2USBULT PB-SB B	LPX US2 PB-SB B	LPX US5 PB-SB B	LPX SHS PB-SB B
Polished Brass Frame/Satin Brass	LPX SS1 PB-SB W	LPX SS2 PB-SB W	LPX SS2USBULT PB-SB W	LPX US2 PB-SB W	LPX US5 PB-SB W	LPX SHS PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX SS1 RB-RB B	LPX SS2 RB-RB B	LPX SS2USBULT RB-RB B	LPX US2 RB-RB B	LPX US5 RB-RB B	LPX SHS RB-RB B
Nominal Size: Minimum Wall Box Depth: Technical Insert Ref:	92.0mm x 92.0mm 35mm SS1	151.0mm x 92.0mm 35mm SS2	151.0mm x 92.0mm 35mm SS2USBULT	92.0mm x 92.0mm 35mm US2	92.0mm x 92.0mm 35mm US5	92.0mm x 151.0mm 47mm SHS

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

International Power Sockets

LINEA-PERLINA CFX RANGE



LPX 5258 PB-PB W




LPX 5320 RB-RB B



LPX 6126 HB-HB B



1 gang 15A 110V AC
American Unswitched
Socket



2 gang 15A 110V AC
American Unswitched
Socket



1 gang 10/16A
220/250V AC German
Unswitched Socket

Frame / Front Plate	1 gang 15A 110V AC American Unswitched Socket	2 gang 15A 110V AC American Unswitched Socket	1 gang 10/16A 220/250V AC German Unswitched Socket
Antique Brass Frame/Antique Brass	LPX 5258 AB-AB B	LPX 5320 AB-AB B	LPX 6126 AB-AB B
Antique Brass Frame/Polished Brass	LPX 5258 AB-PB B	LPX 5320 AB-PB B	LPX 6126 AB-PB B
Antique Brass Frame/Satin Brass	LPX 5258 AB-SB B	LPX 5320 AB-SB B	LPX 6126 AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX 5258 HB-HB B	LPX 5320 HB-HB B	LPX 6126 HB-HB B
Copper Bronze Frame/Copper Bronze	LPX 5258 CB-CB B	LPX 5320 CB-CB B	LPX 6126 CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX 5258 EB-EB B	LPX 5320 EB-EB B	LPX 6126 EB-EB B
Polished Brass Frame/Antique Brass	LPX 5258 PB-AB B	LPX 5320 PB-AB B	LPX 6126 PB-AB B
Polished Brass Frame/Antique Brass	LPX 5258 PB-AB W	LPX 5320 PB-AB W	LPX 6126 PB-AB W
Polished Brass Frame/Polished Brass	LPX 5258 PB-PB B	LPX 5320 PB-PB B	LPX 6126 PB-PB B
Polished Brass Frame/Polished Brass	LPX 5258 PB-PB W	LPX 5320 PB-PB W	LPX 6126 PB-PB W
Polished Brass Frame/Satin Brass	LPX 5258 PB-SB B	LPX 5320 PB-SB B	LPX 6126 PB-SB B
Polished Brass Frame/Satin Brass	LPX 5258 PB-SB W	LPX 5320 PB-SB W	LPX 6126 PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX 5258 RB-RB B	LPX 5320 RB-RB B	LPX 6126 RB-RB B
Nominal Size:	92.0mm x 92.0mm	151.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	47mm
Technical Insert Ref:	5258	5320	6126

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Key Switches



LPX K21 AB-SB B



LPX KEL PB-PB W

Frame / Front Plate	1 gang 20AX 2 Way Key Switch	1 gang 20AX 2 Way Key Switch EMG LTG TEST
Antique Brass Frame/Antique Brass	LPX K21 AB-AB B	LPX KEL AB-AB B
Antique Brass Frame/Polished Brass	LPX K21 AB-PB B	LPX KEL AB-PB B
Antique Brass Frame/Satin Brass	LPX K21 AB-SB B	LPX KEL AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX K21 HB-HB B	LPX KEL HB-HB B
Copper Bronze Frame/Copper Bronze	LPX K21 CB-CB B	LPX KEL CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX K21 EB-EB B	LPX KEL EB-EB B
Polished Brass Frame/Antique Brass	LPX K21 PB-AB B	LPX KEL PB-AB B
Polished Brass Frame/Antique Brass	LPX K21 PB-AB W	LPX KEL PB-AB W
Polished Brass Frame/Polished Brass	LPX K21 PB-PB B	LPX KEL PB-PB B
Polished Brass Frame/Polished Brass	LPX K21 PB-PB W	LPX KEL PB-PB W
Polished Brass Frame/Satin Brass	LPX K21 PB-SB B	LPX KEL PB-SB B
Polished Brass Frame/Satin Brass	LPX K21 PB-SB W	LPX KEL PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX K21 RB-RB B	LPX KEL RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm
Technical Insert Ref:	K21	KEL

Hotel Card Switch with LED



LPX C11 PB-PB W

Frame / Front Plate	1 gang 10A (6AX) Card Switch On/Off with Blue LED Locator
Antique Brass Frame/Antique Brass	LPX C11 AB-AB B
Antique Brass Frame/Polished Brass	LPX C11 AB-PB B
Antique Brass Frame/Satin Brass	LPX C11 AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX C11 HB-HB B
Copper Bronze Frame/Copper Bronze	LPX C11 CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX C11 EB-EB B
Polished Brass Frame/Antique Brass	LPX C11 PB-AB B
Polished Brass Frame/Antique Brass	LPX C11 PB-AB W
Polished Brass Frame/Polished Brass	LPX C11 PB-PB B
Polished Brass Frame/Polished Brass	LPX C11 PB-PB W
Polished Brass Frame/Satin Brass	LPX C11 PB-SB B
Polished Brass Frame/Satin Brass	LPX C11 PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX C11 RB-RB B
Nominal Size:	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm
Technical Insert Ref:	C11

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Television Coaxial Sockets



LPX TV PB-PB W



LPX TVFM AB-SB B



LPX TVI AB-SB B



LPX TVSAT PB-PB W



1 gang
Non-Isolated
Television
1in/1out



Isolated TV/FM
Diplexer 1in/2out



1 gang Isolated
TV 1in/1out



2 gang
Non-Isolated
TV+Satellite
2in/2out



1 gang Non-
Isolated Satellite



1 gang Isolated
Satellite

Frame / Front Plate	1 gang Non-Isolated Television 1in/1out	Isolated TV/FM Diplexer 1in/2out	1 gang Isolated TV 1in/1out	2 gang Non-Isolated TV+Satellite 2in/2out	1 gang Non-Isolated Satellite	1 gang Isolated Satellite
Antique Brass Frame/Antique Brass	LPX TV AB-AB B	LPX TVFM AB-AB B	LPX TVI AB-AB B	LPX TVSAT AB-AB B	LPX SATN AB-AB B	LPX SATI AB-AB B
Antique Brass Frame/Polished Brass	LPX TV AB-PB B	LPX TVFM AB-PB B	LPX TVI AB-PB B	LPX TVSAT AB-PB B	LPX SATN AB-PB B	LPX SATI AB-PB B
Antique Brass Frame/Satin Brass	LPX TV AB-SB B	LPX TVFM AB-SB B	LPX TVI AB-SB B	LPX TVSAT AB-SB B	LPX SATN AB-SB B	LPX SATI AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX TV HB-HB B	LPX TVFM HB-HB B	LPX TVI HB-HB B	LPX TVSAT HB-HB B	LPX SATN HB-HB B	LPX SATI HB-HB B
Copper Bronze Frame/Copper Bronze	LPX TV CB-CB B	LPX TVFM CB-CB B	LPX TVI CB-CB B	LPX TVSAT CB-CB B	LPX SATN CB-CB B	LPX SATI CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX TV EB-EB B	LPX TVFM EB-EB B	LPX TVI EB-EB B	LPX TVSAT EB-EB B	LPX SATN EB-EB B	LPX SATI EB-EB B
Polished Brass Frame/Antique Brass	LPX TV PB-AB B	LPX TVFM PB-AB B	LPX TVI PB-AB B	LPX TVSAT PB-AB B	LPX SATN PB-AB B	LPX SATI PB-AB B
Polished Brass Frame/Polished Brass	LPX TV PB-PB W	LPX TVFM PB-AB W	LPX TVI PB-AB W	LPX TVSAT PB-AB W	LPX SATN PB-AB W	LPX SATI PB-AB W
Polished Brass Frame/Polished Brass	LPX TV PB-PB B	LPX TVFM PB-PB B	LPX TVI PB-PB B	LPX TVSAT PB-PB B	LPX SATN PB-PB B	LPX SATI PB-PB B
Polished Brass Frame/Polished Brass	LPX TV PB-PB W	LPX TVFM PB-PB W	LPX TVI PB-PB W	LPX TVSAT PB-PB W	LPX SATN PB-PB W	LPX SATI PB-PB W
Polished Brass Frame/Satin Brass	LPX TV PB-SB B	LPX TVFM PB-SB B	LPX TVI PB-SB B	LPX TVSAT PB-SB B	LPX SATN PB-SB B	LPX SATI PB-SB B
Polished Brass Frame/Satin Brass	LPX TV PB-SB W	LPX TVFM PB-SB W	LPX TVI PB-SB W	LPX TVSAT PB-SB W	LPX SATN PB-SB W	LPX SATI PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX TV RB-RB B	LPX TVFM RB-RB B	LPX TVI RB-RB B	LPX TVSAT RB-RB B	LPX SATN RB-RB B	LPX SATI RB-RB B
Nominal Size: Minimum Wall Box Depth: Technical Insert Ref:	92.0mm x 92.0mm 25mm TV	92.0mm x 92.0mm 25mm TVFM	92.0mm x 92.0mm 25mm TVI	92.0mm x 92.0mm 35mm TVSAT	92.0mm x 92.0mm 35mm SATN	92.0mm x 92.0mm 35mm SATI

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Digital Television Sockets

- Screened Non Isolated / DAB Compatible



LPX DTRID AB-PB B



LPX DTVF PB-PB W



LPX DTVM PB-SB B



LPX DENT AB-SB B



Non-Isolated TV+FM+SAT Triplexer 1in/3out (DAB Compatible)



1 gang Non-Isolated TV (female) (DAB Compatible)




1 gang Non-Isolated TV (Male) (DAB Compatible)



1 gang Non-Isolated Satellite (DAB Compatible)



Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out (DAB Compatible)



Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out +TVF+TCS (DAB Compatible)

Frame / Front Plate	LPX DTRID AB-AB B	LPX DTVF AB-AB B	LPX DTVM AB-AB B	LPX DSAT AB-AB B	LPX DENT AB-AB B	LPX DSAT+ AB-AB B
Antique Brass Frame/Antique Brass	LPX DTRID AB-PB B	LPX DTVF AB-PB B	LPX DTVM AB-PB B	LPX DSAT AB-PB B	LPX DENT AB-PB B	LPX DSAT+ AB-PB B
Antique Brass Frame/Polished Brass	LPX DTRID AB-SB B	LPX DTVF AB-SB B	LPX DTVM AB-SB B	LPX DSAT AB-SB B	LPX DENT AB-SB B	LPX DSAT+ AB-SB B
Antique Brass Frame/Satin Brass	LPX DTRID HB-HB B	LPX DTVF HB-HB B	LPX DTVM HB-HB B	LPX DSAT HB-HB B	LPX DENT HB-HB B	LPX DSAT+ HB-HB B
Connaught Bronze Frame/Connaught Bronze	LPX DTRID CB-CB B	LPX DTVF CB-CB B	LPX DTVM CB-CB B	LPX DSAT CB-CB B	LPX DENT CB-CB B	LPX DSAT+ CB-CB B
Copper Bronze Frame/Copper Bronze	LPX DTRID EB-EB B	LPX DTVF EB-EB B	LPX DTVM EB-EB B	LPX DSAT EB-EB B	LPX DENT EB-EB B	LPX DSAT+ EB-EB B
Etrium Bronze Frame/Etrium Bronze	LPX DTRID PB-AB B	LPX DTVF PB-AB B	LPX DTVM PB-AB B	LPX DSAT PB-AB B	LPX DENT PB-AB B	LPX DSAT+ PB-AB B
Polished Brass Frame/Antique Brass	LPX DTRID PB-AB W	LPX DTVF PB-AB W	LPX DTVM PB-AB W	LPX DSAT PB-AB W	LPX DENT PB-AB W	LPX DSAT+ PB-AB W
Polished Brass Frame/Polished Brass	LPX DTRID PB-PB B	LPX DTVF PB-PB B	LPX DTVM PB-PB B	LPX DSAT PB-PB B	LPX DENT PB-PB B	LPX DSAT+ PB-PB B
Polished Brass Frame/Polished Brass	LPX DTRID PB-PB W	LPX DTVF PB-PB W	LPX DTVM PB-PB W	LPX DSAT PB-PB W	LPX DENT PB-PB W	LPX DSAT+ PB-PB W
Polished Brass Frame/Satin Brass	LPX DTRID PB-SB B	LPX DTVF PB-SB B	LPX DTVM PB-SB B	LPX DSAT PB-SB B	LPX DENT PB-SB B	LPX DSAT+ PB-SB B
Polished Brass Frame/Satin Brass	LPX DTRID RB-SB W	LPX DTVF RB-SB W	LPX DTVM RB-SB W	LPX DSAT RB-SB W	LPX DENT RB-SB W	LPX DSAT+ RB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX DTRID RB-RB B	LPX DTVF RB-RB B	LPX DTVM RB-RB B	LPX DSAT RB-RB B	LPX DENT RB-RB B	LPX DSAT+ RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm
Technical Insert Ref:	DTRID	DTVf	DTVM	DSAT	DENT	DSAT+

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Telephone and Data Outlets

LINEA-PERLINA CFX RANGE



LPX TCM AB-PB B









LPX TCS PB-PB B



LPX J12 AB-SB B



LPX 2J45 AB-SB B

Frame / Front Plate	 1 gang Telephone Master	 1 gang Telephone Slave	 1 gang RJ12 Outlet - Unshielded	 2 gang RJ12 Outlet - Unshielded	 1 gang RJ45 CAT 5E Outlet - Unshielded	 2 gang RJ45 CAT 5E Outlet - Unshielded
Antique Brass Frame/Antique Brass	LPX TCM AB-AB B	LPX TCS AB-AB B	LPX J12 AB-AB B	LPX 2J12 AB-AB B	LPX J45 AB-AB B	LPX 2J45 AB-AB B
Antique Brass Frame/Polished Brass	LPX TCM AB-PB B	LPX TCS AB-PB B	LPX J12 AB-PB B	LPX 2J12 AB-PB B	LPX J45 AB-PB B	LPX 2J45 AB-PB B
Antique Brass Frame/Satin Brass	LPX TCM AB-SB B	LPX TCS AB-SB B	LPX J12 AB-SB B	LPX 2J12 AB-SB B	LPX J45 AB-SB B	LPX 2J45 AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX TCM HB-HB B	LPX TCS HB-HB B	LPX J12 HB-HB B	LPX 2J12 HB-HB B	LPX J45 HB-HB B	LPX 2J45 HB-HB B
Copper Bronze Frame/Copper Bronze	LPX TCM CB-CB B	LPX TCS CB-CB B	LPX J12 CB-CB B	LPX 2J12 CB-CB B	LPX J45 CB-CB B	LPX 2J45 CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX TCM EB-EB B	LPX TCS EB-EB B	LPX J12 EB-EB B	LPX 2J12 EB-EB B	LPX J45 EB-EB B	LPX 2J45 EB-EB B
Polished Brass Frame/Antique Brass	LPX TCM PB-AB B	LPX TCS PB-AB B	LPX J12 PB-AB B	LPX 2J12 PB-AB B	LPX J45 PB-AB B	LPX 2J45 PB-AB B
Polished Brass Frame/Antique Brass	LPX TCM PB-AB W	LPX TCS PB-AB W	LPX J12 PB-AB W	LPX 2J12 PB-AB W	LPX J45 PB-AB W	LPX 2J45 PB-AB W
Polished Brass Frame/Polished Brass	LPX TCM PB-PB B	LPX TCS PB-PB B	LPX J12 PB-PB B	LPX 2J12 PB-PB B	LPX J45 PB-PB B	LPX 2J45 PB-PB B
Polished Brass Frame/Polished Brass	LPX TCM PB-PB W	LPX TCS PB-PB W	LPX J12 PB-PB W	LPX 2J12 PB-PB W	LPX J45 PB-PB W	LPX 2J45 PB-PB W
Polished Brass Frame/Satin Brass	LPX TCM PB-SB B	LPX TCS PB-SB B	LPX J12 PB-SB B	LPX 2J12 PB-SB B	LPX J45 PB-SB B	LPX 2J45 PB-SB B
Polished Brass Frame/Satin Brass	LPX TCM PB-SB W	LPX TCS PB-SB W	LPX J12 PB-SB W	LPX 2J12 PB-SB W	LPX J45 PB-SB W	LPX 2J45 PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX TCM RB-RB B	LPX TCS RB-RB B	LPX J12 RB-RB B	LPX 2J12 RB-RB B	LPX J45 RB-RB B	LPX 2J45 RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	25mm	25mm	35mm	35mm	35mm	35mm
Technical Insert Ref:	TCM	TCS	J12	2J12	J45	2J45

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Double Pole Switches



LPX DPN AB-SB B



LPX 45SS1 AB-PB B




LPX SPN PB-PB B



1 gang 20AX
Double Pole
Rocker + Neon



1 gang 45A
Double Pole Red
Rocker + Neon



45A Double
Pole Red Rocker
+ Neon + 13A
Switched Socket



1 gang 13A
Double Pole
Fused Spur +
Neon



1 gang 13A Fuse
with Red Neon
Halo

Frame / Front Plate

Antique Brass Frame/Antique Brass	LPX DPN AB-AB B	LPX 45N AB-AB B	LPX 45SS1 AB-AB B
Antique Brass Frame/Polished Brass	LPX DPN AB-PB B	LPX 45N AB-PB B	LPX 45SS1 AB-PB B
Antique Brass Frame/Satin Brass	LPX DPN AB-SB B	LPX 45N AB-SB B	LPX 45SS1 AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX DPN HB-HB B	LPX 45N HB-HB B	LPX 45SS1 HB-HB B
Copper Bronze Frame/Copper Bronze	LPX DPN CB-CB B	LPX 45N CB-CB B	LPX 45SS1 CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX DPN EB-EB B	LPX 45N EB-EB B	LPX 45SS1 EB-EB B
Polished Brass Frame/Antique Brass	LPX DPN PB-AB B	LPX 45N PB-AB B	LPX 45SS1 PB-AB B
Polished Brass Frame/Polished Brass	LPX DPN PB-AB W	LPX 45N PB-AB W	LPX 45SS1 PB-AB W
Polished Brass Frame/Polished Brass	LPX DPN PB-PB B	LPX 45N PB-PB B	LPX 45SS1 PB-PB B
Polished Brass Frame/Polished Brass	LPX DPN PB-PB W	LPX 45N PB-PB W	LPX 45SS1 PB-PB W
Polished Brass Frame/Satin Brass	LPX DPN PB-SB B	LPX 45N PB-SB B	LPX 45SS1 PB-SB B
Polished Brass Frame/Satin Brass	LPX DPN PB-SB W	LPX 45N PB-SB W	LPX 45SS1 PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX DPN RB-RB B	LPX 45N RB-RB B	LPX 45SS1 RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm
Technical Insert Ref:	DPN	45N	45SS1

Connection Units

LPX SPN AB-AB B	LPX FN AB-AB R
LPX SPN AB-PB B	LPX FN AB-PB R
LPX SPN AB-SB B	LPX FN AB-SB R
LPX SPN HB-HB B	LPX FN HB-HB R
LPX SPN CB-CB B	LPX FN CB-CB R
LPX SPN EB-EB B	LPX FN EB-EB R
LPX SPN PB-AB B	-
LPX SPN PB-AB W	LPX FN PB-AB R
LPX SPN PB-PB B	LPX FN PB-PB R
LPX SPN PB-PB W	-
LPX SPN PB-SB B	LPX FN PB-SB R
LPX SPN PB-SB W	-
LPX SPN RB-RB B	LPX FN RB-RB R
92.0mm x 92.0mm 35mm SPN	92.0mm x 92.0mm 35mm FN

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers





LINEA-PERLINA CFX RANGE



LPX 1XLEDITB100 AB-PB



LPX 2XLEDITB100 AB-SB

Frame / Front Plate	 1 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 2 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 3 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 4 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer
Antique Brass Frame/Antique Brass	LPX 1XLEDITB100 AB-AB	LPX 2XLEDITB100 AB-AB	LPX 3XLEDITB100 AB-AB	LPX 4XLEDITB100 AB-AB
Antique Brass Frame/Polished Brass	LPX 1XLEDITB100 AB-PB	LPX 2XLEDITB100 AB-PB	LPX 3XLEDITB100 AB-PB	LPX 4XLEDITB100 AB-PB
Antique Brass Frame/Satin Brass	LPX 1XLEDITB100 AB-SB	LPX 2XLEDITB100 AB-SB	LPX 3XLEDITB100 AB-SB	LPX 4XLEDITB100 AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX 1XLEDITB100 HB-HB	LPX 2XLEDITB100 HB-HB	LPX 3XLEDITB100 HB-HB	LPX 4XLEDITB100 HB-HB
Copper Bronze Frame/Copper Bronze	LPX 1XLEDITB100 CB-CB	LPX 2XLEDITB100 CB-CB	LPX 3XLEDITB100 CB-CB	LPX 4XLEDITB100 CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX 1XLEDITB100 EB-EB	LPX 2XLEDITB100 EB-EB	LPX 3XLEDITB100 EB-EB	LPX 4XLEDITB100 EB-EB
Polished Brass Frame/Antique Brass	LPX 1XLEDITB100 PB-AB	LPX 2XLEDITB100 PB-AB	LPX 3XLEDITB100 PB-AB	LPX 4XLEDITB100 PB-AB
Polished Brass Frame/Polished Brass	LPX 1XLEDITB100 PB-PB	LPX 2XLEDITB100 PB-PB	LPX 3XLEDITB100 PB-PB	LPX 4XLEDITB100 PB-PB
Polished Brass Frame/Satin Brass	LPX 1XLEDITB100 PB-SB	LPX 2XLEDITB100 PB-SB	LPX 3XLEDITB100 PB-SB	LPX 4XLEDITB100 PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX 1XLEDITB100 RB-RB	LPX 2XLEDITB100 RB-RB	LPX 3XLEDITB100 RB-RB	LPX 4XLEDITB100 RB-RB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
Technical Insert Ref:	1XLEDITB	2XLEDITB	3XLEDITB	4XLEDITB


NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.

NOTE: Please refer to the Dimmer Technical Section for the max Wattage.

NOTE: Please contact our Technical Department for compatibility.

Linea-Perlina CFX

LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers



LPX 1X100LED PB-SB



LPX 2X100LED PB-PB



LPX 3X100LED AB-SB




LPX 4X100LED AB-PB



1 gang 100W LED Trailing/
Leading Edge Push On/Off
Rotary Multi-Way Dimmer



2 gang 100W LED Trailing/
Leading Edge Push On/Off
Rotary Multi-Way Dimmer



3 gang 100W LED Trailing/
Leading Edge Push On/Off
Rotary Multi-Way Dimmer



4 gang 100W LED Trailing/
Leading Edge Push On/Off
Rotary Multi-Way Dimmer

Frame / Front Plate	1 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer	2 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer	3 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer	4 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer
Antique Brass Frame/Antique Brass	LPX 1X100LED AB-AB	LPX 2X100LED AB-AB	LPX 3X100LED AB-AB	LPX 4X100LED AB-AB
Antique Brass Frame/Polished Brass	LPX 1X100LED AB-PB	LPX 2X100LED AB-PB	LPX 3X100LED AB-PB	LPX 4X100LED AB-PB
Antique Brass Frame/Satin Brass	LPX 1X100LED AB-SB	LPX 2X100LED AB-SB	LPX 3X100LED AB-SB	LPX 4X100LED AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX 1X100LED HB-HB	LPX 2X100LED HB-HB	LPX 3X100LED HB-HB	LPX 4X100LED HB-HB
Copper Bronze Frame/Copper Bronze	LPX 1X100LED CB-CB	LPX 2X100LED CB-CB	LPX 3X100LED CB-CB	LPX 4X100LED CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX 1X100LED EB-EB	LPX 2X100LED EB-EB	LPX 3X100LED EB-EB	LPX 4X100LED EB-EB
Polished Brass Frame/Antique Brass	LPX 1X100LED PB-AB	LPX 2X100LED PB-AB	LPX 3X100LED PB-AB	LPX 4X100LED PB-AB
Polished Brass Frame/Polished Brass	LPX 1X100LED PB-PB	LPX 2X100LED PB-PB	LPX 3X100LED PB-PB	LPX 4X100LED PB-PB
Polished Brass Frame/Satin Brass	LPX 1X100LED PB-SB	LPX 2X100LED PB-SB	LPX 3X100LED PB-SB	LPX 4X100LED PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX 1X100LED RB-RB	LPX 2X100LED RB-RB	LPX 3X100LED RB-RB	LPX 4X100LED RB-RB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
Technical Insert Ref:	1X100LED	2X100LED	3X100LED	4X100LED

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.

NOTE: Please refer to the Dimmer Technical Section for the max Wattage.

NOTE: Please contact our Technical Department for compatibility.

Linea-Perlina CFX

Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers


LINEA-PERLINA CFX RANGE



LPX 1X40 PB-SB



LPX 2X40 AB-PB



LPX 3X40 AB-SB



1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer

Frame / Front Plate	1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers	4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Antique Brass Frame/Antique Brass	LPX 1X40 AB-AB	LPX 2X40 AB-AB	LPX 3X40 AB-AB	LPX 4X40 AB-AB	LPX 1X60 AB-AB
Antique Brass Frame/Polished Brass	LPX 1X40 AB-PB	LPX 2X40 AB-PB	LPX 3X40 AB-PB	LPX 4X40 AB-PB	LPX 1X60 AB-PB
Antique Brass Frame/Satin Brass	LPX 1X40 AB-SB	LPX 2X40 AB-SB	LPX 3X40 AB-SB	LPX 4X40 AB-SB	LPX 1X60 AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX 1X40 HB-HB	LPX 2X40 HB-HB	LPX 3X40 HB-HB	LPX 4X40 HB-HB	LPX 1X60 HB-HB
Copper Bronze Frame/Copper Bronze	LPX 1X40 CB-CB	LPX 2X40 CB-CB	LPX 3X40 CB-CB	LPX 4X40 CB-CB	LPX 1X60 CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX 1X40 EB-EB	LPX 2X40 EB-EB	LPX 3X40 EB-EB	LPX 4X40 EB-EB	LPX 1X60 EB-EB
Polished Brass Frame/Antique Brass	LPX 1X40 PB-AB	LPX 2X40 PB-AB	LPX 3X40 PB-AB	LPX 4X40 PB-AB	LPX 1X60 PB-AB
Polished Brass Frame/Polished Brass	LPX 1X40 PB-PB	LPX 2X40 PB-PB	LPX 3X40 PB-PB	LPX 4X40 PB-PB	LPX 1X60 PB-PB
Polished Brass Frame/Satin Brass	LPX 1X40 PB-SB	LPX 2X40 PB-SB	LPX 3X40 PB-SB	LPX 4X40 PB-SB	LPX 1X60 PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX 1X40 RB-RB	LPX 2X40 RB-RB	LPX 3X40 RB-RB	LPX 4X40 RB-RB	LPX 1X60 RB-RB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm
Technical Insert Ref:	1X40	2X40	3X40	4X40	1X60

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Linea-Perlina CFX

Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



LPX 1X2V PB-PB



1 gang 200VA
Inductive Leading
Edge Push On/
Off Rotary 2 Way
Switching Dimmer


Frame / Front Plate	
Antique Brass Frame/Antique Brass	LPX 1X2V AB-AB
Antique Brass Frame/Polished Brass	LPX 1X2V AB-PB
Antique Brass Frame/Satin Brass	LPX 1X2V AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX 1X2V HB-HB
Copper Bronze Frame/Copper Bronze	LPX 1X2V CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX 1X2V EB-EB
Polished Brass Frame/Antique Brass	LPX 1X2V PB-AB
Polished Brass Frame/Polished Brass	LPX 1X2V PB-PB
Polished Brass Frame/Satin Brass	LPX 1X2V PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX 1X2V RB-RB
Nominal Size:	92.0mm x 92.0mm
Minimum Wall Box Depth:	35mm
Technical Insert Ref:	1X2V

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Linea-Perlina CFX

Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers

LINEA-PERLINA CFX RANGE



LPX 1XTE AB-SB




LPX 2XTE AB-PB



1 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



2 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



3 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



4 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer

Frame / Front Plate	1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer
Antique Brass Frame/Antique Brass	LPX 1XTE AB-AB	LPX 2XTE AB-AB	LPX 3XTE AB-AB	LPX 4XTE AB-AB
Antique Brass Frame/Polished Brass	LPX 1XTE AB-PB	LPX 2XTE AB-PB	LPX 3XTE AB-PB	LPX 4XTE AB-PB
Antique Brass Frame/Satin Brass	LPX 1XTE AB-SB	LPX 2XTE AB-SB	LPX 3XTE AB-SB	LPX 4XTE AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX 1XTE HB-HB	LPX 2XTE HB-HB	LPX 3XTE HB-HB	LPX 4XTE HB-HB
Copper Bronze Frame/Copper Bronze	LPX 1XTE CB-CB	LPX 2XTE CB-CB	LPX 3XTE CB-CB	LPX 4XTE CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX 1XTE EB-EB	LPX 2XTE EB-EB	LPX 3XTE EB-EB	LPX 4XTE EB-EB
Polished Brass Frame/Antique Brass	LPX 1XTE PB-AB	LPX 2XTE PB-AB	LPX 3XTE PB-AB	LPX 4XTE PB-AB
Polished Brass Frame/Polished Brass	LPX 1XTE PB-PB	LPX 2XTE PB-PB	LPX 3XTE PB-PB	LPX 4XTE PB-PB
Polished Brass Frame/Satin Brass	LPX 1XTE PB-SB	LPX 2XTE PB-SB	LPX 3XTE PB-SB	LPX 4XTE PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX 1XTE RB-RB	LPX 2XTE RB-RB	LPX 3XTE RB-RB	LPX 4XTE RB-RB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
Technical Insert Ref:	1XTE	2XTE	3XTE	4XTE


NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Linea-Perlina CFX


Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers




LPX 1XTM PB-PB W







LPX 2XTM PB-SB B



LPX 3XTM AB-SB B



LPX 4XTM AB-PB B

Frame / Front Plate	 1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi- Way Dimmer	 2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi- Way Dimmer	 3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi- Way Dimmer	 4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi- Way Dimmer
Antique Brass Frame/Antique Brass	LPX 1XTM AB-AB B	LPX 2XTM AB-AB B	LPX 3XTM AB-AB B	LPX 4XTM AB-AB B
Antique Brass Frame/Polished Brass	LPX 1XTM AB-PB B	LPX 2XTM AB-PB B	LPX 3XTM AB-PB B	LPX 4XTM AB-PB B
Antique Brass Frame/Satin Brass	LPX 1XTM AB-SB B	LPX 2XTM AB-SB B	LPX 3XTM AB-SB B	LPX 4XTM AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX 1XTM HB-HB B	LPX 2XTM HB-HB B	LPX 3XTM HB-HB B	LPX 4XTM HB-HB B
Copper Bronze Frame/Copper Bronze	LPX 1XTM CB-CB B	LPX 2XTM CB-CB B	LPX 3XTM CB-CB B	LPX 4XTM CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX 1XTM EB-EB B	LPX 2XTM EB-EB B	LPX 3XTM EB-EB B	LPX 4XTM EB-EB B
Polished Brass Frame/Antique Brass	LPX 1XTM PB-AB B	LPX 2XTM PB-AB B	LPX 3XTM PB-AB B	LPX 4XTM PB-AB B
Polished Brass Frame/Antique Brass	LPX 1XTM PB-AB W	LPX 2XTM PB-AB W	LPX 3XTM PB-AB W	LPX 4XTM PB-AB W
Polished Brass Frame/Polished Brass	LPX 1XTM PB-PB B	LPX 2XTM PB-PB B	LPX 3XTM PB-PB B	LPX 4XTM PB-PB B
Polished Brass Frame/Polished Brass	LPX 1XTM PB-PB W	LPX 2XTM PB-PB W	LPX 3XTM PB-PB W	LPX 4XTM PB-PB W
Polished Brass Frame/Satin Brass	LPX 1XTM PB-SB B	LPX 2XTM PB-SB B	LPX 3XTM PB-SB B	LPX 4XTM PB-SB B
Polished Brass Frame/Satin Brass	LPX 1XTM PB-SB W	LPX 2XTM PB-SB W	LPX 3XTM PB-SB W	LPX 4XTM PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX 1XTM RB-RB B	LPX 2XTM RB-RB B	LPX 3XTM RB-RB B	LPX 4XTM RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
Technical Insert Ref:	1XTM	2XTM	3XTM	4XTM

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Insert Surround Colour Key: (B) Black, (W) White


Linea-Perlina CFX

Multi-Way Touch Slave Controllers

LINEA-PERLINA CFX RANGE







LPX 1XTS PB-SB W



LPX 2XTS AB-SB B



LPX 3XTS AB-PB B

Frame / Front Plate	 1 gang Multi-Way Touch Slave Controller	 2 gang Multi-Way Touch Slave Controller	 3 gang Multi-Way Touch Slave Controller	 4 gang Multi-Way Touch Slave Controller
Antique Brass Frame/Antique Brass	LPX 1XTS AB-AB B	LPX 2XTS AB-AB B	LPX 3XTS AB-AB B	LPX 4XTS AB-AB B
Antique Brass Frame/Polished Brass	LPX 1XTS AB-PB B	LPX 2XTS AB-PB B	LPX 3XTS AB-PB B	LPX 4XTS AB-PB B
Antique Brass Frame/Satin Brass	LPX 1XTS AB-SB B	LPX 2XTS AB-SB B	LPX 3XTS AB-SB B	LPX 4XTS AB-SB B
Connaught Bronze Frame/Connaught Bronze	LPX 1XTS HB-HB B	LPX 2XTS HB-HB B	LPX 3XTS HB-HB B	LPX 4XTS HB-HB B
Copper Bronze Frame/Copper Bronze	LPX 1XTS CB-CB B	LPX 2XTS CB-CB B	LPX 3XTS CB-CB B	LPX 4XTS CB-CB B
Etrium Bronze Frame/Etrium Bronze	LPX 1XTS EB-EB B	LPX 2XTS EB-EB B	LPX 3XTS EB-EB B	LPX 4XTS EB-EB B
Polished Brass Frame/Antique Brass	LPX 1XTS PB-AB B	LPX 2XTS PB-AB B	LPX 3XTS PB-AB B	LPX 4XTS PB-AB B
Polished Brass Frame/Polished Brass	LPX 1XTS PB-PB B	LPX 2XTS PB-PB B	LPX 3XTS PB-PB B	LPX 4XTS PB-PB B
Polished Brass Frame/Polished Brass	LPX 1XTS PB-PB W	LPX 2XTS PB-PB W	LPX 3XTS PB-PB W	LPX 4XTS PB-PB W
Polished Brass Frame/Satin Brass	LPX 1XTS PB-SB B	LPX 2XTS PB-SB B	LPX 3XTS PB-SB B	LPX 4XTS PB-SB B
Polished Brass Frame/Satin Brass	LPX 1XTS PB-SB W	LPX 2XTS PB-SB W	LPX 3XTS PB-SB W	LPX 4XTS PB-SB W
Richmond Bronze Frame/Richmond Bronze	LPX 1XTS RB-RB B	LPX 2XTS RB-RB B	LPX 3XTS RB-RB B	LPX 4XTS RB-RB B
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
Technical Insert Ref:	1XTS	2XTS	3XTS	4XTS

NOTE: To only be used with Touch Masters

Insert Surround Colour Key: (B) Black, (W) White

Linea-Perlina CFX

Blank Plates



LPX BPS AB-AB



LPX BPD AB-AB

Frame / Front Plate	Single Blank Plate	Double Blank Plate
Antique Brass Frame/Antique Brass	LPX BPS AB-AB	LPX BPD AB-AB
Antique Brass Frame/Polished Brass	LPX BPS AB-PB	LPX BPD AB-PB
Antique Brass Frame/Satin Brass	LPX BPS AB-SB	LPX BPD AB-SB
Connaught Bronze Frame/Connaught Bronze	LPX BPS HB-HB	LPX BPD HB-HB
Copper Bronze Frame/Copper Bronze	LPX BPS CB-CB	LPX BPD CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX BPS EB-EB	LPX BPD EB-EB
Polished Brass Frame/Antique Brass	LPX BPS PB-AB	LPX BPD PB-AB
Polished Brass Frame/Polished Brass	LPX BPS PB-PB	LPX BPD PB-PB
Polished Brass Frame/Satin Brass	LPX BPS PB-SB	LPX BPD PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX BPS RB-RB	LPX BPD RB-RB
Nominal Size:	92.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	Any Box	Any Box
Technical Insert Ref:	BPS	BPD

Linea-Perlina CFX

Grid-IT GridFix Plates complete with Fixing Grid


LINEA-PERLINA CFX RANGE







LPX 1GP PB-PB



LPX 2GP AB-PB



LPX 3GP AB-SB

Frame / Front Plate	 1 Gang Grid Fix Aperture Plate with Grid	 2 Gang Grid Fix Aperture Plate with Grid	 3 Gang Grid Fix Aperture Plate with Grid	 4 Gang Grid Fix Aperture Plate with Grid
Antique Brass Frame/Antique Brass	LPX 1GP AB-AB	LPX 2GP AB-AB	LPX 3GP AB-AB	LPX 4GP AB-AB
Antique Brass Frame/Polished Brass	LPX 1GP AB-PB	LPX 2GP AB-PB	LPX 3GP AB-PB	LPX 4GP AB-PB
Antique Brass Frame/Satin Brass	LPX 1GP AB-SB	LPX 2GP AB-SB	LPX 3GP AB-SB	LPX 4GP AB-SB
Copper Bronze Frame/Copper Bronze	LPX 1GP CB-CB	LPX 2GP CB-CB	LPX 3GP CB-CB	LPX 4GP CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX 1GP EB-EB	LPX 2GP EB-EB	LPX 3GP EB-EB	LPX 4GP EB-EB
Connaught Bronze Frame/Connaught Bronze	LPX 1GP HB-HB	LPX 2GP HB-HB	LPX 3GP HB-HB	LPX 4GP HB-HB
Polished Brass Frame/Antique Brass	LPX 1GP PB-AB	LPX 2GP PB-AB	LPX 3GP PB-AB	LPX 4GP PB-AB
Polished Brass Frame/Polished Brass	LPX 1GP PB-PB	LPX 2GP PB-PB	LPX 3GP PB-PB	LPX 4GP PB-PB
Polished Brass Frame/Satin Brass	LPX 1GP PB-SB	LPX 2GP PB-SB	LPX 3GP PB-SB	LPX 4GP PB-SB
Richmond Bronze Frame/Richmond Bronze	LPX 1GP RB-RB	LPX 2GP RB-RB	LPX 3GP RB-RB	LPX 4GP RB-RB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts
Technical Insert Ref:	1GP	2GP	3GP	4GP

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.

Linea-Perlina CFX





EuroFix Apertured Plates complete with Fixing Grid



LPX EURO1 AB-SB



LPX EURO2 AB-PB

Frame / Front Plate	 Single Plate complete with 1 EuroFix Aperture 25x50mm and Grid	 Single Plate complete with 2 EuroFix Apertures 50x50mm and Grid	 Double Plate complete with 3 EuroFix Apertures 75x50mm and Grid	 Double Plate complete with 4 EuroFix Apertures 100x50mm and Grid
Copper Bronze Frame/Copper Bronze	LPX EURO1 CB-CB	LPX EURO2 CB-CB	LPX EURO3 CB-CB	LPX EURO4 CB-CB
Etrium Bronze Frame/Etrium Bronze	LPX EURO1 EB-EB	LPX EURO2 EB-EB	LPX EURO3 EB-EB	LPX EURO4 EB-EB
Connaught Bronze Frame/Connaught Bronze	LPX EURO1 HB-HB	LPX EURO2 HB-HB	LPX EURO3 HB-HB	LPX EURO4 HB-HB
Richmond Bronze Frame/Richmond Bronze	LPX EURO1 RB-RB	LPX EURO2 RB-RB	LPX EURO3 RB-RB	LPX EURO4 RB-RB
Polished Brass Frame/Polished Brass	LPX EURO1 PB-PB	LPX EURO2 PB-PB	LPX EURO3 PB-PB	LPX EURO4 PB-PB
Polished Brass Frame/Satin Brass	LPX EURO1 PB-SB	LPX EURO2 PB-SB	LPX EURO3 PB-SB	LPX EURO4 PB-SB
Polished Brass Frame/Antique Brass	LPX EURO1 PB-AB	LPX EURO2 PB-AB	LPX EURO3 PB-AB	LPX EURO4 PB-AB
Antique Brass Frame/Antique Brass	LPX EURO1 AB-AB	LPX EURO2 AB-AB	LPX EURO3 AB-AB	LPX EURO4 AB-AB
Antique Brass Frame/Polished Brass	LPX EURO1 AB-PB	LPX EURO2 AB-PB	LPX EURO3 AB-PB	LPX EURO4 AB-PB
Antique Brass Frame/Satin Brass	LPX EURO1 AB-SB	LPX EURO2 AB-SB	LPX EURO3 AB-SB	LPX EURO4 AB-SB
Nominal Size:	92.0mm x 92.0mm	92.0mm x 92.0mm	151.0mm x 92.0mm	151.0mm x 92.0mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts
Technical Insert Ref:	EURO1	EURO2	EURO3	EURO4

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.