




Photo: Vinicius Amano

Wall coverings/murals supplied by www.ATADesigns.com


Perception CFX®

Concealed Fixing Accessories on subtle clear plastic plates

The Perception CFX® range of concealed fixing electrical wiring accessories with snap-on clear front plates, are cleverly designed to insert your own wallpaper or alternatively the supplied template can be painted, thereby blending discreetly into the interior decor.

- A clear plate that blends into the décor
- Concealed fixing
- Accommodates your own choice of wall covering
- A cutting template is supplied with each electrical accessory
- Grid and EuroFix options also available (see separate GRID-IT and EuroFix Sections)

Perception Range





Wall coverings/murals supplied by www.ATADesigns.com

Insert finishes available in this range




Plate Dimensions



Step 1
Having applied the desired wall covering and cut away from the wall box aperture, insert and fix the accessory with the two screws supplied.

Step 3
Place the cut out piece of wallpaper into the back of the clear front plate.



Step 2
Carefully cut out the shape of the front plate using the template supplied.

Step 4
Position and snap the front plate onto the accessory backplate using the integral clips to conceal the accessory and fixing screws.

Perception CFX

Rocker Switches - on Transparent Plates

PERCEPTION CFX RANGE

							
PC R21 SC-W		PC R22 PB-B		PC R23 AB-B		PC R24 AB-B	
Plate Finish	Insert Finish/ Surround Colour	 1 gang 10AX 2 Way Rocker	 2 gang 10AX 2 Way Rocker	 3 gang 10AX 2 Way Rocker	 4 gang 10AX 2 Way Rocker	 1 gang 10AX Intermediate Rocker	 1 gang 10A Triple Pole Rocker
Clear	Antique Brass/Black	PC R21 AB-B	PC R22 AB-B	PC R23 AB-B	PC R24 AB-B	PC R31 AB-B	-
Clear	Bright Chrome/Black	PC R21 BC-B	PC R22 BC-B	PC R23 BC-B	PC R24 BC-B	PC R31 BC-B	-
Clear	Bright Chrome/White	PC R21 BC-W	PC R22 BC-W	PC R23 BC-W	PC R24 BC-W	PC R31 BC-W	-
Clear	Black Nickel/Black	PC R21 BK-B	PC R22 BK-B	PC R23 BK-B	PC R24 BK-B	PC R31 BK-B	-
Clear	Black/Black	PC R21 BL-B	PC R22 BL-B	PC R23 BL-B	PC R24 BL-B	PC R31 BL-B	PC TP BL-B
Clear	Polished Brass/Black	PC R21 PB-B	PC R22 PB-B	PC R23 PB-B	PC R24 PB-B	PC R31 PB-B	-
Clear	Polished Brass/White	PC R21 PB-W	PC R22 PB-W	PC R23 PB-W	PC R24 PB-W	PC R31 PB-W	-
Clear	Satin Brass/Black	PC R21 SB-B	PC R22 SB-B	PC R23 SB-B	PC R24 SB-B	PC R31 SB-B	-
Clear	Satin Brass/White	PC R21 SB-W	PC R22 SB-W	PC R23 SB-W	PC R24 SB-W	PC R31 SB-W	-
Clear	Satin Chrome/Black	PC R21 SC-B	PC R22 SC-B	PC R23 SC-B	PC R24 SC-B	PC R31 SC-B	-
Clear	Satin Chrome/White	PC R21 SC-W	PC R22 SC-W	PC R23 SC-W	PC R24 SC-W	PC R31 SC-W	-
Clear	White/White	PC R21 WH-W	PC R22 WH-W	PC R23 WH-W	PC R24 WH-W	PC R31 WH-W	PC TP WH-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm	25mm
Technical Insert Ref:		R21	R22	R23	R24	R31	TP

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Rocker Switches - on Transparent Plates

PC R222 WH-W		PC R212 BC-W		PC R232 SB-B		PC R242 SB-B	
Plate Finish	Insert Finish/ Surround Colour	 1 gang 20AX 2 Way Rocker	 2 gang 20AX 2 Way Rocker	 3 gang 20AX 2 Way Rocker	 4 gang 20AX 2 Way Rocker	 1 gang 20AX Intermediate Rocker	
Clear	Antique Brass/Black	PC R212 AB-B	PC R222 AB-B	PC R232 AB-B	PC R242 AB-B	PC R312 AB-B	
Clear	Bright Chrome/Black	PC R212 BC-B	PC R222 BC-B	PC R232 BC-B	PC R242 BC-B	PC R312 BC-B	
Clear	Bright Chrome/White	PC R212 BC-W	PC R222 BC-W	PC R232 BC-W	PC R242 BC-W	PC R312 BC-W	
Clear	Black Nickel/Black	PC R212 BK-B	PC R222 BK-B	PC R232 BK-B	PC R242 BK-B	PC R312 BK-B	
Clear	Black/Black	PC R212 BL-B	PC R222 BL-B	PC R232 BL-B	PC R242 BL-B	PC R312 BL-B	
Clear	Polished Brass/Black	PC R212 PB-B	PC R222 PB-B	PC R232 PB-B	PC R242 PB-B	PC R312 PB-B	
Clear	Polished Brass/White	PC R212 PB-W	PC R222 PB-W	PC R232 PB-W	PC R242 PB-W	PC R312 PB-W	
Clear	Satin Brass/Black	PC R212 SB-B	PC R222 SB-B	PC R232 SB-B	PC R242 SB-B	PC R312 SB-B	
Clear	Satin Brass/White	PC R212 SB-W	PC R222 SB-W	PC R232 SB-W	PC R242 SB-W	PC R312 SB-W	
Clear	Satin Chrome/Black	PC R212 SC-B	PC R222 SC-B	PC R232 SC-B	PC R242 SC-B	PC R312 SC-B	
Clear	Satin Chrome/White	PC R212 SC-W	PC R222 SC-W	PC R232 SC-W	PC R242 SC-W	PC R312 SC-W	
Clear	White/White	PC R212 WH-W	PC R222 WH-W	PC R232 WH-W	PC R242 WH-W	PC R312 WH-W	
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm	86.0mm x 86.0mm	
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm	
Technical Insert Ref:		R212	R222	R232	R242	R312	

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Toggle Switches - on Transparent Plates

PERCEPTION CFX RANGE



PC T21 AB



PC T22 BC



PC T23 BK






PC T24 AB


											
Plate Finish	Insert Finish	1 gang 20AX 2 Way Toggle		2 gang 20AX 2 Way Toggle		3 gang 20AX 2 Way Toggle		4 gang 20AX 2 Way Toggle		1 gang 20AX Intermediate Toggle	
Clear	Antique Brass	PC T21 AB		PC T22 AB		PC T23 AB		PC T24 AB		PC T31 AB	
Clear	Bright Chrome	PC T21 BC		PC T22 BC		PC T23 BC		PC T24 BC		PC T31 BC	
Clear	Black Nickel	PC T21 BK		PC T22 BK		PC T23 BK		PC T24 BK		PC T31 BK	
Clear	Polished Brass	PC T21 PB		PC T22 PB		PC T23 PB		PC T24 PB		PC T31 PB	
Clear	Satin Brass	PC T21 SB		PC T22 SB		PC T23 SB		PC T24 SB		PC T31 SB	
Clear	Satin Chrome	PC T21 SC		PC T22 SC		PC T23 SC		PC T24 SC		PC T31 SC	
Nominal Size:		86.0mm x 86.0mm		86.0mm x 86.0mm		145.0mm x 86.0mm		145.0mm x 86.0mm		86.0mm x 86.0mm	
Minimum Wall Box Depth:		35mm		35mm		35mm		35mm		35mm	
Technical Insert Ref:		T21		T22		T23		T24		T31	

Perception CFX

Power Sockets - on Transparent Plates

						
PC SS1 BC-W		PC SS2 BC-W				
Plate Finish	Insert Finish/ Surround Colour	 1 gang 13A Double Pole Switched Socket	 2 gang 13A Double Pole Switched Socket	 2 gang 13A Double Pole Switched Socket with 2 USB Outlet 2x2.4A (4.8A Total)	 1 gang 5A Unswitched Socket	 Shaver Dual Voltage Unswitched Socket (Vertically Mounted)
Clear	Antique Brass/Black	PC SS1 AB-B	PC SS2 AB-B	-	-	-
Clear	Bright Chrome/Black	PC SS1 BC-B	PC SS2 BC-B	-	-	-
Clear	Bright Chrome/White	PC SS1 BC-W	PC SS2 BC-W	-	-	-
Clear	Black Nickel/Black	PC SS1 BK-B	PC SS2 BK-B	-	-	-
Clear	Black/Black	PC SS1 BL-B	PC SS2 BL-B	-	PC USS B	PC SHS B
Clear	Polished Brass/Black	PC SS1 PB-B	PC SS2 PB-B	-	-	-
Clear	Polished Brass/White	PC SS1 PB-W	PC SS2 PB-W	-	-	-
Clear	Satin Brass/Black	PC SS1 SB-B	PC SS2 SB-B	-	-	-
Clear	Satin Brass/White	PC SS1 SB-W	PC SS2 SB-W	-	-	-
Clear	Satin Chrome/Black	PC SS1 SC-B	PC SS2 SC-B	-	-	-
Clear	Satin Chrome/White	PC SS1 SC-W	PC SS2 SC-W	-	-	-
Clear	White/White	PC SS1 WH-W	PC SS2 WH-W	-	PC USS W	PC SHS W
Nominal Size: Minimum Wall Box Depth: Technical Insert Ref:		86.0mm x 86.0mm 35mm SS1	145.0mm x 86.0mm 35mm SS2		86.0mm x 86.0mm 35mm USS	86.0mm x 145.0mm 47mm SHS

International Power Sockets - on Transparent Plates

Plate Finish	Insert Finish/ Surround Colour	 1 gang 15A 110V AC American Unswitched Socket	 2 gang 15A 110V AC American Unswitched Socket	 1 gang 10/16A 220/250V AC German Unswitched Socket
Clear	Antique Brass/Black	-	-	-
Clear	Bright Chrome/Black	-	-	-
Clear	Bright Chrome/White	-	-	-
Clear	Black Nickel/Black	-	-	-
Clear	Black/Black	PC 5258 B	PC 5320 B	PC 6126 B
Clear	Polished Brass/Black	-	-	-
Clear	Polished Brass/White	-	-	-
Clear	Satin Brass/Black	-	-	-
Clear	Satin Brass/White	-	-	-
Clear	Satin Chrome/Black	-	-	-
Clear	Satin Chrome/White	-	-	-
Clear	White/White	PC 5258 W	PC 5320 W	PC 6126 W
Nominal Size: Minimum Wall Box Depth: Technical Insert Ref:		86.0mm x 86.0mm 35mm 5258	145.0mm x 86.0mm 35mm 5320	86.0mm x 86.0mm 47mm 6126

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Key Switches - on Transparent Plates



PC K21 B

Plate Finish	Insert Colour	 1 gang 20AX 2 Way Key Switch	 1 gang 20AX 2 Way Key Switch EMG LTG TEST
Clear	Black	PC K21 B	PC KEL B
Clear	White	PC K21 W	PC KEL W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm
Technical Insert Ref:		K21	KEL

Hotel Card Switch with LED - on Transparent Plates



PC C11 SC-W

Plate Finish	Insert Finish/ Surround Colour	 1 gang 10A (6AX) Card Switch On/Off with Blue LED Locator
Clear	Antique Brass/Black	PC C11 AB-B
Clear	Bright Chrome/Black	PC C11 BC-B
Clear	Bright Chrome/White	PC C11 BC-W
Clear	Black Nickel/Black	PC C11 BK-B
Clear	Black/Black	PC C11 BL-B
Clear	Polished Brass/Black	PC C11 PB-B
Clear	Polished Brass/White	PC C11 PB-W
Clear	Satin Brass/Black	PC C11 SB-B
Clear	Satin Brass/White	PC C11 SB-W
Clear	Satin Chrome/Black	PC C11 SC-B
Clear	Satin Chrome/White	PC C11 SC-W
Clear	White/White	PC C11 WH-W
Nominal Size:		86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm
Technical Insert Ref:		C11

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Television Coaxial Sockets - on Transparent Plates

									
		PCTVB		PCTVFMW		PCTVIB		PCSATI W	
									
		1 gang Non-Isolated TV 1in/1out		Isolated TV/FM Diplexer 1in/2out		1 gang Isolated TV 1in/1out		2 gang Non-Isolated TV+Satellite 2in/2out	
									
		1 gang Non-Isolated Satellite		1 gang Isolated Satellite					
Plate Finish	Insert Colour								
Clear	Black	PCTVB B		PCTVFM B		PCTVIB B		PCTVSAT B	
Clear	White	PCTVW		PCTVFM W		PCTVI W		PCTVSAT W	
Nominal Size:		86.0mm x 86.0mm		86.0mm x 86.0mm		86.0mm x 86.0mm		86.0mm x 86.0mm	
Minimum Wall Box Depth:		25mm		25mm		25mm		35mm	
Technical Insert Ref:		TV		TVFM		TVI		SATN	

Digital Television Sockets - on Transparent Plates

- Screened Non-Isolated / DAB Compatible

									
		PCDTRID B		PCDTVFW		PCDTVM B		PCDSAT W	
									
		Non-Isolated TV+FM+SAT Triplexer 1in/3out (DAB Compatible)		1 gang Non-Isolated TV (Female) (DAB Compatible)		1 gang Non-Isolated TV (Male) (DAB Compatible)		1 gang Non-Isolated Satellite (DAB Compatible)	
									
		Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out +TVF+TCS (DAB Compatible)							
Plate Finish	Insert Colour								
Clear	Black	PCDTRID B		PCDTVFB		PCDTVM B		PCDSAT B	
Clear	White	PCDTRID W		PCDTVFW		PCDTVM W		PCDSAT W	
Nominal Size:		86.0mm x 86.0mm		86.0mm x 86.0mm		86.0mm x 86.0mm		86.0mm x 86.0mm	
Minimum Wall Box Depth:		35mm		35mm		35mm		35mm	
Technical Insert Ref:		DTRID		DTVFB		DTVM		DSAT	

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Telephone and Data Outlets - on Transparent Plates

PERCEPTION CFX RANGE

							
PC TCS W		PC 2J12 W		PC J45 B		PC 2J45 W	
Plate Finish	Insert Colour	 1 gang Telephone Master	 1 gang Telephone Slave	 1 gang RJ12 Outlet - Unshielded	 2 gang RJ12 Outlet - Unshielded	 1 gang RJ45 CAT 5E Outlet - Unshielded	 2 gang RJ45 CAT 5E Outlet - Unshielded
Clear	Black	PC TCM B	PC TCS B	PC J12 B	PC 2J12 B	PC J45 B	PC 2J45 B
Clear	White	PC TCM W	PC TCS W	PC J12 W	PC 2J12 W	PC J45 W	PC 2J45 W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	35mm	35mm	35mm	35mm
Technical Insert Ref:		TCM	TCS	J12	2J12	J45	2J45

Insert Surround Colour Key: (-B) Black, (-W) White


Perception CFX

Double Pole Switches

- on Transparent Plates



PC DPN SC-W

Plate Colour	Insert Finish/ Surround Colour	 1 gang 20AX Double Pole Rocker + Neon	 1 gang 45A Double Pole Red Rocker + Neon	 45A Double Pole Red Rocker + Neon + 13A Switched Socket
Clear	Antique Brass/Black	PC DPN AB-B	-	PC 45SS1 AB-B
Clear	Bright Chrome/Black	PC DPN BC-B	-	PC 45SS1 BC-B
Clear	Bright Chrome/White	PC DPN BC-W	-	PC 45SS1 BC-W
Clear	Black Nickel/Black	PC DPN BK-B	-	PC 45SS1 BK-B
Clear	Black/Black	PC DPN BL-B	PC 45N B	PC 45SS1 BL-B
Clear	Polished Brass/Black	PC DPN PB-B	-	PC 45SS1 PB-B
Clear	Polished Brass/White	PC DPN PB-W	-	PC 45SS1 PB-W
Clear	Satin Brass/Black	PC DPN SB-B	-	PC 45SS1 SB-B
Clear	Satin Brass/White	PC DPN SB-W	-	PC 45SS1 SB-W
Clear	Satin Chrome/Black	PC DPN SC-B	-	PC 45SS1 SC-B
Clear	Satin Chrome/White	PC DPN SC-W	-	PC 45SS1 SC-W
Clear	White/White	PC DPN WH-W	PC 45N W	PC 45SS1 WH-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	35mm	35mm
Technical Insert Ref:		DPN	45N	45SS1

Connection Units

- on Transparent Plates



PC SPN BC-B

Insert Finish/ Surround Colour	 1 gang 13A Double Pole Fused Spur + Neon	 1 gang 13A Fuse with Red Neon Halo
Antique Brass/Black	PC SPN AB-B	-
Antique Brass/Red	-	PC FN AB-R
Bright Chrome/Black	PC SPN BC-B	-
Bright Chrome/Red	-	PC FN BC-R
Bright Chrome/White	PC SPN BC-W	-
Black Nickel/Black	PC SPN BK-B	-
Black Nickel/Red	-	PC FN BK-R
Black/Black	PC SPN BL-B	-
Black/Red	-	PC FN BL-R
Polished Brass/Black	PC SPN PB-B	-
Polished Brass/Red	-	PC FN PB-R
Polished Brass/White	PC SPN PB-W	-
Satin Brass/Black	PC SPN SB-B	-
Satin Brass/Red	-	PC FN SB-R
Satin Brass/White	PC SPN SB-W	-
Satin Chrome/Black	PC SPN SC-B	-
Satin Chrome/Red	-	PC FN SC-R
Satin Chrome/White	PC SPN SC-W	-
White/White	PC SPN WH-W	-
White/Red	-	PC FN WH-R
Nominal Size:		86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm
Technical Insert Ref:		SPN
		FN

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers - on Transparent Plates



PC 1XLEDITB100 SC



PC 2XLEDITB100 BC



PC 3XLEDITB100 PB



PC 4XLEDITB100 SC

Plate Finish	Insert Finish	 1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	 2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	 3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	 4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Clear	Antique Brass	PC 1XLEDITB100 AB	PC 2XLEDITB100 AB	PC 3XLEDITB100 AB	PC 4XLEDITB100 AB
Clear	Bright Chrome	PC 1XLEDITB100 BC	PC 2XLEDITB100 BC	PC 3XLEDITB100 BC	PC 4XLEDITB100 BC
Clear	Black Nickel	PC 1XLEDITB100 BK	PC 2XLEDITB100 BK	PC 3XLEDITB100 BK	PC 4XLEDITB100 BK
Clear	Black	PC 1XLEDITB100 BL	PC 2XLEDITB100 BL	PC 3XLEDITB100 BL	PC 4XLEDITB100 BL
Clear	Polished Brass	PC 1XLEDITB100 PB	PC 2XLEDITB100 PB	PC 3XLEDITB100 PB	PC 4XLEDITB100 PB
Clear	Satin Brass	PC 1XLEDITB100 SB	PC 2XLEDITB100 SB	PC 3XLEDITB100 SB	PC 4XLEDITB100 SB
Clear	Satin Chrome	PC 1XLEDITB100 SC	PC 2XLEDITB100 SC	PC 3XLEDITB100 SC	PC 4XLEDITB100 SC
Clear	White	PC 1XLEDITB100 WH	PC 2XLEDITB100 WH	PC 3XLEDITB100 WH	PC 4XLEDITB100 WH
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1XLEDITB	2XLEDITB	3XLEDITB	4XLEDITB

LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers - on Transparent Plates

Plate Finish	Insert Finish	 1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer	 2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer	 3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer	 4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer
Clear	Antique Brass	PC 1X100LED AB	PC 2X100LED AB	PC 3X100LED AB	PC 4X100LED AB
Clear	Bright Chrome	PC 1X100LED BC	PC 2X100LED BC	PC 3X100LED BC	PC 4X100LED BC
Clear	Black Nickel	PC 1X100LED BK	PC 2X100LED BK	PC 3X100LED BK	PC 4X100LED BK
Clear	Black	PC 1X100LED BL	PC 2X100LED BL	PC 3X100LED BL	PC 4X100LED BL
Clear	Polished Brass	PC 1X100LED PB	PC 2X100LED PB	PC 3X100LED PB	PC 4X100LED PB
Clear	Satin Brass	PC 1X100LED SB	PC 2X100LED SB	PC 3X100LED SB	PC 4X100LED SB
Clear	Satin Chrome	PC 1X100LED SC	PC 2X100LED SC	PC 3X100LED SC	PC 4X100LED SC
Clear	White	PC 1X100LED WH	PC 2X100LED WH	PC 3X100LED WH	PC 4X100LED WH
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1X100LED	2X100LED	3X100LED	4X100LED

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.

NOTE: Please refer to the Dimmer Technical Section for the max Wattage.

NOTE: Please contact our Technical Department for compatibility.

Perception CFX

Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers - on Transparent Plates



PC 1X40 BL



PC 2X40 BC

Plate Finish	Insert Finish	 1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	 2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang	 3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang	 4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang
Clear	Antique Brass	PC 1X40 AB	PC 2X40 AB	PC 3X40 AB	PC 4X40 AB
Clear	Bright Chrome	PC 1X40 BC	PC 2X40 BC	PC 3X40 BC	PC 4X40 BC
Clear	Black Nickel	PC 1X40 BK	PC 2X40 BK	PC 3X40 BK	PC 4X40 BK
Clear	Black	PC 1X40 BL	PC 2X40 BL	PC 3X40 BL	PC 4X40 BL
Clear	Polished Brass	PC 1X40 PB	PC 2X40 PB	PC 3X40 PB	PC 4X40 PB
Clear	Satin Brass	PC 1X40 SB	PC 2X40 SB	PC 3X40 SB	PC 4X40 SB
Clear	Satin Chrome	PC 1X40 SC	PC 2X40 SC	PC 3X40 SC	PC 4X40 SC
Clear	White	PC 1X40 WH	PC 2X40 WH	PC 3X40 WH	PC 4X40 WH
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1X40	2X40	3X40	4X40

Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers - on Transparent Plates

Plate Finish	Insert Finish	 1 gang 200VA Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Clear	Antique Brass	PC 1X2V AB
Clear	Bright Chrome	PC 1X2V BC
Clear	Black Nickel	PC 1X2V BK
Clear	Black	PC 1X2V BL
Clear	Polished Brass	PC 1X2V PB
Clear	Satin Brass	PC 1X2V SB
Clear	Satin Chrome	PC 1X2V SC
Clear	White	PC 1X2V WH
Nominal Size:		86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm
Technical Insert Ref:		1X2V

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
NOTE: Please refer to the Dimmer Technical Section for the max wattage

Perception CFX

Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers - on Transparent Plates

PERCEPTION CFX RANGE

							
PC 1XTE SC		PC 2XTE SB		PC 3XTE AB		PC 4XTE BC	
							
1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer		2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer		3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer		4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	
Plate Finish	Insert Finish	PC 1XTE AB		PC 2XTE AB		PC 3XTE AB	
Clear	Antique Brass	PC 1XTE BC		PC 2XTE BC		PC 4XTE AB	
Clear	Bright Chrome	PC 1XTE BK		PC 2XTE BK		PC 4XTE BC	
Clear	Black Nickel	PC 1XTE BL		PC 2XTE BL		PC 4XTE BK	
Clear	Black	PC 1XTE PB		PC 2XTE PB		PC 4XTE BL	
Clear	Polished Brass	PC 1XTE SB		PC 2XTE SB		PC 4XTE PB	
Clear	Satin Brass	PC 2XTE SC		PC 3XTE SB		PC 4XTE SB	
Clear	Satin Chrome	PC 2XTE WH		PC 3XTE SC		PC 4XTE SC	
Clear	White	PC 3XTE WH		PC 4XTE WH			
Nominal Size:		86.0mm x 86.0mm		145.0mm x 86.0mm		145.0mm x 86.0mm	
Minimum Wall Box Depth:		35mm		35mm		35mm	
Technical Insert Ref:		1XTE		2XTE		3XTE	
						4XTE	

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
NOTE: Please refer to the Dimmer Technical Section for the max wattage

Perception CFX

Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers - on Transparent Plates



PC 1XTM SC-W



PC 2XTM SC-W

Plate Finish	Insert Finish/ Surround Colour	1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer
Clear	Antique Brass/Black	PC 1XTM AB-B	PC 2XTM AB-B	PC 3XTM AB-B	PC 4XTM AB-B
Clear	Bright Chrome/Black	PC 1XTM BC-B	PC 2XTM BC-B	PC 3XTM BC-B	PC 4XTM BC-B
Clear	Bright Chrome/White	PC 1XTM BC-W	PC 2XTM BC-W	PC 3XTM BC-W	PC 4XTM BC-W
Clear	Black Nickel/Black	PC 1XTM BK-B	PC 2XTM BK-B	PC 3XTM BK-B	PC 4XTM BK-B
Clear	Black/Black	-	-	-	-
Clear	Polished Brass/Black	PC 1XTM PB-B	PC 2XTM PB-B	PC 3XTM PB-B	PC 4XTM PB-B
Clear	Polished Brass/White	PC 1XTM PB-W	PC 2XTM PB-W	PC 3XTM PB-W	PC 4XTM PB-W
Clear	Satin Brass/Black	PC 1XTM SB-B	PC 2XTM SB-B	PC 3XTM SB-B	PC 4XTM SB-B
Clear	Satin Brass/White	PC 1XTM SB-W	PC 2XTM SB-W	PC 3XTM SB-W	PC 4XTM SB-W
Clear	Satin Chrome/Black	PC 1XTM SC-B	PC 2XTM SC-B	PC 3XTM SC-B	PC 4XTM SC-B
Clear	Satin Chrome/White	PC 1XTM SC-W	PC 2XTM SC-W	PC 3XTM SC-W	PC 4XTM SC-W
Clear	White/White	-	-	-	-
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1XTM	2XTM	3XTM	4XTM

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
NOTE: Please refer to the Dimmer Technical Section for the max wattage

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Multi-Way Touch Slave Controllers - on Transparent Plates

PERCEPTION CFX RANGE




PC 1XTS AB-B



PC 2XTS SC-B



PC 3XTS AB-B



PC 4XTS SB-B

Plate Finish	Insert Finish/ Surround Colour	 1 gang Multi-Way Touch Slave Controller	 2 gang Multi-Way Touch Slave Controller	 3 gang Multi-Way Touch Slave Controller	 4 gang Multi-Way Touch Slave Controller
Clear	Antique Brass/Black	PC 1XTS AB-B	PC 2XTS AB-B	PC 3XTS AB-B	PC 4XTS AB-B
Clear	Bright Chrome/Black	PC 1XTS BC-B	PC 2XTS BC-B	PC 3XTS BC-B	PC 4XTS BC-B
Clear	Bright Chrome/White	PC 1XTS BC-W	PC 2XTS BC-W	PC 3XTS BC-W	PC 4XTS BC-W
Clear	Black Nickel/Black	PC 1XTS BK-B	PC 2XTS BK-B	PC 3XTS BK-B	PC 4XTS BK-B
Clear	Black/Black	-	-	-	-
Clear	Polished Brass/Black	PC 1XTS PB-B	PC 2XTS PB-B	PC 3XTS PB-B	PC 4XTS PB-B
Clear	Polished Brass/White	PC 1XTS PB-W	PC 2XTS PB-W	PC 3XTS PB-W	PC 4XTS PB-W
Clear	Satin Brass/Black	PC 1XTS SB-B	PC 2XTS SB-B	PC 3XTS SB-B	PC 4XTS SB-B
Clear	Satin Brass/White	PC 1XTS SB-W	PC 2XTS SB-W	PC 3XTS SB-W	PC 4XTS SB-W
Clear	Satin Chrome/Black	PC 1XTS SC-B	PC 2XTS SC-B	PC 3XTS SC-B	PC 4XTS SC-B
Clear	Satin Chrome/White	PC 1XTS SC-W	PC 2XTS SC-W	PC 3XTS SC-W	PC 4XTS SC-W
Clear	White/White	-	-	-	-
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1XTS	2XTS	3XTS	4XTS

NOTE: To only be used with Touch Masters

Insert Surround Colour Key: (-B) Black, (-W) White

Perception CFX

Blank Plates on Transparent Plates



PC BPS

Plate Finish	Single Blank Plate	Double Blank Plate
Clear	PC BPS	PC BPD
Nominal Size:	86.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:	Any Box	Any Box
Technical Insert Ref:	BPS	BPD

GRID-IT GridFix Apertured Plates complete with Fixing Grid - on Transparent Plates



PC 1GP



PC 2GP



PC 4GP

Plate Finish	1 Gang Grid Fix Aperture Plate with Grid	2 Gang Grid Fix Aperture Plate with Grid	3 Gang Grid Fix Aperture Plate with Grid	4 Gang Grid Fix Aperture Plate with Grid
Clear	PC 1GP	PC 2GP	PC 3GP	PC 4GP
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:	As Per Insert	As Per Insert	As Per Insert	As Per Insert
Technical Insert Ref:	1GP	2GP	3GP	4GP

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.

EuroFix Apertured Plates complete with Fixing Grid - on Transparent Plates



PC EURO2

Plate Finish	1 Module EuroFix 25x50mm Apertured Plate with Grid	2 Module EuroFix 50x50mm Apertured Plate with Grid	3 Module EuroFix 75x50 Apertured Plate with Grid	4 Module EuroFix 100x50mm Apertured Plate with Grid
Clear	PC EURO1	PCEURO2	PC EURO3	PC EURO4
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Aperture:	25x50mm	50x50mm	75x50mm	100x50mm
Minimum Wall Box Depth:	As Per Insert	As Per Insert	As Per Insert	As Per Insert
Technical Insert Ref:	EURO1	EURO2	EURO3	EURO4

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.