

Sheer

Quality Accessories on Stylish Flat Plates

Sheer's minimalist flat plate switches and sockets meld seamlessly into modern interiors. This modern and elegant range is available in fantastic finishes and by mixing box fix with grid and concealed fixing in this range, allows it to be very flexible for different areas of a project and costs can be minimised without losing continuity of design.

- Minimalist, modern flat plate
- Visible fixing
- Fantastic finishes
- Standard box-fix electrical accessories
- Grid and EuroFix options also available (see separate GRID-IT and EuroFix section for inserts)



Sheer Range



87 5S1USB BC-B

89 45N B

81 R22 PB W

84 DTRID W

Plate finishes available in this range



Antique Brass

Black Nickel

Bright Chrome

Bright Stainless

Gloss White

Matt Black

Matt White

Polished Brass

Richmond Bronze


Satin Brass

Satin Chrome

Satin Stainless

Hamilton Sheer

Plate Depth 1.5 mm including Gasket



Box-Fix to Back Box

Sheer

Rocker Switches



89 R21 AB-B



81 R22 PB-W



87 R23 BC-B



83 R24 BC-W



1 gang 10AX
2 Way Rocker




2 gang 10AX
2 Way Rocker



3 gang 10AX
2 Way Rocker



4 gang 10AX
2 Way Rocker



6 gang 10AX
2 Way Rocker

Plate Finish	Insert Finish/ Surround Colour	1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	4 gang 10AX 2 Way Rocker	6 gang 10AX 2 Way Rocker
Antique Brass	Antique Brass/Black	89 R21 AB-B	89 R22 AB-B	89 R23 AB-B	89 R24 AB-B	89 R26 AB-B
Black Nickel	Black Nickel/Black	88 R21 BK-B	88 R22 BK-B	88 R23 BK-B	88 R24 BK-B	88 R26 BK-B
Bright Chrome	Black/Black	87 R21 BL-B	87 R22 BL-B	87 R23 BL-B	87 R24 BL-B	87 R26 BL-B
Bright Chrome	Bright Chrome/Black	87 R21 BC-B	87 R22 BC-B	87 R23 BC-B	87 R24 BC-B	87 R26 BC-B
Bright Chrome	Bright Chrome/White	87 R21 BC-W	87 R22 BC-W	87 R23 BC-W	87 R24 BC-W	87 R26 BC-W
Bright Chrome	White/White	87 R21 WH-W	87 R22 WH-W	87 R23 WH-W	87 R24 WH-W	87 R26 WH-W
Bright Steel	Bright Chrome/Black	83 R21 BC-B	83 R22 BC-B	83 R23 BC-B	83 R24 BC-B	83 R26 BC-B
Bright Steel	Bright Chrome/White	83 R21 BC-W	83 R22 BC-W	83 R23 BC-W	83 R24 BC-W	83 R26 BC-W
Gloss White	White/White	80 R21 WH-W	80 R22 WH-W	80 R23 WH-W	80 R24 WH-W	80 R26 WH-W
Matt Black	Black/Black	8MB R21 BL-B	8MB R22 BL-B	-	-	-
Matt White	White/White	8MW R21 WH-W	8MW R22 WH-W	8MW R23 WH-W	8MW R24 WH-W	8MW R26 WH-W
Polished Brass	Black/Black	81 R21 BL-B	81 R22 BL-B	81 R23 BL-B	81 R24 BL-B	81 R26 BL-B
Polished Brass	Polished Brass/Black	81 R21 PB-B	81 R22 PB-B	81 R23 PB-B	81 R24 PB-B	81 R26 PB-B
Polished Brass	Polished Brass/White	81 R21 PB-W	81 R22 PB-W	81 R23 PB-W	81 R24 PB-W	81 R26 PB-W
Polished Brass	White/White	81 R21 WH-W	81 R22 WH-W	81 R23 WH-W	81 R24 WH-W	81 R26 WH-W
Richmond Bronze	Black/Black	8RB R21 BL-B	8RB R22 BL-B	-	-	-
Satin Brass	Black/Black	82 R21 BL-B	82 R22 BL-B	82 R23 BL-B	82 R24 BL-B	82 R26 BL-B
Satin Brass	Satin Brass/Black	82 R21 SB-B	82 R22 SB-B	82 R23 SB-B	82 R24 SB-B	82 R26 SB-B
Satin Brass	Satin Brass/White	82 R21 SB-W	82 R22 SB-W	82 R23 SB-W	82 R24 SB-W	82 R26 SB-W
Satin Brass	White/White	82 R21 WH-W	82 R22 WH-W	82 R23 WH-W	82 R24 WH-W	82 R26 WH-W
Satin Chrome	Black/Black	86 R21 BL-B	86 R22 BL-B	86 R23 BL-B	86 R24 BL-B	86 R26 BL-B
Satin Chrome	Satin Chrome/Black	86 R21 SC-B	86 R22 SC-B	86 R23 SC-B	86 R24 SC-B	86 R26 SC-B
Satin Chrome	Satin Chrome/White	86 R21 SC-W	86 R22 SC-W	86 R23 SC-W	86 R24 SC-W	86 R26 SC-W
Satin Chrome	White/White	86 R21 WH-W	86 R22 WH-W	86 R23 WH-W	86 R24 WH-W	86 R26 WH-W
Satin Steel	Black/Black	84 R21 BL-B	84 R22 BL-B	84 R23 BL-B	84 R24 BL-B	84 R26 BL-B
Satin Steel	Satin Steel/Black	84 R21 SS-B	84 R22 SS-B	84 R23 SS-B	84 R24 SS-B	84 R26 SS-B
Satin Steel	Satin Steel/White	84 R21 SS-W	84 R22 SS-W	84 R23 SS-W	84 R24 SS-W	84 R26 SS-W
Satin Steel	White/White	84 R21 WH-W	84 R22 WH-W	84 R23 WH-W	84 R24 WH-W	84 R26 WH-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm
Technical Insert Ref:		R21	R22	R23	R24	R26

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Rocker Switches

SHEER RANGE



88 R31 BK-B



87 R32 BC-W



83 RRT BC-W



87 TP BL-B



1 gang 10AX Intermediate Rocker



2 gang 10AX Intermediate Rocker



1 gang 10AX Push To Make Retractable Rocker



1 gang 10A Triple Pole Rocker

Plate Finish	Insert Finish/ Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make Retractable Rocker	1 gang 10A Triple Pole Rocker
Antique Brass	Antique Brass/Black	89 R31 AB-B	-	-	-
Antique Brass	Black/Black	-	-	-	89 TP BL-B
Black Nickel	Black/Black	-	-	-	88 TP BL-B
Black Nickel	Black Nickel/Black	88 R31 BK-B	-	-	-
Bright Chrome	Black/Black	87 R31 BL-B	87 R32 BL-B	87 RRT BL-B	87 TP BL-B
Bright Chrome	Bright Chrome/Black	87 R31 BC-B	87 R32 BC-B	87 RRT BC-B	-
Bright Chrome	Bright Chrome/White	87 R31 BC-W	87 R32 BC-W	87 RRT BC-W	-
Bright Chrome	White/White	87 R31 WH-W	87 R32 WH-W	87 RRT WH-W	87 TP WH-W
Bright Steel	Black/Black	-	-	-	83 TP BL-B
Bright Steel	Bright Chrome/Black	83 R31 BC-B	83 R32 BC-B	83 RRT BC-B	-
Bright Steel	Bright Chrome/White	83 R31 BC-W	83 R32 BC-W	83 RRT BC-W	-
Bright Steel	White/White	-	-	-	83 TP WH-W
Gloss White	White/White	80 R31 WH-W	80 R32 WH-W	80 RRT WH-W	80 TP WH-W
Matt Black	Black/Black	-	-	-	8MB TP BL-B
Matt White	White/White	-	-	-	8MW TP WH-W
Polished Brass	Black/Black	81 R31 BL-B	81 R32 BL-B	81 RRT BL-B	81 TP BL-B
Polished Brass	Polished Brass/Black	81 R31 PB-B	81 R32 PB-B	81 RRT PB-B	-
Polished Brass	Polished Brass/White	81 R31 PB-W	81 R32 PB-W	81 RRT PB-W	-
Polished Brass	White/White	81 R31 WH-W	81 R32 WH-W	81 RRT WH-W	81 TP WH-W
Richmond Bronze	Black/Black	-	-	-	8RB TP BL-B
Satin Brass	Black/Black	82 R31 BL-B	82 R32 BL-B	82 RRT BL-B	82 TP BL-B
Satin Brass	Satin Brass/Black	82 R31 SB-B	82 R32 SB-B	82 RRT SB-B	-
Satin Brass	Satin Brass/White	82 R31 SB-W	82 R32 SB-W	82 RRT SB-W	-
Satin Brass	White/White	82 R31 WH-W	82 R32 WH-W	82 RRT WH-W	82 TP WH-W
Satin Chrome	Black/Black	86 R31 BL-B	86 R32 BL-B	86 RRT BL-B	86 TP BL-B
Satin Chrome	Satin Chrome/Black	86 R31 SC-B	86 R32 SC-B	86 RRT SC-B	-
Satin Chrome	Satin Chrome/White	86 R31 SC-W	86 R32 SC-W	86 RRT SC-W	-
Satin Chrome	White/White	86 R31 WH-W	86 R32 WH-W	86 RRT WH-W	86 TP WH-W
Satin Steel	Black/Black	84 R31 BL-B	84 R32 BL-B	84 RRT BL-B	84 TP BL-B
Satin Steel	Satin Steel/Black	84 R31 SS-B	84 R32 SS-B	84 RRT SS-B	-
Satin Steel	Satin Steel/White	84 R31 SS-W	84 R32 SS-W	84 RRT SS-W	-
Satin Steel	White/White	84 R31 WH-W	84 R32 WH-W	84 RRT WH-W	84 TP WH-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm
Technical Insert Ref:		R31	R32	RRT	TP

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Toggle Switches



89 T21



81 T22



87 T23



84 T24



1 gang 20AX
2 Way Toggle



2 gang 20AX
2 Way Toggle



3 gang 20AX
2 Way Toggle



4 gang 20AX
2 Way Toggle



1 gang 20AX
Intermediate
Toggle



1 gang 20AX
Double Pole
Toggle



1 gang 10AX
Push To Make/
Push To Break
Retractive
Toggle

Plate Finish	Insert Finish	1 gang 20AX 2 Way Toggle	2 gang 20AX 2 Way Toggle	3 gang 20AX 2 Way Toggle	4 gang 20AX 2 Way Toggle	1 gang 20AX Intermediate Toggle	1 gang 20AX Double Pole Toggle	1 gang 10AX Push To Make/ Push To Break Retractive Toggle
Antique Brass	Antique Brass	89 T21	89 T22	89 T23	89 T24	89 T31	89 TDP	89 TRT
Black Nickel	Black Nickel	88 T21	88 T22	88 T23	88 T24	88 T31	88 TDP	88 TRT
Bright Chrome	Bright Chrome	87 T21	87 T22	87 T23	87 T24	87 T31	87 TDP	87 TRT
Bright Steel	Bright Chrome	83 T21	83 T22	83 T23	83 T24	83 T31	83 TDP	83 TRT
Gloss White	-	-	-	-	-	-	-	-
Matt Black	-	-	-	-	-	-	-	-
Matt White	-	-	-	-	-	-	-	-
Polished Brass	Polished Brass	81 T21	81 T22	81 T23	81 T24	81 T31	81 TDP	81 TRT
Richmond Bronze	-	-	-	-	-	-	-	-
Satin Brass	Satin Brass	82 T21	82 T22	82 T23	82 T24	82 T31	82 TDP	82 TRT
Satin Chrome	Satin Chrome	86 T21	86 T22	86 T23	86 T24	86 T31	86 TDP	86 TRT
Satin Steel	Satin Steel	84 T21	84 T22	84 T23	84 T24	84 T31	84 TDP	84 TRT
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm	35mm
	Technical Insert Ref:	T21	T22	T23	T24	T31	TDP	TRT

Sheer

Power Sockets

SHEER RANGE



89 SS1 AB-B



87 SS2 BC-W




84 US5 W



88 SHS B



1 gang 13A
Double Pole
Switched
Socket



2 gang 13A
Double Pole
Switched
Socket




1 gang 2A
Unswitched
Socket




1 gang 5A
Unswitched
Socket



1 gang 13A
Unswitched
Socket



2 gang 13A
Unswitched
Socket




Shaver Dual
Voltage
Unswitched
Socket
(Vertically
Mounted)

Plate Finish	Insert Finish/ Surround Colour	89 SS1 AB-B	89 SS2 AB-B	-	-	-	-	-
Antique Brass	Antique Brass/Black							
Antique Brass	Black/Black	-	-	89 US2 B	89 US5 B	89 US13 B	89 US99 B	89 SHS B
Black Nickel	Black/Black			88 US2 B	88 US5 B	-	-	88 SHS B
Black Nickel	Black Nickel/Black	88 SS1 BK-B	88 SS2 BK-B	-	-	-	-	-
Bright Chrome	Black/Black	87 SS1 BL-B	87 SS2 BL-B	87 US2 B	87 US5 B	87 US13 B	87 US99 B	87 SHS B
Bright Chrome	Bright Chrome/Black	87 SS1 BC-B	87 SS2 BC-B	-	-	-	-	-
Bright Chrome	Bright Chrome/White	87 SS1 BC-W	87 SS2 BC-W	-	-	-	-	-
Bright Chrome	White/White	87 SS1 WH-W	87 SS2 WH-W	87 US2 W	87 US5 W	87 US13 W	87 US99 W	87 SHS W
Bright Steel	Bright Chrome/Black	83 SS1 BC-B	83 SS2 BC-B	83 US2 B	83 US5 B	83 US13 B	83 US99 B	83 SHS B
Bright Steel	Bright Chrome/White	83 SS1 BC-W	83 SS2 BC-W	83 US2 W	83 US5 W	83 US13 W	83 US99 W	83 SHS W
Gloss White	White/White	80 SS1 WH-W	80 SS2 WH-W	80 US2 W	80 US5 W	80 US13 W	80 US99 W	80 SHS W
Matt Black	Black/Black	8MB SS1 BL-B	8MB SS2 BL-B	-	8MB US5 B	-	-	8MB SHS B
Matt White	White/White	8MW SS1 WH-W	8MW SS2 WH-W	-	8MW US5 W	-	-	8MW SHS W
Polished Brass	Black/Black	81 SS1 BL-B	81 SS2 BL-B	81 US2 B	81 US5 B	81 US13 B	81 US99 B	81 SHS B
Polished Brass	Polished Brass/Black	81 SS1 PB-B	81 SS2 PB-B	-	-	-	-	-
Polished Brass	Polished Brass/White	81 SS1 PB-W	81 SS2 PB-W	-	-	-	-	-
Polished Brass	White/White	81 SS1 WH-W	81 SS2 WH-W	81 US2 W	81 US5 W	81 US13 W	81 US99 W	81 SHS W
Richmond Bronze	Black/Black	8RB SS1 BL-B	8RB SS2 BL-B	-	8RB US5 B	-	-	8RB SHS B
Satin Brass	Black/Black	82 SS1 BL-B	82 SS2 BL-B	-	-	-	-	-
Satin Brass	Satin Brass/Black	82 SS1 SB-B	82 SS2 SB-B	82 US2 B	82 US5 B	82 US13 B	82 US99 B	82 SHS B
Satin Brass	Satin Brass/White	82 SS1 SB-W	82 SS2 SB-W	82 US2 W	82 US5 W	82 US13 W	82 US99 W	82 SHS W
Satin Brass	White/White	82 SS1 WH-W	82 SS2 WH-W	-	-	-	-	-
Satin Chrome	Black/Black	86 SS1 BL-B	86 SS2 BL-B	86 US2 B	86 US5 B	86 US13 B	86 US99 B	86 SHS B
Satin Chrome	Satin Chrome/Black	86 SS1 SC-B	86 SS2 SC-B	-	-	-	-	-
Satin Chrome	Satin Chrome/White	86 SS1 SC-W	86 SS2 SC-W	-	-	-	-	-
Satin Chrome	White/White	86 SS1 WH-W	86 SS2 WH-W	86 US2 W	86 US5 W	86 US13 W	86 US99 W	86 SHS W
Satin Steel	Black/Black	84 SS1 BL-B	84 SS2 BL-B	84 US2 B	84 US5 B	84 US13 B	84 US99 B	84 SHS B
Satin Steel	Satin Steel/Black	84 SS1 SS-B	84 SS2 SS-B	-	-	-	-	-
Satin Steel	Satin Steel/White	84 SS1 SS-W	84 SS2 SS-W	-	-	-	-	-
Satin Steel	White/White	84 SS1 WH-W	84 SS2 WH-W	84 US2 W	84 US5 W	84 US13 W	84 US99 W	84 SHS W
	Nominal Size:	86.0mm x 86.0mm	146.0mm x 86.0mm	86.0mm x 96mm	86.0mm x 96mm	86.0mm x 96mm	146mm x 86mm	86.0mm x 146.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm	47mm
	Technical Insert Ref:	SS1	SS2	US2	US5	US13	US99	SHS


Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

USB Power Sockets




89 SS2USBULT AB-B



84 SS2USBULT SS-W



1 gang 13A Single Pole
Switched Socket with 1 USB
Outlet 1x2.1A



2 gang 13A Double Pole
Switched Socket with 2 USB
Outlet 2x2.4A (4.8A Total)

Plate Colour	Insert Finish/ Surround Colour	1 gang 13A Single Pole Switched Socket with 1 USB Outlet 1x2.1A	2 gang 13A Double Pole Switched Socket with 2 USB Outlet 2x2.4A (4.8A Total)
Antique Brass	Antique Brass/Black	89 SS1USB AB-B	89 SS2USBULT AB-B
Black Nickel	Black Nickel/Black	88 SS1USB BK-B	88 SS2USBULT BK-B
Bright Chrome	Bright Chrome/Black	87 SS1USB BC-B	87 SS2USBULT BC-B
Bright Chrome	Bright Chrome/White	87 SS1USB BC-W	87 SS2USBULT BC-W
Bright Steel	Bright Chrome/Black	83 SS1USB BC-B	83 SS2USBULT BC-B
Bright Steel	Bright Chrome/White	83 SS1USB BC-W	83 SS2USBULT BC-W
Gloss White	White/White	80 SS1USB WH-W	80 SS2USBULT WH-W
Matt Black	Black/Black	8MB SS1USB BL-B	8MB SS2USBULT BL-B
Matt White	White/White	8MW SS1USB WH-W	8MW SS2USBULT WH-W
Polished Brass	Polished Brass/Black	81 SS1USB PB-B	81 SS2USBULT PB-B
Polished Brass	Polished Brass/White	81 SS1USB PB-W	81 SS2USBULT PB-W
Richmond Bronze	Black/Black	8RB SS1USB BL-B	8RB SS2USBULT BL-B
Satin Brass	Satin Brass/Black	82 SS1USB SB-B	82 SS2USBULT SB-B
Satin Brass	Satin Brass/White	82 SS1USB SB-W	82 SS2USBULT SB-W
Satin Chrome	Satin Chrome/Black	86 SS1USB SC-B	86 SS2USBULT SC-B
Satin Chrome	Satin Chrome/White	86 SS1USB SC-W	86 SS2USBULT SC-W
Satin Steel	Satin Steel/Black	84 SS1USB SS-B	84 SS2USBULT SS-B
Satin Steel	Satin Steel/White	84 SS1USB SS-W	84 SS2USBULT SS-W
	Nominal Size:	86.0mm x 86.0mm	146.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm
	Technical Insert Ref:	SS1USBX1	SS2USBX2ULT

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Television Coaxial Sockets

SHEER RANGE



89 TV B



81 TVFM W



87 TVSAT B



87 SATI W



1 gang
Non-Isolated
TV 1in/1out



2 gang
Non-Isolated
TV 2in/2out



Isolated TV/FM
Diplexer
1in/2out



1 gang
Isolated
TV 1in/1out



2 gang
Non-Isolated
TV+Satellite
2in/2out



1 gang
Non-Isolated
Satellite



1 gang
Isolated
Satellite

Plate Finish	Insert Colour	1 gang Non-Isolated TV 1in/1out	2 gang Non-Isolated TV 2in/2out	Isolated TV/FM Diplexer 1in/2out	1 gang Isolated TV 1in/1out	2 gang Non-Isolated TV+Satellite 2in/2out	1 gang Non-Isolated Satellite	1 gang Isolated Satellite
Antique Brass	Black	89 TV B	89 TV2 B	89 TVFM B	89 TVI B	89 TVSAT B	89 SATN B	89 SATI B
Black Nickel	Black	88 TV B	88 TV2 B	88 TVFM B	88 TVI B	88 TVSAT B	88 SATN B	88 SATI B
Bright Chrome	Black	87 TV B	87 TV2 B	87 TVFM B	87 TVI B	87 TVSAT B	87 SATN B	87 SATI B
Bright Chrome	White	87 TV W	87 TV2 W	87 TVFM W	87 TVI W	87 TVSAT W	87 SATN W	87 SATI W
Bright Steel	Black	83 TV B	83 TV2 B	83 TVFM B	83 TVI B	83 TVSAT B	83 SATN B	83 SATI B
Bright Steel	White	83 TV W	83 TV2 W	83 TVFM W	83 TVI W	83 TVSAT W	83 SATN W	83 SATI W
Gloss White	White	80 TV W	80 TV2 W	80 TVFM W	80 TVI W	80 TVSAT W	80 SATN W	80 SATI W
Matt Black	-	-	-	-	-	-	-	-
Matt White	-	-	-	-	-	-	-	-
Polished Brass	Black	81 TV B	81 TV2 B	81 TVFM B	81 TVI B	81 TVSAT B	81 SATN B	81 SATI B
Polished Brass	White	81 TV W	81 TV2 W	81 TVFM W	81 TVI W	81 TVSAT W	81 SATN W	81 SATI W
Richmond Bronze	-	-	-	-	-	-	-	-
Satin Brass	Black	82 TV B	82 TV2 B	82 TVFM B	82 TVI B	82 TVSAT B	82 SATN B	82 SATI B
Satin Brass	White	82 TV W	82 TV2 W	82 TVFM W	82 TVI W	82 TVSAT W	82 SATN W	82 SATI W
Satin Chrome	Black	86 TV B	86 TV2 B	86 TVFM B	86 TVI B	86 TVSAT B	86 SATN B	86 SATI B
Satin Chrome	White	86 TV W	86 TV2 W	86 TVFM W	86 TVI W	86 TVSAT W	86 SATN W	86 SATI W
Satin Steel	Black	84 TV B	84 TV2 B	84 TVFM B	84 TVI B	84 TVSAT B	84 SATN B	84 SATI B
Satin Steel	White	84 TV W	84 TV2 W	84 TVFM W	84 TVI W	84 TVSAT W	84 SATN W	84 SATI W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	35mm	35mm	35mm
Technical Insert Ref:		TV2	TV2	TVFM	TVI	TVSAT	SATN	SATI

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Digital Television Sockets

- Screened Non-Isolated / DAB Compatible



88 DTVFB



87 DTRID W



84 DTRID W



82 DSAT W



Non-Isolated
TV+FM+SAT
Triplexer 1in/3out
(DAB Compatible)



1 gang
Non-Isolated
TV (Female)
(DAB Compatible)




1 gang
Non-Isolated
TV (Male)
(DAB Compatible)



1 gang
Non-Isolated
Satellite
(DAB Compatible)



Non-Isolated
TV+FM+SAT1+SAT2
Quadplexer 2in/4out
(DAB Compatible)



Non-Isolated
TV+FM+SAT1+SAT2
Quadplexer 2in/4out
+TVF+TCS
(DAB Compatible)

Plate Finish	Insert Colour	89 DTRID B	89 DTVF B	89 DTVM B	89 DSAT B	89 DENT B	89 DSAT+ B
Antique Brass	Black	88 DTRID B	88 DTVF B	88 DTVM B	88 DSAT B	88 DENT B	88 DSAT+ B
Black Nickel	Black	87 DTRID B	87 DTVF B	87 DTVM B	87 DSAT B	87 DENT B	87 DSAT+ B
Bright Chrome	Black	87 DTRID W	87 DTVF W	87 DTVM W	87 DSAT W	87 DENT W	87 DSAT+ W
Bright Chrome	White	83 DTRID B	83 DTVF B	83 DTVM B	83 DSAT B	83 DENT B	83 DSAT+ B
Bright Steel	Black	83 DTRID W	83 DTVF W	83 DTVM W	83 DSAT W	83 DENT W	83 DSAT+ W
Bright Steel	White	80 DTRID W	80 DTVF W	80 DTVM W	80 DSAT W	80 DENT W	80 DSAT+ W
Gloss White	White	-	-	-	-	-	-
Matt Black	Black	-	-	-	-	-	-
Matt White	White	-	-	-	-	-	-
Polished Brass	Black	81 DTRID B	81 DTVF B	81 DTVM B	81 DSAT B	81 DENT B	81 DSAT+ B
Polished Brass	White	81 DTRID W	81 DTVF W	81 DTVM W	81 DSAT W	81 DENT W	81 DSAT+ W
Richmond Bronze	Black	-	-	-	-	-	-
Satin Brass	Black	82 DTRID B	82 DTVF B	82 DTVM B	82 DSAT B	82 DENT B	82 DSAT+ B
Satin Brass	White	82 DTRID W	82 DTVF W	82 DTVM W	82 DSAT W	82 DENT W	82 DSAT+ W
Satin Chrome	Black	86 DTRID B	86 DTVF B	86 DTVM B	86 DSAT B	86 DENT B	86 DSAT+ B
Satin Chrome	White	86 DTRID W	86 DTVF W	86 DTVM W	86 DSAT W	86 DENT W	86 DSAT+ W
Satin Steel	Black	84 DTRID B	84 DTVF B	84 DTVM B	84 DSAT B	84 DENT B	84 DSAT+ B
Satin Steel	White	84 DTRID W	84 DTVF W	84 DTVM W	84 DSAT W	84 DENT W	84 DSAT+ W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm
Technical Insert Ref:		DTRID	DTVFB	DTVM	DSAT	DENT	DSAT+

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Telephone and Data Outlets



84 TCS W



89 J45 B



87 2J12 B



81 J12 W



1 gang Telephone Master



1 gang Telephone Slave



1 gang RJ12 Outlet - Unshielded



2 gang RJ12 Outlet - Unshielded



1 gang RJ45 CAT 5E Outlet - Unshielded



2 gang RJ45 CAT 5E Outlet - Unshielded

Plate Finish	Insert Colour	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet - Unshielded	2 gang RJ12 Outlet - Unshielded	1 gang RJ45 CAT 5E Outlet - Unshielded	2 gang RJ45 CAT 5E Outlet - Unshielded
Antique Brass	Black	89 TCM B	89 TCS B	89 J12 B	89 2J12 B	89 J45 B	89 2J45 B
Black Nickel	Black	88 TCM B	88 TCS B	88 J12 B	88 2J12 B	88 J45 B	88 2J45 B
Bright Chrome	Black	87 TCM B	87 TCS B	87 J12 B	87 2J12 B	87 J45 B	87 2J45 B
Bright Chrome	White	87 TCM W	87 TCS W	87 J12 W	87 2J12 W	87 J45 W	87 2J45 W
Bright Steel	Black	83 TCM B	83 TCS B	83 J12 B	83 2J12 B	83 J45 B	83 2J45 B
Bright Steel	White	83 TCM W	83 TCS W	83 J12 W	83 2J12 W	83 J45 W	83 2J45 W
Gloss White	White	80 TCM W	80 TCS W	80 J12 W	80 2J12 W	80 J45 W	80 2J45 W
Matt Black	-	-	-	-	-	-	-
Matt White	-	-	-	-	-	-	-
Polished Brass	Black	81 TCM B	81 TCS B	81 J12 B	81 2J12 B	81 J45 B	81 2J45 B
Polished Brass	White	81 TCM W	81 TCS W	81 J12 W	81 2J12 W	81 J45 W	81 2J45 W
Richmond Bronze	-	-	-	-	-	-	-
Satin Brass	Black	82 TCM B	82 TCS B	82 J12 B	82 2J12 B	82 J45 B	82 2J45 B
Satin Brass	White	82 TCM W	82 TCS W	82 J12 W	82 2J12 W	82 J45 W	82 2J45 W
Satin Chrome	Black	86 TCM B	86 TCS B	86 J12 B	86 2J12 B	86 J45 B	86 2J45 B
Satin Chrome	White	86 TCM W	86 TCS W	86 J12 W	86 2J12 W	86 J45 W	86 2J45 W
Satin Steel	Black	84 TCM B	84 TCS B	84 J12 B	84 2J12 B	84 J45 B	84 2J45 B
Satin Steel	White	84 TCM W	84 TCS W	84 J12 W	84 2J12 W	84 J45 W	84 2J45 W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	35mm	35mm	35mm	35mm
Technical Insert Ref:		TCM	TCS	J12	2J12	J45	2J45

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Double Pole Switches



81 DPN WH-W



87 DPNC BC-B



89 45N B



87 45SS1 BC-W



1 gang 20AX
Double Pole
Rocker



1 gang 20AX
Double Pole
Rocker +
Neon




1 gang 20AX
Double Pole
Rocker +
Neon +
Cable Outlet



1 gang 45A
Double Pole
Red Rocker



1 gang 45A
Double Pole
Red Rocker +
Neon



45A Double
Pole Red
Rocker +
Neon +
13A Switched
Socket



1 gang 45A
Double Pole
Red Rocker +
Neon
(Vertically
Mounted)

Plate Finish	Insert Finish/ Surround Colour							
Antique Brass	Antique Brass/Black	-	89 DPN AB-B	-	-	-	89 45SS1 AB-B	-
Antique Brass	Black/Black	-	-	-	89 45 B	89 45N B	-	-
Black Nickel	Black Nickel/Black	-	88 DPN BK-B	-	-	-	88 4 5SS1 BK-B	-
Black Nickel	Black/Black	-	-	-	88 45 B	88 4 5N B	-	-
Bright Chrome	Black/Black	87 DP BL-B	87 DPN BL-B	87 DPNC BL-B	87 45 B	87 45N B	87 45SS1 BL-B	87 45V B
Bright Chrome	Bright Chrome/Black	87 DP BC-B	87 DPN BC-B	87 DPNC BC-B	-	-	87 45SS1 BC-B	-
Bright Chrome	Bright Chrome/White	87 DP BC-W	87 DPN BC-W	87 DPNC BC-W	-	-	87 45SS1 BC-W	-
Bright Chrome	White/White	87 DP WH-W	87 DPN WH-W	87 DPNC WH-W	87 45 W	87 45N W	87 45SS1 WH-W	87 45V W
Bright Steel	Black/Black	-	-	-	83 45 B	83 45N B	-	83 45V B
Bright Steel	Bright Chrome/Black	83 DP BC-B	83 DPN BC-B	83 DPNC BC-B	-	-	83 45SS1 BC-B	-
Bright Steel	Bright Chrome/White	83 DP BC-W	83 DPN BC-W	83 DPNC BC-W	-	-	83 45SS1 BC-W	-
Bright Steel	White/White	-	-	-	83 45 W	83 45N W	-	83 45V W
Gloss White	White/White	80 DP WH-W	80 DPN WH-W	80 DPNC WH-W	80 45 W	80 45N W	80 45SS1 WH-W	80 45V W
Polished Brass	Black/Black	81 DP BL-B	81 DPN BL-B	81 DPNC BL-B	81 45 B	81 45N B	81 45SS1 BL-B	81 45V B
Polished Brass	Polished Brass/Black	81 DP PB-B	81 DPN PB-B	81 DPNC PB-B	-	-	81 45SS1 PB-B	-
Polished Brass	Polished Brass/White	81 DP PB-W	81 DPN PB-W	81 DPNC PB-W	-	-	81 45SS1 PB-W	-
Polished Brass	White/White	81 DP WH-W	81 DPN WH-W	81 DPNC WH-W	81 45 W	81 45N W	81 45SS1 WH-W	81 45V W
Satin Brass	Black/Black	82 DP BL-B	82 DPN BL-B	82 DPNC BL-B	82 45 B	82 45N B	82 45SS1 BL-B	82 45V B
Satin Brass	Satin Brass/Black	82 DP SB-B	82 DPN SB-B	82 DPNC SB-B	-	-	82 45SS1 SB-B	-
Satin Brass	Satin Brass/White	82 DP SB-W	82 DPN SB-W	82 DPNC SB-W	-	-	82 45SS1 SB-W	-
Satin Brass	White/White	82 DP WH-W	82 DPN WH-W	82 DPNC WH-W	82 45 W	82 45N W	82 45SS1 WH-W	82 45V W
Satin Chrome	Black/Black	86 DP BL-B	86 DPN BL-B	86 DPNC BL-B	86 45 B	86 45N B	86 45SS1 BL-B	86 45V B
Satin Chrome	Satin Chrome/Black	86 DP SC-B	86 DPN SC-B	86 DPNC SC-B	-	-	86 45SS1 SC-B	-
Satin Chrome	Satin Chrome/White	86 DP SC-W	86 DPN SC-W	86 DPNC SC-W	-	-	86 45SS1 SC-W	-
Satin Chrome	White/White	86 DP WH-W	86 DPN WH-W	86 DPNC WH-W	86 45 W	86 45N W	86 45SS1 WH-W	86 45V W
Satin Steel	Black/Black	84 DP BL-B	84 DPN BL-B	84 DPNC BL-B	84 45 B	84 45N B	84 45SS1 BL-B	84 45V B
Satin Steel	Satin Steel/Black	84 DP SS-B	84 DPN SS-B	84 DPNC SS-B	-	-	84 45SS1 SS-B	-
Satin Steel	Satin Steel/White	84 DP SS-W	84 DPN SS-W	84 DPNC SS-W	-	-	84 45SS1 SS-W	-
Satin Steel	White/White	84 DP WH-W	84 DPN WH-W	84 DPNC WH-W	84 45 W	84 45N W	84 45SS1 WH-W	84 45V W
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	86.0mm x 146.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm	35mm
	Technical Insert Ref:	DP	DPN	DPNC	45	45N	45SS1	45V

Insert Surround Colour Key: (-B) Black, (-W) White



87 SP WH-W



88 SPN BK-B



83 SPNC BC-W



87 CO B



1 gang 13A
Double Pole Fused
Spur



1 gang 13A
Double Pole Fused
Spur + Neon



1 gang 13A
Double Pole Fused
Spur + Neon +
Cable Outlet



1 gang 13A
Fuse Only



1 gang 13A Fuse +
Cable Outlet



1 gang 20A
Cable Outlet

Frame Finish	Insert Finish/ Surround Colour	1 gang 13A Double Pole Fused Spur	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Double Pole Fused Spur + Neon + Cable Outlet	1 gang 13A Fuse Only	1 gang 13A Fuse + Cable Outlet	1 gang 20A Cable Outlet
Antique Brass	Antique Brass/Black	89 SP AB-B	89 SPN AB-B	-	89 FO AB-B	-	-
Antique Brass	Black/Black	-	-	-	-	-	89 CO B
Black Nickel	Black/Black	-	-	-	-	-	88 CO B
Black Nickel	Black Nickel/Black	88 SP BK-B	88 SPN BK-B	-	88 FO BK-B	-	-
Bright Chrome	Black/Black	87 SP BL-B	87 SPN BL-B	87 SPNC BL-B	87 FO BL-B	87 FOC BL-B	87 CO B
Bright Chrome	Bright Chrome/Black	87 SP BC-B	87 SPN BC-B	87 SPNC BC-B	87 FO BC-B	87 FOC BC-B	-
Bright Chrome	Bright Chrome/White	87 SP BC-W	87 SPN BC-W	87 SPNC BC-W	87 FO BC-W	87 FOC BC-W	-
Bright Chrome	White/White	87 SP WH-W	87 SPN WH-W	87 SPNC WH-W	87 FO WH-W	87 FOC WH-W	87 CO W
Bright Steel	Bright Chrome/Black	83 SP BC-B	83 SPN BC-B	83 SPNC BC-B	83 FO BC-B	83 FOC BC-B	83 CO B
Bright Steel	Bright Chrome/White	83 SP BC-W	83 SPN BC-W	83 SPNC BC-W	83 FO BC-W	83 FOC BC-W	83 CO W
Gloss White	White/White	80 SP WH-W	80 SPN WH-W	80 SPNC WH-W	80 FO WH-W	80 FOC WH-W	80 CO W
Matt Black	Black/Black	8MB SP PL-B	-	-	-	-	-
Matt White	White/White	8MW SP WH-W	-	-	-	-	-
Polished Brass	Black/Black	81 SP BL-B	81 SPN BL-B	81 SPNC BL-B	81 FO BL-B	81 FOC BL-B	81 CO B
Polished Brass	Polished Brass/Black	81 SP PB-B	81 SPN PB-B	81 SPNC PB-B	81 FO PB-B	81 FOC PB-B	-
Polished Brass	Polished Brass/White	81 SP PB-W	81 SPN PB-W	81 SPNC PB-W	81 FO PB-W	81 FOC PB-W	-
Polished Brass	White/White	81 SP WH-W	81 SPN WH-W	81 SPNC WH-W	81 FO WH-W	81 FOC WH-W	81 CO W
Richmond Bronze	Black/Black	8RB SP PL-B	-	-	-	-	-
Satin Brass	Black/Black	82 SP BL-B	82 SPN BL-B	82 SPNC BL-B	82 FO BL-B	82 FOC BL-B	82 CO B
Satin Brass	Satin Brass/Black	82 SP SB-B	82 SPN SB-B	82 SPNC SB-B	82 FO SB-B	82 FOC SB-B	-
Satin Brass	Satin Brass/White	82 SP SB-W	82 SPN SB-W	82 SPNC SB-W	82 FO SB-W	82 FOC SB-W	-
Satin Brass	White/White	82 SP WH-W	82 SPN WH-W	82 SPNC WH-W	82 FO WH-W	82 FOC WH-W	82 CO W
Satin Chrome	Black/Black	86 SP BL-B	86 SPN BL-B	86 SPNC BL-B	86 FO BL-B	86 FOC BL-B	86 CO B
Satin Chrome	Satin Chrome/Black	86 SP SC-B	86 SPN SC-B	86 SPNC SC-B	86 FO SC-B	86 FOC SC-B	-
Satin Chrome	Satin Chrome/White	86 SP SC-W	86 SPN SC-W	86 SPNC SC-W	86 FO SC-W	86 FOC SC-W	-
Satin Chrome	White/White	86 SP WH-W	86 SPN WH-W	86 SPNC WH-W	86 FO WH-W	86 FOC WH-W	86 CO W
Satin Steel	Black/Black	84 SP BL-B	84 SPN BL-B	84 SPNC BL-B	84 FO BL-B	84 FOC BL-B	84 CO B
Satin Steel	Satin Steel/Black	84 SP SS-B	84 SPN SS-B	84 SPNC SS-B	84 FO SS-B	84 FOC SS-B	-
Satin Steel	Satin Steel/White	84 SP SS-W	84 SPN SS-W	84 SPNC SS-W	84 FO SS-W	84 FOC SS-W	-
Satin Steel	White/White	84 SP WH-W	84 SPN WH-W	84 SPNC WH-W	84 FO WH-W	84 FOC WH-W	84 CO W
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm
	Technical Insert Ref:	SP	SPN	SPNC	FO	FOC	CO

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



87 1XLEDITB100



89 2XLEDITB100




88 4XLEDITB100



1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer

Plate Finish	Insert Finish	89 1XLEDITB100	89 2XLEDITB100	89 3XLEDITB100	89 4XLEDITB100
Antique Brass	Antique Brass	89 1XLEDITB100	89 2XLEDITB100	89 3XLEDITB100	89 4XLEDITB100
Black Nickel	Black Nickel	88 1XLEDITB100	88 2XLEDITB100	88 3XLEDITB100	88 4XLEDITB100
Bright Chrome	Bright Chrome	87 1XLEDITB100	87 2XLEDITB100	87 3XLEDITB100	87 4XLEDITB100
Bright Steel	Bright Steel	83 1XLEDITB100	83 2XLEDITB100	83 3XLEDITB100	83 4XLEDITB100
Gloss White	Gloss White	80 1XLEDITB100	80 2XLEDITB100	80 3XLEDITB100	80 4XLEDITB100
Matt Black	Matt Black	8MB 1XLEDITB100	8MB 2XLEDITB100	-	-
Matt White	Matt White	8MW 1XLEDITB100	8MW 2XLEDITB100	-	-
Polished Brass	Polished Brass	81 1XLEDITB100	81 2XLEDITB100	81 3XLEDITB100	81 4XLEDITB100
Richmond Bronze	Richmond Bronze	8RB 1XLEDITB100	8RB 2XLEDITB100	8RB 3XLEDITB100	8RB 4XLEDITB100
Satin Brass	Satin Brass	82 1XLEDITB100	82 2XLEDITB100	82 3XLEDITB100	82 4XLEDITB100
Satin Chrome	Satin Chrome	86 1XLEDITB100	86 2XLEDITB100	86 3XLEDITB100	86 4XLEDITB100
Satin Steel	Satin Steel	84 1XLEDITB100	84 2XLEDITB100	84 3XLEDITB100	84 4XLEDITB100
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1XLEDITB	2XLEDITB	3XLEDITB	4XLEDITB


LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers



1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmer



2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers



3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers



4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary Multi-Way Dimmers

Plate Finish	Insert Finish	89 1X100LED	89 2X100LED	89 3X100LED	89 4X100LED
Antique Brass	Antique Brass	89 1X100LED	89 2X100LED	89 3X100LED	89 4X100LED
Black Nickel	Black Nickel	88 1X100LED	88 2X100LED	88 3X100LED	88 4X100LED
Bright Chrome	Bright Chrome	87 1X100LED	87 2X100LED	87 3X100LED	87 4X100LED
Bright Steel	Bright Steel	83 1X100LED	83 2X100LED	83 3X100LED	83 4X100LED
Gloss White	Gloss White	80 1X100LED	80 2X100LED	80 3X100LED	80 4X100LED
Polished Brass	Polished Brass	81 1X100LED	81 2X100LED	81 3X100LED	81 4X100LED
Richmond Bronze	Richmond Bronze	8RB 1X100LED	8RB 2X100LED	8RB 3X100LED	8RB 4X100LED
Satin Brass	Satin Brass	82 1X100LED	82 2X100LED	82 3X100LED	82 4X100LED
Satin Chrome	Satin Chrome	86 1X100LED	86 2X100LED	86 3X100LED	86 4X100LED
Satin Steel	Satin Steel	84 1X100LED	84 2X100LED	84 3X100LED	84 4X100LED
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1X100LED	2X100LED	3X100LED	4X100LED

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.
 NOTE: Please refer to the Dimmer Technical Section for the max Wattage.
 NOTE: Please contact our Technical Department for compatibility.

Sheer

Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



89 1X40



87 2X40




88 3X40




1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer

Plate Finish	Insert Finish	1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	89 1X40	89 2X40	89 3X40	89 4X40	89 1X60
Black Nickel	Black Nickel	88 1X40	88 2X40	88 3X40	88 4X40	88 1X60
Bright Chrome	Bright Chrome	87 1X40	87 2X40	87 3X40	87 4X40	87 1X60
Bright Steel	Bright Steel	83 1X40	83 2X40	83 3X40	83 4X40	83 1X60
Gloss White	Gloss White	80 1X40	80 2X40	80 3X40	80 4X40	80 1X60
Matt Black	Matt Black	8MB 1X40	8MB 2X40	-	-	-
Matt White	Matt White	8MW 1X40	8MW 2X40	-	-	-
Polished Brass	Polished Brass	81 1X40	81 2X40	81 3X40	81 4X40	81 1X60
Richmond Bronze	Richmond Bronze	8RB 1X40	8RB 2X40	-	-	-
Satin Brass	Satin Brass	82 1X40	82 2X40	82 3X40	82 4X40	82 1X60
Satin Chrome	Satin Chrome	86 1X40	86 2X40	86 3X40	86 4X40	86 1X60
Satin Steel	Satin Steel	84 1X40	84 2X40	84 3X40	84 4X40	84 1X60
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm	86.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm
	Technical Insert Ref:	1X40	2X40	3X40	4X40	1X60

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Sheer

Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



89 1X2V



87 2X2V



1 gang 200VA
Inductive Leading Edge Push
On/Off Rotary
2 Way Switching Dimmer



2 gang 200VA
Inductive Leading Edge Push
On/Off Rotary
2 Way Switching Dimmer

Plate Finish	Insert Finish	1 gang 200VA Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 200VA Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	89 1X2V	89 2X2V
Black Nickel	Black Nickel	88 1X2V	88 2X2V
Bright Chrome	Bright Chrome	87 1X2V	87 2X2V
Bright Steel	Bright Steel	83 1X2V	83 2X2V
Gloss White	Gloss White	80 1X2V	80 2X2V
Matt Black	-	-	-
Matt White	-	-	-
Polished Brass	Polished Brass	81 1X2V	81 2X2V
Richmond Bronze	-	-	-
Satin Brass	Satin Brass	82 1X2V	82 2X2V
Satin Chrome	Satin Chrome	86 1X2V	86 2X2V
Satin Steel	Satin Steel	84 1X2V	84 2X2V
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm
Technical Insert Ref:		1X2V	2X2V

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base

NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%

NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

NOTE: Please refer to the Dimmer Technical Section for the max wattage

Sheer

Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



89 1XTE



87 2XTE



88 3XTE




83 4XTE




1 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



2 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



3 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



4 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer

Plate Finish	Insert Finish	1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer
Antique Brass	Antique Brass	89 1XTE	89 2XTE	89 3XTE	89 4XTE
Black Nickel	Black Nickel	88 1XTE	88 2XTE	88 3XTE	88 4XTE
Bright Chrome	Bright Chrome	87 1XTE	87 2XTE	87 3XTE	87 4XTE
Bright Steel	Bright Steel	83 1XTE	83 2XTE	83 3XTE	83 4XTE
Gloss White	Gloss White	80 1XTE	80 2XTE	80 3XTE	80 4XTE
Matt Black	-	-	-	-	-
Matt White	-	-	-	-	-
Polished Brass	Polished Brass	81 1XTE	81 2XTE	81 3XTE	81 4XTE
Richmond Bronze	-	-	-	-	-
Satin Brass	Satin Brass	82 1XTE	82 2XTE	82 3XTE	82 4XTE
Satin Chrome	Satin Chrome	86 1XTE	86 2XTE	86 3XTE	86 4XTE
Satin Steel	Satin Steel	84 1XTE	84 2XTE	84 3XTE	84 4XTE
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1XTE	2XTE	3XTE	4XTE

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Sheer


Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers







88 1XTM BK-B



82 2XTM PB-W



87 4XTM BC-B

Plate Finish	Insert Finish/ Surround Colour				
		1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer
Antique Brass	Antique Brass/Black	89 1XTM AB-B	89 2XTM AB-B	89 3XTM AB-B	89 4XTM AB-B
Black Nickel	Black Nickel/Black	88 1XTM BK-B	88 2XTM BK-B	88 3XTM BK-B	88 4XTM BK-B
Bright Chrome	Bright Chrome/Black	87 1XTM BC-B	87 2XTM BC-B	87 3XTM BC-B	87 4XTM BC-B
Bright Chrome	Bright Chrome/White	87 1XTM BC-W	87 2XTM BC-W	87 3XTM BC-W	87 4XTM BC-W
Bright Steel	Bright Chrome/Black	83 1XTM BC-B	83 2XTM BC-B	83 3XTM BC-B	83 4XTM BC-B
Bright Steel	Bright Chrome/White	83 1XTM BC-W	83 2XTM BC-W	83 3XTM BC-W	83 4XTM BC-W
Matt Black	-	-	-	-	-
Matt White	-	-	-	-	-
Polished Brass	Polished Brass/Black	81 1XTM PB-B	81 2XTM PB-B	81 3XTM PB-B	81 4XTM PB-B
Polished Brass	Polished Brass/White	81 1XTM PB-W	81 2XTM PB-W	81 3XTM PB-W	81 4XTM PB-W
Richmond Bronze	-	-	-	-	-
Satin Brass	Satin Brass/Black	82 1XTM SB-B	82 2XTM SB-B	82 3XTM SB-B	82 4XTM SB-B
Satin Brass	Satin Brass/White	82 1XTM SB-W	82 2XTM SB-W	82 3XTM SB-W	82 4XTM SB-W
Satin Chrome	Satin Chrome/Black	86 1XTM SC-B	86 2XTM SC-B	86 3XTM SC-B	86 4XTM SC-B
Satin Chrome	Satin Chrome/White	86 1XTM SC-W	86 2XTM SC-W	86 3XTM SC-W	86 4XTM SC-W
Satin Steel	Satin Steel/Black	84 1XTM SS-B	84 2XTM SS-B	84 3XTM SS-B	84 4XTM SS-B
Satin Steel	Satin Steel/White	84 1XTM SS-W	84 2XTM SS-W	84 3XTM SS-W	84 4XTM SS-W
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
	Technical Insert Ref:	1XTM	2XTM	3XTM	4XTM

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Multi-Way Touch Slave Controllers

SHEER RANGE







81 1XTS PB-B



87 2XTS BC-W



83 4XTS BC-W

Plate Finish	Insert Finish/ Surround Colour				
		1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
Antique Brass	Antique Brass/Black	89 1XTS AB-B	89 2XTS AB-B	89 3XTS AB-B	89 4XTS AB-B
Black Nickel	Black Nickel/Black	88 1 XTS BK-B	88 2 XTS BK-B	88 3XTS BK-B	88 4XTS BK-B
Bright Chrome	Bright Chrome/Black	87 1XTS BC-B	87 2XTS BC-B	87 3XTS BC-B	87 4XTS BC-B
Bright Chrome	Bright Chrome/White	87 1XTS BC-W	87 2XTS BC-W	87 3XTS BC-W	87 4XTS BC-W
Bright Steel	Bright Chrome/Black	83 1XTS BC-B	83 2XTS BC-B	83 3XTS BC-B	83 4XTS BC-B
Bright Steel	Bright Chrome/White	83 1XTS BC-W	83 2XTS BC-W	83 3XTS BC-W	83 4XTS BC-W
Matt Black	-	-	-	-	-
Matt White	-	-	-	-	-
Polished Brass	Polished Brass/Black	81 1XTS PB-B	81 2XTS PB-B	81 3XTS PB-B	81 4XTS PB-B
Polished Brass	Polished Brass/White	81 1XTS PB-W	81 2XTS PB-W	81 3XTS PB-W	81 4XTS PB-W
Richmond Bronze	-	-	-	-	-
Satin Brass	Satin Brass/Black	82 1XTS SB-B	82 2XTS SB-B	82 3XTS SB-B	82 4XTS SB-B
Satin Brass	Satin Brass/White	82 1XTS SB-W	82 2XTS SB-W	82 3XTS SB-W	82 4XTS SB-W
Satin Chrome	Satin Chrome/Black	86 1XTS SC-B	86 2XTS SC-B	86 3XTS SC-B	86 4XTS SC-B
Satin Chrome	Satin Chrome/White	86 1XTS SC-W	86 2XTS SC-W	86 3XTS SC-W	86 4XTS SC-W
Satin Steel	Satin Steel/Black	84 1XTS SS-B	84 2XTS SS-B	84 3XTS SS-B	84 4XTS SS-B
Satin Steel	Satin Steel/White	84 1XTS SS-W	84 2XTS SS-W	84 3XTS SS-W	84 4XTS SS-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
Technical Insert Ref:		1XTS	2XTS	3XTS	4XTS

NOTE: To only be used with Touch Masters

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer

Blank Plates



89 BPS



81 BPD



Single Blank Plate



Double Blank Plate


Plate Finish	Single Blank Plate	Double Blank Plate
Antique Brass	89 BPS	89 BPD
Black Nickel	88 BPS	88 BPD
Bright Chrome	87 BPS	87 BPD
Bright Steel	83 BPS	83 BPD
Gloss White	80 BPS	80 BPD
Matt Black	-	-
Matt White	-	-
Polished Brass	81 BPS	81 BPD
Richmond Bronze	-	-
Satin Brass	82 BPS	82 BPD
Satin Chrome	86 BPS	86 BPD
Satin Steel	84 BPS	84 BPD
Nominal Size:	86.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:	Any Box	Any Box
Technical Insert Ref:	BPS	BPD

Sheer


GRID-IT Grid Fix Plates complete with Fixing Grid



89 1GP



87 3GP



84 4GP




Plate Finish	1 Gang Grid Fix Aperture Plate with Grid	2 Gang Grid Fix Aperture Plate with Grid	3 Gang Grid Fix Aperture Plate with Grid	4 Gang Grid Fix Aperture Plate with Grid	6 Gang Grid Fix Aperture Plate with Grid
Antique Brass	89 1GP	89 2GP	89 3GP	89 4GP	89 6GP
Black Nickel	88 1GP	88 2GP	-	88 4GP	88 6GP
Bright Chrome	87 1GP	87 2GP	87 3GP	87 4GP	87 6GP
Bright Steel	83 1GP	83 2GP	83 3GP	83 4GP	83 6GP
Gloss White	80 1GP	80 2GP	80 3GP	80 4GP	80 6GP
Matt Black	-	-	-	-	-
Matt White	-	-	-	-	-
Polished Brass	81 1GP	81 2GP	81 3GP	81 4GP	81 6GP
Primed White	8WP 1GP	8WP 2GP	8WP 3GP	8WP 4GP	8WP 6GP
Richmond Bronze	-	-	-	-	-
Satin Chrome	86 1GP	86 2GP	86 3GP	86 4GP	86 6GP
Satin Brass	82 1GP	82 2GP	82 3GP	82 4GP	82 6GP
Satin Steel	84 1GP	84 2GP	84 3GP	84 4GP	84 6GP
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 146.0mm
Minimum Wall Box Depth:	As Per insert	As Per inserts	As Per Inserts	As Per Inserts	As Per Inserts
Technical Insert Ref:	1GP	2GP	3GP	4GP	6GP

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.

Sheer


GRID-IT Fix Plates complete with Fixing Grid




83 8GP

87 9GP


88 SS2GP



8 gang Grid Fix Aperture Plate with Grid




9 gang Grid Fix Aperture Plate with Grid



12 gang Grid Fix Aperture Plate with Grid



1 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with inserts)



2 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with inserts)


Plate Finish	8 gang Grid Fix Aperture Plate with Grid	9 gang Grid Fix Aperture Plate with Grid	12 gang Grid Fix Aperture Plate with Grid	1 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with inserts)	2 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with inserts)
Antique Brass	89 8GP	89 9GP	89 12GP	89 SS1GP	89 SS2GP
Black Nickel	88 8GP	88 9GP	88 12GP	88 SS1GP	88 SS2GP
Bright Chrome	87 8GP	87 9GP	87 12GP	87 SS1GP	87 SS2GP
Bright Steel	83 8GP	83 9GP	83 12GP	83 SS1GP	83 SS2GP
Gloss White	80 8GP	80 9GP	80 12GP	80 SS1GP	80 SS2GP
Matt Black	-	-	-	-	-
Matt White	-	-	-	-	-
Polished Brass	81 8GP	81 9GP	81 12GP	81 SS1GP	81 SS2GP
Primed White	8WP 8GP	8WP 9GP	8WP 12GP	-	-
Richmond Bronze	-	-	-	-	-
Satin Chrome	86 8GP	86 9GP	86 12GP	86 SS1GP	86 SS2GP
Satin Brass	82 8GP	82 9GP	82 12GP	82 SS1GP	82 SS2GP
Satin Steel	84 8GP	84 9GP	84 12GP	84 SS1GP	84 SS2GP
Nominal Size:	146.0mm x 146.0mm	146.0mm x 210mm	146.0mm x 210mm	86.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:	As Per Inserts	As Per Inserts	As Per Inserts	As Per insert	As Per insert
Technical Insert Ref:	8GP	9GP	12GP	SS1GP	SS2GP

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.


Sheer

EuroFix Media Plates


complete with 13A Unswitched Power Sockets



87 MED2 B



Media Plate EURO4 Aperture +
2 X 13A Unswitched Socket



Media Plate EURO4 Aperture +
4 X 13A Unswitched Socket

Plate Finish	Insert Finish	Media Plate EURO4 Aperture + 2 X 13A Unswitched Socket	Media Plate EURO4 Aperture + 4 X 13A Unswitched Socket
Bright Chrome	Black	87 MED1 B	87 MED2 B
Bright Chrome	White	87 MED1 W	87 MED2 W
Satin Chrome	Black	86 MED1 B	86 MED2 B
Satin Chrome	White	86 MED1 W	86 MED2 W
Matt Black	-	-	-
Matt White	-	-	-
Polished Brass	Black	81 MED1 B	81 MED2 B
Polished Brass	White	81 MED1 W	81 MED2 W
Richmond Bronze	-	-	-
Satin Brass	Black	82 MED1 B	82 MED2 B
Satin Brass	White	82 MED1 W	82 MED2 W
Bright Steel	Black	83 MED1 B	83 MED2 B
Bright Steel	White	83 MED1 W	83 MED2 W
Satin Steel	Black	84 MED1 B	84 MED2 B
Satin Steel	White	84 MED1 W	84 MED2 W
	Nominal Size:	146.0mm x 146.0mm	146.0mm x 210mm
	Minimum Wall Box Depth:	As Per Inserts	As Per Inserts
	Technical Insert Ref:	MED1	MED2

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer


EuroFix Plates complete with Fixing Grid



87 EURO1



89 EURO2



88 EURO3




83 EURO4



1 Module EuroFix
25x50 Apertured
Plate with Grid



2 Module Eurofix
50x50mm Apertured
Plate with Grid



3 Module EuroFix
75x50mm Apertured
Plate with Grid



4 Modules
100x50mm Apertured
Plate with Grid

Plate Colour	1 Module EuroFix 25x50 Apertured Plate with Grid	2 Module Eurofix 50x50mm Apertured Plate with Grid	3 Module EuroFix 75x50mm Apertured Plate with Grid	4 Modules 100x50mm Apertured Plate with Grid
Antique Brass	89 EURO1	89 EURO2	89 EURO3	89 EURO4
Black Nickel	88 EURO1	88 EURO2	88 EURO3	88 EURO4
Bright Chrome	87 EURO1	87 EURO2	87 EURO3	87 EURO4
Bright Steel	83 EURO1	83 EURO2	83 EURO3	83 EURO4
Gloss White	80 EURO1	80 EURO2	80 EURO3	80 EURO4
Matt Black	-	8MB EURO2	-	8MB EURO4
Matt White	-	8MW EURO2	-	8MW EURO4
Polished Brass	81 EURO1	81 EURO2	81 EURO3	81 EURO4
Richmond Bronze	-	8RB EURO2	-	8RB EURO4
Satin Chrome	86 EURO1	86 EURO2	86 EURO3	86 EURO4
Satin Brass	82 EURO1	82 EURO2	82 EURO3	82 EURO4
Satin Steel	84 EURO1	84 EURO2	84 EURO3	84 EURO4
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts
Technical Insert Ref:	EURO1	EURO2	EURO3	EURO4

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.