

Woods

Quality Accessories on Natural Wood Plinth Plates

An attractive and unique range Woods is available in four natural wood finishes with a choice of Ovolo or Chamfered edge. The plates of the Woods range are manufactured from timber sourced from sustainable woodland, as far as possible. They are treated to meet BS EN standards and carry all of Hamilton's standard electrical inserts. Ideal for a building with character.

- Four natural wood finishes
- Choice of Ovolo or Chamfered edge
- Timber sourced from suppliers who carry the FSC logo
- Plates treated to meet BS EN standards
- Euro Fix also available (see separate EuroFix section for inserts)



Woods Range

WOODS RANGE



WOA T21 PB

WOM SPN BC-B

WOL 2XTE BC

WOD SS1 PB-B

Wood Finishes



Antique Mahogany



Dark Oak



Medium Oak



Light Oak

Edges



Chamfered Profile Edge



Ovolo Profile Edge

Insert Finishes



Polished Brass



Antique Brass



Satin Chrome



Bright Chrome

Woods

Rocker Switches



WCA R21 AB-B








WCA R22 BC-B



WOA R24 SC-W



WOD R26 SC-W

Front Plate	Insert Finish/ Surround Colour	Edge					
			1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	4 gang 10AX 2 Way Rocker	6 gang 10AX 2 Way Rocker
Antique Mahogany	Antique Brass/Black	Chamfered	WCA R21 AB-B	WCA R22 AB-B	WCA R23 AB-B	WCA R24 AB-B	WCA R26 AB-B
Antique Mahogany	Bright Chrome/Black	Chamfered	WCA R21 BC-B	WCA R22 BC-B	WCA R23 BC-B	WCA R24 BC-B	WCA R26 BC-B
Antique Mahogany	Bright Chrome/White	Chamfered	WCA R21 BC-W	WCA R22 BC-W	WCA R23 BC-W	WCA R24 BC-W	WCA R26 BC-W
Antique Mahogany	Polished Brass/Black	Chamfered	WCA R21 PB-B	WCA R22 PB-B	WCA R23 PB-B	WCA R24 PB-B	WCA R26 PB-B
Antique Mahogany	Polished Brass/White	Chamfered	WCA R21 PB-W	WCA R22 PB-W	WCA R23 PB-W	WCA R24 PB-W	WCA R26 PB-W
Antique Mahogany	Satin Chrome/Black	Chamfered	WCA R21 SC-B	WCA R22 SC-B	WCA R23 SC-B	WCA R24 SC-B	WCA R26 SC-B
Antique Mahogany	Satin Chrome/White	Chamfered	WCA R21 SC-W	WCA R22 SC-W	WCA R23 SC-W	WCA R24 SC-W	WCA R26 SC-W
Antique Mahogany	Antique Brass/Black	Ovolo	WOA R21 AB-B	WOA R22 AB-B	WOA R23 AB-B	WOA R24 AB-B	WOA R26 AB-B
Antique Mahogany	Bright Chrome/Black	Ovolo	WOA R21 BC-B	WOA R22 BC-B	WOA R23 BC-B	WOA R24 BC-B	WOA R26 BC-B
Antique Mahogany	Bright Chrome/White	Ovolo	WOA R21 BC-W	WOA R22 BC-W	WOA R23 BC-W	WOA R24 BC-W	WOA R26 BC-W
Antique Mahogany	Polished Brass/Black	Ovolo	WOA R21 PB-B	WOA R22 PB-B	WOA R23 PB-B	WOA R24 PB-B	WOA R26 PB-B
Antique Mahogany	Polished Brass/White	Ovolo	WOA R21 PB-W	WOA R22 PB-W	WOA R23 PB-W	WOA R24 PB-W	WOA R26 PB-W
Antique Mahogany	Satin Chrome/Black	Ovolo	WOA R21 SC-B	WOA R22 SC-B	WOA R23 SC-B	WOA R24 SC-B	WOA R26 SC-B
Antique Mahogany	Satin Chrome/White	Ovolo	WOA R21 SC-W	WOA R22 SC-W	WOA R23 SC-W	WOA R24 SC-W	WOA R26 SC-W
Dark Oak	Antique Brass/Black	Chamfered	WCD R21 AB-B	WCD R22 AB-B	WCD R23 AB-B	WCD R24 AB-B	WCD R26 AB-B
Dark Oak	Bright Chrome/Black	Chamfered	WCD R21 BC-B	WCD R22 BC-B	WCD R23 BC-B	WCD R24 BC-B	WCD R26 BC-B
Dark Oak	Bright Chrome/White	Chamfered	WCD R21 BC-W	WCD R22 BC-W	WCD R23 BC-W	WCD R24 BC-W	WCD R26 BC-W
Dark Oak	Polished Brass/Black	Chamfered	WCD R21 PB-B	WCD R22 PB-B	WCD R23 PB-B	WCD R24 PB-B	WCD R26 PB-B
Dark Oak	Polished Brass/White	Chamfered	WCD R21 PB-W	WCD R22 PB-W	WCD R23 PB-W	WCD R24 PB-W	WCD R26 PB-W
Dark Oak	Satin Chrome/Black	Chamfered	WCD R21 SC-B	WCD R22 SC-B	WCD R23 SC-B	WCD R24 SC-B	WCD R26 SC-B
Dark Oak	Satin Chrome/White	Chamfered	WCD R21 SC-W	WCD R22 SC-W	WCD R23 SC-W	WCD R24 SC-W	WCD R26 SC-W
Dark Oak	Antique Brass/Black	Ovolo	WOD R21 AB-B	WOD R22 AB-B	WOD R23 AB-B	WOD R24 AB-B	WOD R26 AB-B
Dark Oak	Bright Chrome/Black	Ovolo	WOD R21 BC-B	WOD R22 BC-B	WOD R23 BC-B	WOD R24 BC-B	WOD R26 BC-B
Dark Oak	Bright Chrome/White	Ovolo	WOD R21 BC-W	WOD R22 BC-W	WOD R23 BC-W	WOD R24 BC-W	WOD R26 BC-W
Dark Oak	Polished Brass/Black	Ovolo	WOD R21 PB-B	WOD R22 PB-B	WOD R23 PB-B	WOD R24 PB-B	WOD R26 PB-B
Dark Oak	Polished Brass/White	Ovolo	WOD R21 PB-W	WOD R22 PB-W	WOD R23 PB-W	WOD R24 PB-W	WOD R26 PB-W
Dark Oak	Satin Chrome/Black	Ovolo	WOD R21 SC-B	WOD R22 SC-B	WOD R23 SC-B	WOD R24 SC-B	WOD R26 SC-B
Dark Oak	Satin Chrome/White	Ovolo	WOD R21 SC-W	WOD R22 SC-W	WOD R23 SC-W	WOD R24 SC-W	WOD R26 SC-W
Nominal Size:			88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:			25mm	25mm	25mm	25mm	25mm
Technical Insert Ref:			R21	R21	R23	R24	R26

Woods

Rocker Switches



WCL R21 PB-B








WCM R22 BC-B



WOL R24 SC-B



WOM R26 SC-W

Front Plate	Insert Finish/ Surround Colour	Edge	 1 gang 10AX 2 Way Rocker	 2 gang 10AX 2 Way Rocker	 3 gang 10AX 2 Way Rocker	 4 gang 10AX 2 Way Rocker	 6 gang 10AX 2 Way Rocker
Medium Oak	Antique Brass/Black	Chamfered	WCM R21 AB-B	WCM R22 AB-B	WCM R23 AB-B	WCM R24 AB-B	WCM R26 AB-B
Medium Oak	Bright Chrome/Black	Chamfered	WCM R21 BC-B	WCM R22 BC-B	WCM R23 BC-B	WCM R24 BC-B	WCM R26 BC-B
Medium Oak	Bright Chrome/White	Chamfered	WCM R21 BC-W	WCM R22 BC-W	WCM R23 BC-W	WCM R24 BC-W	WCM R26 BC-W
Medium Oak	Polished Brass/Black	Chamfered	WCM R21 PB-B	WCM R22 PB-B	WCM R23 PB-B	WCM R24 PB-B	WCM R26 PB-B
Medium Oak	Polished Brass/White	Chamfered	WCM R21 PB-W	WCM R22 PB-W	WCM R23 PB-W	WCM R24 PB-W	WCM R26 PB-W
Medium Oak	Satin Chrome/Black	Chamfered	WCM R21 SC-B	WCM R22 SC-B	WCM R23 SC-B	WCM R24 SC-B	WCM R26 SC-B
Medium Oak	Satin Chrome/White	Chamfered	WCM R21 SC-W	WCM R22 SC-W	WCM R23 SC-W	WCM R24 SC-W	WCM R26 SC-W
Medium Oak	Antique Brass/Black	Ovolo	WOM R21 AB-B	WOM R22 AB-B	WOM R23 AB-B	WOM R24 AB-B	WOM R26 AB-B
Medium Oak	Bright Chrome/Black	Ovolo	WOM R21 BC-B	WOM R22 BC-B	WOM R23 BC-B	WOM R24 BC-B	WOM R26 BC-B
Medium Oak	Bright Chrome/White	Ovolo	WOM R21 BC-W	WOM R22 BC-W	WOM R23 BC-W	WOM R24 BC-W	WOM R26 BC-W
Medium Oak	Polished Brass/Black	Ovolo	WOM R21 PB-B	WOM R22 PB-B	WOM R23 PB-B	WOM R24 PB-B	WOM R26 PB-B
Medium Oak	Polished Brass/White	Ovolo	WOM R21 PB-W	WOM R22 PB-W	WOM R23 PB-W	WOM R24 PB-W	WOM R26 PB-W
Medium Oak	Satin Chrome/Black	Ovolo	WOM R21 SC-B	WOM R22 SC-B	WOM R23 SC-B	WOM R24 SC-B	WOM R26 SC-B
Medium Oak	Satin Chrome/White	Ovolo	WOM R21 SC-W	WOM R22 SC-W	WOM R23 SC-W	WOM R24 SC-W	WOM R26 SC-W
Light Oak	Antique Brass/Black	Chamfered	WCL R21 AB-B	WCL R22 AB-B	WCL R23 AB-B	WCL R24 AB-B	WCL R26 AB-B
Light Oak	Bright Chrome/Black	Chamfered	WCL R21 BC-B	WCL R22 BC-B	WCL R23 BC-B	WCL R24 BC-B	WCL R26 BC-B
Light Oak	Bright Chrome/White	Chamfered	WCL R21 BC-W	WCL R22 BC-W	WCL R23 BC-W	WCL R24 BC-W	WCL R26 BC-W
Light Oak	Polished Brass/Black	Chamfered	WCL R21 PB-B	WCL R22 PB-B	WCL R23 PB-B	WCL R24 PB-B	WCL R26 PB-B
Light Oak	Polished Brass/White	Chamfered	WCL R21 PB-W	WCL R22 PB-W	WCL R23 PB-W	WCL R24 PB-W	WCL R26 PB-W
Light Oak	Satin Chrome/Black	Chamfered	WCL R21 SC-B	WCL R22 SC-B	WCL R23 SC-B	WCL R24 SC-B	WCL R26 SC-B
Light Oak	Satin Chrome/White	Chamfered	WCL R21 SC-W	WCL R22 SC-W	WCL R23 SC-W	WCL R24 SC-W	WCL R26 SC-W
Light Oak	Antique Brass/Black	Ovolo	WOL R21 AB-B	WOL R22 AB-B	WOL R23 AB-B	WOL R24 AB-B	WOL R26 AB-B
Light Oak	Bright Chrome/Black	Ovolo	WOL R21 BC-B	WOL R22 BC-B	WOL R23 BC-B	WOL R24 BC-B	WOL R26 BC-B
Light Oak	Bright Chrome/White	Ovolo	WOL R21 BC-W	WOL R22 BC-W	WOL R23 BC-W	WOL R24 BC-W	WOL R26 BC-W
Light Oak	Polished Brass/Black	Ovolo	WOL R21 PB-B	WOL R22 PB-B	WOL R23 PB-B	WOL R24 PB-B	WOL R26 PB-B
Light Oak	Polished Brass/White	Ovolo	WOL R21 PB-W	WOL R22 PB-W	WOL R23 PB-W	WOL R24 PB-W	WOL R26 PB-W
Light Oak	Satin Chrome/Black	Ovolo	WOL R21 SC-B	WOL R22 SC-B	WOL R23 SC-B	WOL R24 SC-B	WOL R26 SC-B
Light Oak	Satin Chrome/White	Ovolo	WOL R21 SC-W	WOL R22 SC-W	WOL R23 SC-W	WOL R24 SC-W	WOL R26 SC-W
Nominal Size:			88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:			25mm	25mm	25mm	25mm	25mm
Technical Insert Ref:			R21	R21	R23	R24	R26

Woods

Rocker Switches



WCA R31 SC-W



WOL R31 PB-W



1 gang 10AX
Intermediate Rocker

Front Plate	Insert Finish/ Surround Colour	Edge	
Antique Mahogany	Antique Brass/Black	Chamfered	WCA R31 AB-B
Antique Mahogany	Bright Chrome/Black	Chamfered	WCA R31 BC-B
Antique Mahogany	Bright Chrome/White	Chamfered	WCA R31 BC-W
Antique Mahogany	Polished Brass/Black	Chamfered	WCA R31 PB-B
Antique Mahogany	Polished Brass/White	Chamfered	WCA R31 PB-W
Antique Mahogany	Satin Chrome/Black	Chamfered	WCA R31 SC-B
Antique Mahogany	Satin Chrome/White	Chamfered	WCA R31 SC-W
Antique Mahogany	Antique Brass/Black	Ovolo	WOA R31 AB-B
Antique Mahogany	Bright Chrome/Black	Ovolo	WOA R31 BC-B
Antique Mahogany	Bright Chrome/White	Ovolo	WOA R31 BC-W
Antique Mahogany	Polished Brass/Black	Ovolo	WOA R31 PB-B
Antique Mahogany	Polished Brass/White	Ovolo	WOA R31 PB-W
Antique Mahogany	Satin Chrome/Black	Ovolo	WOA R31 SC-B
Antique Mahogany	Satin Chrome/White	Ovolo	WOA R31 SC-W
Dark Oak	Antique Brass/Black	Chamfered	WCD R31 AB-B
Dark Oak	Bright Chrome/Black	Chamfered	WCD R31 BC-B
Dark Oak	Bright Chrome/White	Chamfered	WCD R31 BC-W
Dark Oak	Polished Brass/Black	Chamfered	WCD R31 PB-B
Dark Oak	Polished Brass/White	Chamfered	WCD R31 PB-W
Dark Oak	Satin Chrome/Black	Chamfered	WCD R31 SC-B
Dark Oak	Satin Chrome/White	Chamfered	WCD R31 SC-W
Dark Oak	Antique Brass/Black	Ovolo	WOD R31 AB-B
Dark Oak	Bright Chrome/Black	Ovolo	WOD R31 BC-B
Dark Oak	Bright Chrome/White	Ovolo	WOD R31 BC-W
Dark Oak	Polished Brass/Black	Ovolo	WOD R31 PB-B
Dark Oak	Polished Brass/White	Ovolo	WOD R31 PB-W
Dark Oak	Satin Chrome/Black	Ovolo	WOD R31 SC-B
Dark Oak	Satin Chrome/White	Ovolo	WOD R31 SC-W
Nominal Size:			88.0mm x 88.0mm
Minimum Wall Box Depth:			25mm
Technical Insert Ref:			R31



1 gang 10AX
Intermediate Rocker

Front Plate	Insert Finish/ Surround Colour	Edge	
Light Oak	Antique Brass/Black	Chamfered	WCL R31 AB-B
Light Oak	Bright Chrome/Black	Chamfered	WCL R31 BC-B
Light Oak	Bright Chrome/White	Chamfered	WCL R31 BC-W
Light Oak	Polished Brass/Black	Chamfered	WCL R31 PB-B
Light Oak	Polished Brass/White	Chamfered	WCL R31 PB-W
Light Oak	Satin Chrome/Black	Chamfered	WCL R31 SC-B
Light Oak	Satin Chrome/White	Chamfered	WCL R31 SC-W
Light Oak	Antique Brass/Black	Ovolo	WOL R31 AB-B
Light Oak	Bright Chrome/Black	Ovolo	WOL R31 BC-B
Light Oak	Bright Chrome/White	Ovolo	WOL R31 BC-W
Light Oak	Polished Brass/Black	Ovolo	WOL R31 PB-B
Light Oak	Polished Brass/White	Ovolo	WOL R31 PB-W
Light Oak	Satin Chrome/Black	Ovolo	WOL R31 SC-B
Light Oak	Satin Chrome/White	Ovolo	WOL R31 SC-W
Medium Oak	Antique Brass/Black	Chamfered	WCM R31 AB-B
Medium Oak	Bright Chrome/Black	Chamfered	WCM R31 BC-B
Medium Oak	Bright Chrome/White	Chamfered	WCM R31 BC-W
Medium Oak	Polished Brass/Black	Chamfered	WCM R31 PB-B
Medium Oak	Polished Brass/White	Chamfered	WCM R31 PB-W
Medium Oak	Satin Chrome/Black	Chamfered	WCM R31 SC-B
Medium Oak	Satin Chrome/White	Chamfered	WCM R31 SC-W
Medium Oak	Antique Brass/Black	Ovolo	WOM R31 AB-B
Medium Oak	Bright Chrome/Black	Ovolo	WOM R31 BC-B
Medium Oak	Bright Chrome/White	Ovolo	WOM R31 BC-W
Medium Oak	Polished Brass/Black	Ovolo	WOM R31 PB-B
Medium Oak	Polished Brass/White	Ovolo	WOM R31 PB-W
Medium Oak	Satin Chrome/Black	Ovolo	WOM R31 SC-B
Medium Oak	Satin Chrome/White	Ovolo	WOM R31 SC-W
Nominal Size:			88.0mm x 88.0mm
Minimum Wall Box Depth:			25mm
Technical Insert Ref:			R31

Woods

Rocker Switches



WCD TP BL-B



1 gang 10A
Triple Pole Rocker

Front Plate	Insert Finish/ Surround Colour	Edge	
Antique Mahogany	Black/Black	Chamfered	WCA TP BL-B
Antique Mahogany	White/White	Chamfered	WCA TP WH-W
Antique Mahogany	Black/Black	Ovolo	WOA TP BL-B
Antique Mahogany	White/White	Ovolo	WOA TP WH-W
Dark Oak	Black/Black	Chamfered	WCD TP BL-B
Dark Oak	White/White	Chamfered	WCD TP WH-W
Dark Oak	Black/Black	Ovolo	WOD TP BL-B
Dark Oak	White/White	Ovolo	WOD TP WH-W
Light Oak	Black/Black	Chamfered	WCL TP BL-B
Light Oak	White/White	Chamfered	WCL TP WH-W
Light Oak	Black/Black	Ovolo	WOL TP BL-B
Light Oak	White/White	Ovolo	WOL TP WH-W
Medium Oak	Black/Black	Chamfered	WCM TP BL-B
Medium Oak	White/White	Chamfered	WCM TP WH-W
Medium Oak	Black/Black	Ovolo	WOM TP BL-B
Medium Oak	White/White	Ovolo	WOM TP WH-W
Nominal Size:			88.0mm x 88.0mm
Minimum Wall Box Depth:			25mm
Technical Insert Ref:			TP

Woods

Toggle Switches



WOA T21 AB



WOD T22 BC



WOL T23 PB



WOM T24 SC



1 gang 20AX
2 Way Toggle



2 gang 20AX
2 Way Toggle



3 gang 20AX
2 Way Toggle



4 gang 20AX
2 Way Toggle



1 gang 20AX
Intermediate Toggle

Front Plate	Insert Finish	Edge	1 gang 20AX 2 Way Toggle	2 gang 20AX 2 Way Toggle	3 gang 20AX 2 Way Toggle	4 gang 20AX 2 Way Toggle	1 gang 20AX Intermediate Toggle
Antique Mahogany	Antique Brass	Chamfered	WCA T21 AB	WCA T22 AB	WCA T23 AB	WCA T24 AB	WCA T31 AB
Antique Mahogany	Bright Chrome	Chamfered	WCA T21 BC	WCA T22 BC	WCA T23 BC	WCA T24 BC	WCA T31 BC
Antique Mahogany	Polished Brass	Chamfered	WCA T21 PB	WCA T22 PB	WCA T23 PB	WCA T24 PB	WCA T31 PB
Antique Mahogany	Satin Chrome	Chamfered	WCA T21 SC	WCA T22 SC	WCA T23 SC	WCA T24 SC	WCA T31 SC
Antique Mahogany	Antique Brass	Ovolo	WOA T21 AB	WOA T22 AB	WOA T23 AB	WOA T24 AB	WOA T31 AB
Antique Mahogany	Bright Chrome	Ovolo	WOA T21 BC	WOA T22 BC	WOA T23 BC	WOA T24 BC	WOA T31 BC
Antique Mahogany	Polished Brass	Ovolo	WOA T21 PB	WOA T22 PB	WOA T23 PB	WOA T24 PB	WOA T31 PB
Antique Mahogany	Satin Chrome	Ovolo	WOA T21 SC	WOA T22 SC	WOA T23 SC	WOA T24 SC	WOA T31 SC
Dark Oak	Antique Brass	Chamfered	WCD T21 AB	WCD T22 AB	WCD T23 AB	WCD T24 AB	WCD T31 AB
Dark Oak	Bright Chrome	Chamfered	WCD T21 BC	WCD T22 BC	WCD T23 BC	WCD T24 BC	WCD T31 BC
Dark Oak	Polished Brass	Chamfered	WCD T21 PB	WCD T22 PB	WCD T23 PB	WCD T24 PB	WCD T31 PB
Dark Oak	Satin Chrome	Chamfered	WCD T21 SC	WCD T22 SC	WCD T23 SC	WCD T24 SC	WCD T31 SC
Dark Oak	Antique Brass	Ovolo	WOD T21 AB	WOD T22 AB	WOD T23 AB	WOD T24 AB	WOD T31 AB
Dark Oak	Bright Chrome	Ovolo	WOD T21 BC	WOD T22 BC	WOD T23 BC	WOD T24 BC	WOD T31 BC
Dark Oak	Polished Brass	Ovolo	WOD T21 PB	WOD T22 PB	WOD T23 PB	WOD T24 PB	WOD T31 PB
Dark Oak	Satin Chrome	Ovolo	WOD T21 SC	WOD T22 SC	WOD T23 SC	WOD T24 SC	WOD T31 SC
Light Oak	Antique Brass	Chamfered	WCL T21 AB	WCL T22 AB	WCL T23 AB	WCL T24 AB	WCL T31 AB
Light Oak	Bright Chrome	Chamfered	WCL T21 BC	WCL T22 BC	WCL T23 BC	WCL T24 BC	WCL T31 BC
Light Oak	Polished Brass	Chamfered	WCL T21 PB	WCL T22 PB	WCL T23 PB	WCL T24 PB	WCL T31 PB
Light Oak	Satin Chrome	Chamfered	WCL T21 SC	WCL T22 SC	WCL T23 SC	WCL T24 SC	WCL T31 SC
Light Oak	Antique Brass	Ovolo	WOL T21 AB	WOL T22 AB	WOL T23 AB	WOL T24 AB	WOL T31 AB
Light Oak	Bright Chrome	Ovolo	WOL T21 BC	WOL T22 BC	WOL T23 BC	WOL T24 BC	WOL T31 BC
Light Oak	Polished Brass	Ovolo	WOL T21 PB	WOL T22 PB	WOL T23 PB	WOL T24 PB	WOL T31 PB
Light Oak	Satin Chrome	Ovolo	WOL T21 SC	WOL T22 SC	WOL T23 SC	WOL T24 SC	WOL T31 SC
Medium Oak	Antique Brass	Chamfered	WCM T21 AB	WCM T22 AB	WCM T23 AB	WCM T24 AB	WCM T31 AB
Medium Oak	Bright Chrome	Chamfered	WCM T21 BC	WCM T22 BC	WCM T23 BC	WCM T24 BC	WCM T31 BC
Medium Oak	Polished Brass	Chamfered	WCM T21 PB	WCM T22 PB	WCM T23 PB	WCM T24 PB	WCM T31 PB
Medium Oak	Satin Chrome	Chamfered	WCM T21 SC	WCM T22 SC	WCM T23 SC	WCM T24 SC	WCM T31 SC
Medium Oak	Antique Brass	Ovolo	WOM T21 AB	WOM T22 AB	WOM T23 AB	WOM T24 AB	WOM T31 AB
Medium Oak	Bright Chrome	Ovolo	WOM T21 BC	WOM T22 BC	WOM T23 BC	WOM T24 BC	WOM T31 BC
Medium Oak	Polished Brass	Ovolo	WOM T21 PB	WOM T22 PB	WOM T23 PB	WOM T24 PB	WOM T31 PB
Medium Oak	Satin Chrome	Ovolo	WOM T21 SC	WOM T22 SC	WOM T23 SC	WOM T24 SC	WOM T31 SC
	Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm	88.0mm x 88.0mm
	Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm
	Technical Insert Ref:		T21	T22	T23	T24	T31

Woods

Power Sockets



WCA SS1 SC-B




WCD SS2 PB-W



WCL SS1 PB-B




WCM SS2 BC-W



1 gang 13A
Double Pole
Switched
Socket

2 gang 13A
Double Pole
Switched
Socket



1 gang 13A
Double Pole
Switched
Socket

2 gang 13A
Double Pole
Switched
Socket

Front Plate	Insert Finish/ Surround Colour	Edge	1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	Front Plate	Insert Finish/ Surround Colour	Edge	1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket
Antique Mahogany	Antique Brass/Black	Chamfered	WCA SS1 AB-B	WCA SS2 AB-B	Light Oak	Antique Brass/Black	Chamfered	WCL SS1 AB-B	WCL SS2 AB-B
Antique Mahogany	Bright Chrome/Black	Chamfered	WCA SS1 BC-B	WCA SS2 BC-B	Light Oak	Bright Chrome/Black	Chamfered	WCL SS1 BC-B	WCL SS2 BC-B
Antique Mahogany	Bright Chrome/White	Chamfered	WCA SS1 BC-W	WCA SS2 BC-W	Light Oak	Bright Chrome/White	Chamfered	WCL SS1 BC-W	WCL SS2 BC-W
Antique Mahogany	Polished Brass/Black	Chamfered	WCA SS1 PB-B	WCA SS2 PB-B	Light Oak	Polished Brass/Black	Chamfered	WCL SS1 PB-B	WCL SS2 PB-B
Antique Mahogany	Polished Brass/White	Chamfered	WCA SS1 PB-W	WCA SS2 PB-W	Light Oak	Polished Brass/White	Chamfered	WCL SS1 PB-W	WCL SS2 PB-W
Antique Mahogany	Satin Chrome/Black	Chamfered	WCA SS1 SC-B	WCA SS2 SC-B	Light Oak	Satin Chrome/Black	Chamfered	WCL SS1 SC-B	WCL SS2 SC-B
Antique Mahogany	Satin Chrome/White	Chamfered	WCA SS1 SC-W	WCA SS2 SC-W	Light Oak	Satin Chrome/White	Chamfered	WCL SS1 SC-W	WCL SS2 SC-W
Antique Mahogany	Antique Brass/Black	Ovolo	WOA SS1 AB-B	WOA SS2 AB-B	Light Oak	Antique Brass/Black	Ovolo	WOL SS1 AB-B	WOL SS2 AB-B
Antique Mahogany	Bright Chrome/Black	Ovolo	WOA SS1 BC-B	WOA SS2 BC-B	Light Oak	Bright Chrome/Black	Ovolo	WOL SS1 BC-B	WOL SS2 BC-B
Antique Mahogany	Bright Chrome/White	Ovolo	WOA SS1 BC-W	WOA SS2 BC-W	Light Oak	Bright Chrome/White	Ovolo	WOL SS1 BC-W	WOL SS2 BC-W
Antique Mahogany	Polished Brass/Black	Ovolo	WOA SS1 PB-B	WOA SS2 PB-B	Light Oak	Polished Brass/Black	Ovolo	WOL SS1 PB-B	WOL SS2 PB-B
Antique Mahogany	Polished Brass/White	Ovolo	WOA SS1 PB-W	WOA SS2 PB-W	Light Oak	Polished Brass/White	Ovolo	WOL SS1 PB-W	WOL SS2 PB-W
Antique Mahogany	Satin Chrome/Black	Ovolo	WOA SS1 SC-B	WOA SS2 SC-B	Light Oak	Satin Chrome/Black	Ovolo	WOL SS1 SC-B	WOL SS2 SC-B
Antique Mahogany	Satin Chrome/White	Ovolo	WOA SS1 SC-W	WOA SS2 SC-W	Light Oak	Satin Chrome/White	Ovolo	WOL SS1 SC-W	WOL SS2 SC-W
Dark Oak	Antique Brass/Black	Chamfered	WCD SS1 AB-B	WCD SS2 AB-B	Medium Oak	Antique Brass/Black	Chamfered	WCM SS1 AB-B	WCM SS2 AB-B
Dark Oak	Bright Chrome/Black	Chamfered	WCD SS1 BC-B	WCD SS2 BC-B	Medium Oak	Bright Chrome/Black	Chamfered	WCM SS1 BC-B	WCM SS2 BC-B
Dark Oak	Bright Chrome/White	Chamfered	WCD SS1 BC-W	WCD SS2 BC-W	Medium Oak	Bright Chrome/White	Chamfered	WCM SS1 BC-W	WCM SS2 BC-W
Dark Oak	Polished Brass/Black	Chamfered	WCD SS1 PB-B	WCD SS2 PB-B	Medium Oak	Polished Brass/Black	Chamfered	WCM SS1 PB-B	WCM SS2 PB-B
Dark Oak	Polished Brass/White	Chamfered	WCD SS1 PB-W	WCD SS2 PB-W	Medium Oak	Polished Brass/White	Chamfered	WCM SS1 PB-W	WCM SS2 PB-W
Dark Oak	Satin Chrome/Black	Chamfered	WCD SS1 SC-B	WCD SS2 SC-B	Medium Oak	Satin Chrome/Black	Chamfered	WCM SS1 SC-B	WCM SS2 SC-B
Dark Oak	Satin Chrome/White	Chamfered	WCD SS1 SC-W	WCD SS2 SC-W	Medium Oak	Satin Chrome/White	Chamfered	WCM SS1 SC-W	WCM SS2 SC-W
Dark Oak	Antique Brass/Black	Ovolo	WOD SS1 AB-B	WOD SS2 AB-B	Medium Oak	Antique Brass/Black	Ovolo	WOM SS1 AB-B	WOM SS2 AB-B
Dark Oak	Bright Chrome/Black	Ovolo	WOD SS1 BC-B	WOD SS2 BC-B	Medium Oak	Bright Chrome/Black	Ovolo	WOM SS1 BC-B	WOM SS2 BC-B
Dark Oak	Bright Chrome/White	Ovolo	WOD SS1 BC-W	WOD SS2 BC-W	Medium Oak	Bright Chrome/White	Ovolo	WOM SS1 BC-W	WOM SS2 BC-W
Dark Oak	Polished Brass/Black	Ovolo	WOD SS1 PB-B	WOD SS2 PB-B	Medium Oak	Polished Brass/Black	Ovolo	WOM SS1 PB-B	WOM SS2 PB-B
Dark Oak	Polished Brass/White	Ovolo	WOD SS1 PB-W	WOD SS2 PB-W	Medium Oak	Polished Brass/White	Ovolo	WOM SS1 PB-W	WOM SS2 PB-W
Dark Oak	Satin Chrome/Black	Ovolo	WOD SS1 SC-B	WOD SS2 SC-B	Medium Oak	Satin Chrome/Black	Ovolo	WOM SS1 SC-B	WOM SS2 SC-B
Dark Oak	Satin Chrome/White	Ovolo	WOD SS1 SC-W	WOD SS2 SC-W	Medium Oak	Satin Chrome/White	Ovolo	WOM SS1 SC-W	WOM SS2 SC-W
Nominal Size:			88.0mm x 88.0mm	146.0mm x 88.0mm	Nominal Size:			88.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:			35mm	35mm	Minimum Wall Box Depth:			35mm	35mm
Technical Insert Ref:			SS1	SS2	Technical Insert Ref:			SS1	SS2

Woods

Power Sockets




WOM US5 B



WCA SHS W



1 gang 5A
Unswitched
Socket



Shaver Dual
Voltage
Unswitched
Socket
(Vertically
Mounted)

Frame / Front Plate	Insert Finish	Edge		
Antique Mahogany	Black	Chamfered	WCA US5 B	WCA SHS B
Antique Mahogany	White	Chamfered	WCA US5 W	WCA SHS W
Antique Mahogany	Black	Ovolo	WOA US5 B	WOA SHS B
Antique Mahogany	White	Ovolo	WOA US5 W	WOA SHS W
Dark Oak	Black	Chamfered	WCD US5 B	WCD SHS B
Dark Oak	White	Chamfered	WCD US5 W	WCD SHS W
Dark Oak	Black	Ovolo	WOD US5 B	WOD SHS B
Dark Oak	White	Ovolo	WOD US5 W	WOD SHS W
Light Oak	Black	Chamfered	WCL US5 B	WCL SHS B
Light Oak	White	Chamfered	WCL US5 W	WCL SHS W
Light Oak	Black	Ovolo	WOL US5 B	WOL SHS B
Light Oak	White	Ovolo	WOL US5 W	WOL SHS W
Medium Oak	Black	Chamfered	WCM US5 B	WCM SHS B
Medium Oak	White	Chamfered	WCM US5 W	WCM SHS W
Medium Oak	Black	Ovolo	WOM US5 B	WOM SHS B
Medium Oak	White	Ovolo	WOM US5 W	WOM SHS W
	Nominal Size:		88.0mm x 88.0mm	88.0mm x 146.0mm
	Minimum Wall Box Depth:		35mm	47mm
	Technical Insert Ref:		US5	SHS

Woods

International Power Sockets



WCD 5320 W




WCL 5258 W



WOA 6126 B



1 gang 15A 110V
American Unswitched
Socket



2 gang 15A 110V AC
American Unswitched
Socket



1 gang 10/16A
220/250V AC
German Unswitched
Socket

Front Plate	Insert Colour	Edge			
Antique Mahogany	Black	Chamfered	WCA 5258 B	WCA 5320 B	WCA 6126 B
Antique Mahogany	White	Chamfered	WCA 5258 W	WCA 5320 W	WCA 6126 W
Antique Mahogany	Black	Ovolo	WOA 5258 B	WOA 5320 B	WOA 6126 B
Antique Mahogany	White	Ovolo	WOA 5258 W	WOA 5320 W	WOA 6126 W
Dark Oak	Black	Chamfered	WCD 5258 B	WCD 5320 B	WCD 6126 B
Dark Oak	White	Chamfered	WCD 5258 W	WCD 5320 W	WCD 6126 W
Dark Oak	Black	Ovolo	WOD 5258 B	WOD 5320 B	WOD 6126 B
Dark Oak	White	Ovolo	WOD 5258 W	WOD 5320 W	WOD 6126 W
Light Oak	Black	Chamfered	WCL 5258 B	WCL 5320 B	WCL 6126 B
Light Oak	White	Chamfered	WCL 5258 W	WCL 5320 W	WCL 6126 W
Light Oak	Black	Ovolo	WOL 5258 B	WOL 5320 B	WOL 6126 B
Light Oak	White	Ovolo	WOL 5258 W	WOL 5320 W	WOL 6126 W
Medium Oak	Black	Chamfered	WCM 5258 B	WCM 5320 B	WCM 6126 B
Medium Oak	White	Chamfered	WCM 5258 W	WCM 5320 W	WCM 6126 W
Medium Oak	Black	Ovolo	WOM 5258 B	WOM 5320 B	WOM 6126 B
Medium Oak	White	Ovolo	WOM 5258 W	WOM 5320 W	WOM 6126 W
Nominal Size:			88.0mm x 88.0mm	146.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:			35mm	35mm	47mm
Technical Insert Ref:			5258	5320	6126

Woods

Hotel Card Switch with LED



WCA C11 AB-B



WCL C11 SC-B



1 gang 10A (6AX) Card Switch On/Off with Blue LED Locator

Front Plate	Insert Finish/ Surround Colour	Edge	
Antique Mahogany	Antique Brass/Black	Chamfered	WCA C11 AB-B
Antique Mahogany	Bright Chrome/Black	Chamfered	WCA C11 BC-B
Antique Mahogany	Bright Chrome/White	Chamfered	WCA C11 BC-W
Antique Mahogany	Polished Brass/Black	Chamfered	WCA C11 PB-B
Antique Mahogany	Polished Brass/White	Chamfered	WCA C11 PB-W
Antique Mahogany	Satin Chrome/Black	Chamfered	WCA C11 SC-B
Antique Mahogany	Satin Chrome/White	Chamfered	WCA C11 SC-W
Antique Mahogany	Antique Brass/Black	Ovolo	WOA C11 AB-B
Antique Mahogany	Bright Chrome/Black	Ovolo	WOA C11 BC-B
Antique Mahogany	Bright Chrome/White	Ovolo	WOA C11 BC-W
Antique Mahogany	Polished Brass/Black	Ovolo	WOA C11 PB-B
Antique Mahogany	Polished Brass/White	Ovolo	WOA C11 PB-W
Antique Mahogany	Satin Chrome/Black	Ovolo	WOA C11 SC-B
Antique Mahogany	Satin Chrome/White	Ovolo	WOA C11 SC-W
Dark Oak	Antique Brass/Black	Chamfered	WCD C11 AB-B
Dark Oak	Bright Chrome/Black	Chamfered	WCD C11 BC-B
Dark Oak	Bright Chrome/White	Chamfered	WCD C11 BC-W
Dark Oak	Polished Brass/Black	Chamfered	WCD C11 PB-B
Dark Oak	Polished Brass/White	Chamfered	WCD C11 PB-W
Dark Oak	Satin Chrome/Black	Chamfered	WCD C11 SC-B
Dark Oak	Satin Chrome/White	Chamfered	WCD C11 SC-W
Dark Oak	Antique Brass/Black	Ovolo	WOD C11 AB-B
Dark Oak	Bright Chrome/Black	Ovolo	WOD C11 BC-B
Dark Oak	Bright Chrome/White	Ovolo	WOD C11 BC-W
Dark Oak	Polished Brass/Black	Ovolo	WOD C11 PB-B
Dark Oak	Polished Brass/White	Ovolo	WOD C11 PB-W
Dark Oak	Satin Chrome/Black	Ovolo	WOD C11 SC-B
Dark Oak	Satin Chrome/White	Ovolo	WOD C11 SC-W
Nominal Size:			88.0mm x 88.0mm
Minimum Wall Box Depth:			35mm
Technical Insert Ref:			C11



1 gang 10A (6AX) Card Switch On/Off with Blue LED Locator

Front Plate	Insert Finish/ Surround Colour	Edge	
Light Oak	Antique Brass/Black	Chamfered	WCL C11 AB-B
Light Oak	Bright Chrome/Black	Chamfered	WCL C11 BC-B
Light Oak	Bright Chrome/White	Chamfered	WCL C11 BC-W
Light Oak	Polished Brass/Black	Chamfered	WCL C11 PB-B
Light Oak	Polished Brass/White	Chamfered	WCL C11 PB-W
Light Oak	Satin Chrome/Black	Chamfered	WCL C11 SC-B
Light Oak	Satin Chrome/White	Chamfered	WCL C11 SC-W
Light Oak	Antique Brass/Black	Ovolo	WOL C11 AB-B
Light Oak	Bright Chrome/Black	Ovolo	WOL C11 BC-B
Light Oak	Bright Chrome/White	Ovolo	WOL C11 BC-W
Light Oak	Polished Brass/Black	Ovolo	WOL C11 PB-B
Light Oak	Polished Brass/White	Ovolo	WOL C11 PB-W
Light Oak	Satin Chrome/Black	Ovolo	WOL C11 SC-B
Light Oak	Satin Chrome/White	Ovolo	WOL C11 SC-W
Medium Oak	Antique Brass/Black	Chamfered	WCM C11 AB-B
Medium Oak	Bright Chrome/Black	Chamfered	WCM C11 BC-B
Medium Oak	Bright Chrome/White	Chamfered	WCM C11 BC-W
Medium Oak	Polished Brass/Black	Chamfered	WCM C11 PB-B
Medium Oak	Polished Brass/White	Chamfered	WCM C11 PB-W
Medium Oak	Satin Chrome/Black	Chamfered	WCM C11 SC-B
Medium Oak	Satin Chrome/White	Chamfered	WCM C11 SC-W
Medium Oak	Antique Brass/Black	Ovolo	WOM C11 AB-B
Medium Oak	Bright Chrome/Black	Ovolo	WOM C11 BC-B
Medium Oak	Bright Chrome/White	Ovolo	WOM C11 BC-W
Medium Oak	Polished Brass/Black	Ovolo	WOM C11 PB-B
Medium Oak	Polished Brass/White	Ovolo	WOM C11 PB-W
Medium Oak	Satin Chrome/Black	Ovolo	WOM C11 SC-B
Medium Oak	Satin Chrome/White	Ovolo	WOM C11 SC-W
Nominal Size:			88.0mm x 88.0mm
Minimum Wall Box Depth:			35mm
Technical Insert Ref:			C11

Woods

Television Coaxial Sockets



WOD TV B



WOL TVFM W



WOM TVSAT B



WCA SATI W



1 gang
Non-Isolated
TV 1in/1out



Isolated
TV/FM Diplexer
1in/2out



1 gang
Isolated
TV 1in/1out



2 gang
Non-Isolated
TV+Satellite
2in/2out



1 gang
Non-Isolated
Satellite



1 gang
Isolated
Satellite

Front Plate	Insert Colour	Edge	1 gang Non-Isolated TV 1in/1out	Isolated TV/FM Diplexer 1in/2out	1 gang Isolated TV 1in/1out	2 gang Non-Isolated TV+Satellite 2in/2out	1 gang Non-Isolated Satellite	1 gang Isolated Satellite
Antique Mahogany	Black	Chamfered	WCA TV B	WCA TVFM B	WCA TVI B	WCA TVSAT B	WCA SATN B	WCA SATI B
Antique Mahogany	White	Chamfered	WCA TV W	WCA TVFM W	WCA TVI W	WCA TVSAT W	WCA SATN W	WCA SATI W
Antique Mahogany	Black	Ovolo	WOA TV B	WOA TVFM B	WOA TVI B	WOA TVSAT B	WOA SATN B	WOA SATI B
Antique Mahogany	White	Ovolo	WOA TV W	WOA TVFM W	WOA TVI W	WOA TVSAT W	WOA SATN W	WOA SATI W
Dark Oak	Black	Chamfered	WCD TV B	WCD TVFM B	WCD TVI B	WCD TVSAT B	WCD SATN B	WCD SATI B
Dark Oak	White	Chamfered	WCD TV W	WCD TVFM W	WCD TVI W	WCD TVSAT W	WCD SATN W	WCD SATI W
Dark Oak	Black	Ovolo	WOD TV B	WOD TVFM B	WOD TVI B	WOD TVSAT B	WOD SATN B	WOD SATI B
Dark Oak	White	Ovolo	WOD TV W	WOD TVFM W	WOD TVI W	WOD TVSAT W	WOD SATN W	WOD SATI W
Light Oak	Black	Chamfered	WCL TV B	WCL TVFM B	WCL TVI B	WCL TVSAT B	WCL SATN B	WCL SATI B
Light Oak	White	Chamfered	WCL TV W	WCL TVFM W	WCL TVI W	WCL TVSAT W	WCL SATN W	WCL SATI W
Light Oak	Black	Ovolo	WOL TV B	WOL TVFM B	WOL TVI B	WOL TVSAT B	WOL SATN B	WOL SATI B
Light Oak	White	Ovolo	WOL TV W	WOL TVFM W	WOL TVI W	WOL TVSAT W	WOL SATN W	WOL SATI W
Medium Oak	Black	Chamfered	WCM TV B	WCM TVFM B	WCM TVI B	WCM TVSAT B	WCM SATN B	WCM SATI B
Medium Oak	White	Chamfered	WCM TV W	WCM TVFM W	WCM TVI W	WCM TVSAT W	WCM SATN W	WCM SATI W
Medium Oak	Black	Ovolo	WOM TV B	WOM TVFM B	WOM TVI B	WOM TVSAT B	WOM SATN B	WOM SATI B
Medium Oak	White	Ovolo	WOM TV W	WOM TVFM W	WOM TVI W	WOM TVSAT W	WOM SATN W	WOM SATI W
Nominal Size:			88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:			25mm	25mm	25mm	35mm	35mm	35mm
Technical Insert Ref:			TV	TVFM	TVI	TVSAT	SATN	SATI

WOODS RANGE

Woods

Digital Television Sockets

- Screened Non-Isolated / DAB Compatible



WCD DTRID B



WCL DTVF B



WCM DENT W



WOA DSAT+W



Non-Isolated TV+FM+SAT Triplexer 1in/3out (DAB Compatible)



1 gang Non-Isolated TV (Female) (DAB Compatible)




1 gang Non-Isolated TV (Male) (DAB Compatible)



1 gang Non-Isolated Satellite (DAB Compatible)



Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out (DAB Compatible)



Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out +TVF+TCS (DAB Compatible)

Front Plate	Insert Colour	Edge	WCA DTRID B	WCA DTVF B	WCA DTVM B	WCA DSAT B	WCA DENT B	WCA DSAT+B
Antique Mahogany	Black	Chamfered	WOA DTRID W	WOA DTVF W	WOA DTVM W	WOA DSAT W	WOA DENT W	WOA DSAT+W
Antique Mahogany	White	Chamfered	WOA DTRID B	WOA DTVF B	WOA DTVM B	WOA DSAT B	WOA DENT B	WOA DSAT+B
Antique Mahogany	Black	Ovolo	WOD DTRID W	WOD DTVF W	WOD DTVM W	WOD DSAT W	WOD DENT W	WOD DSAT+W
Antique Mahogany	White	Ovolo	WOD DTRID B	WOD DTVF B	WOD DTVM B	WOD DSAT B	WOD DENT B	WOD DSAT+B
Dark Oak	Black	Chamfered	WCL DTRID W	WCL DTVF W	WCL DTVM W	WCL DSAT W	WCL DENT W	WCL DSAT+W
Dark Oak	White	Chamfered	WCL DTRID B	WCL DTVF B	WCL DTVM B	WCL DSAT B	WCL DENT B	WCL DSAT+B
Dark Oak	Black	Ovolo	WOL DTRID W	WOL DTVF W	WOL DTVM W	WOL DSAT W	WOL DENT W	WOL DSAT+W
Dark Oak	White	Ovolo	WOL DTRID B	WOL DTVF B	WOL DTVM B	WOL DSAT B	WOL DENT B	WOL DSAT+B
Light Oak	Black	Chamfered	WCM DTRID W	WCM DTVF W	WCM DTVM W	WCM DSAT W	WCM DENT W	WCM DSAT+W
Light Oak	White	Chamfered	WCM DTRID B	WCM DTVF B	WCM DTVM B	WCM DSAT B	WCM DENT B	WCM DSAT+B
Light Oak	Black	Ovolo	WOM DTRID W	WOM DTVF W	WOM DTVM W	WOM DSAT W	WOM DENT W	WOM DSAT+W
Light Oak	White	Ovolo	WOM DTRID B	WOM DTVF B	WOM DTVM B	WOM DSAT B	WOM DENT B	WOM DSAT+B
Medium Oak	Black	Chamfered	WOM DTRID W	WOM DTVF W	WOM DTVM W	WOM DSAT W	WOM DENT W	WOM DSAT+W
Medium Oak	White	Chamfered	WOM DTRID B	WOM DTVF B	WOM DTVM B	WOM DSAT B	WOM DENT B	WOM DSAT+B
Medium Oak	Black	Ovolo	WOM DTRID W	WOM DTVF W	WOM DTVM W	WOM DSAT W	WOM DENT W	WOM DSAT+W
Medium Oak	White	Ovolo	WOM DTRID B	WOM DTVF B	WOM DTVM B	WOM DSAT B	WOM DENT B	WOM DSAT+B
Nominal Size:			88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:			35mm	35mm	35mm	35mm	35mm	35mm
Technical Insert Ref:			DTRID	DTVF	DTVM	DSAT	DENT	DSAT+

Woods

Telephone and Data Outlets



WOA TCM B



WOA TCS W



WOL J12 B



WOM 2J45 W



1 gang Telephone Master



1 gang Telephone Slave



1 gang RJ12 Outlet - Unshielded



2 gang RJ12 Outlet - Unshielded



1 gang RJ45 CAT 5E Outlet - Unshielded



2 gang RJ45 CAT 5E Outlet - Unshielded

Front Plate	Insert Colour	Edge	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet - Unshielded	2 gang RJ12 Outlet - Unshielded	1 gang RJ45 CAT 5E Outlet - Unshielded	2 gang RJ45 CAT 5E Outlet - Unshielded
Antique Mahogany	Black	Chamfered	WCA TCM B	WCA TCS B	WCA J12 B	WCA 2J12 B	WCA J45 B	WCA 2J45 B
Antique Mahogany	White	Chamfered	WCA TCM W	WCA TCS W	WCA J12 W	WCA 2J12 W	WCA J45 W	WCA 2J45 W
Antique Mahogany	Black	Ovolo	WOA TCM B	WOA TCS B	WOA J12 B	WOA 2J12 B	WOA J45 B	WOA 2J45 B
Antique Mahogany	White	Ovolo	WOA TCM W	WOA TCS W	WOA J12 W	WOA 2J12 W	WOA J45 W	WOA 2J45 W
Dark Oak	Black	Chamfered	WCD TCM B	WCD TCS B	WCD J12 B	WCD 2J12 B	WCD J45 B	WCD 2J45 B
Dark Oak	White	Chamfered	WCD TCM W	WCD TCS W	WCD J12 W	WCD 2J12 W	WCD J45 W	WCD 2J45 W
Dark Oak	Black	Ovolo	WOD TCM B	WOD TCS B	WOD J12 B	WOD 2J12 B	WOD J45 B	WOD 2J45 B
Dark Oak	White	Ovolo	WOD TCM W	WOD TCS W	WOD J12 W	WOD 2J12 W	WOD J45 W	WOD 2J45 W
Light Oak	Black	Chamfered	WCL TCM B	WCL TCS B	WCL J12 B	WCL 2J12 B	WCL J45 B	WCL 2J45 B
Light Oak	White	Chamfered	WCL TCM W	WCL TCS W	WCL J12 W	WCL 2J12 W	WCL J45 W	WCL 2J45 W
Light Oak	Black	Ovolo	WOL TCM B	WOL TCS B	WOL J12 B	WOL 2J12 B	WOL J45 B	WOL 2J45 B
Light Oak	White	Ovolo	WOL TCM W	WOL TCS W	WOL J12 W	WOL 2J12 W	WOL J45 W	WOL 2J45 W
Medium Oak	Black	Chamfered	WCM TCM B	WCM TCS B	WCM J12 B	WCM 2J12 B	WCM J45 B	WCM 2J45 B
Medium Oak	White	Chamfered	WCM TCM W	WCM TCS W	WCM J12 W	WCM 2J12 W	WCM J45 W	WCM 2J45 W
Medium Oak	Black	Ovolo	WOM TCM B	WOM TCS B	WOM J12 B	WOM 2J12 B	WOM J45 B	WOM 2J45 B
Medium Oak	White	Ovolo	WOM TCM W	WOM TCS W	WOM J12 W	WOM 2J12 W	WOM J45 W	WOM 2J45 W
Nominal Size:			88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:			25mm	25mm	35mm	35mm	35mm	35mm
Technical Insert Ref:			TCM	TCS	J12	2J12	J45	2J45

Woods

Double Pole Switches



WOD DPN AB-B



WOM DPN BC-W

Frame / Front Plate	Insert Finish/ Surround Colour	Edge			
			1 gang 20AX Double Pole Rocker + Neon	1 gang 45A Double Pole Red Rocker + Neon	45A Double Pole Red Rocker + Neon + 13A Switched Socket
Antique Mahogany	Antique Brass/Black	Chamfered	WCA DPN AB-B	-	WCA 45SS1 AB-B
Antique Mahogany	Red/Black	Chamfered	-	WCA 45N B	-
Antique Mahogany	Bright Chrome/Black	Chamfered	WCA DPN BC-B	-	WCA 45SS1 BC-B
Antique Mahogany	Bright Chrome/White	Chamfered	WCA DPN BC-W	-	WCA 45SS1 BC-W
Antique Mahogany	Polished Brass/Black	Chamfered	WCA DPN PB-B	-	WCA 45SS1 PB-B
Antique Mahogany	Polished Brass/White	Chamfered	WCA DPN PB-W	-	WCA 45SS1 PB-W
Antique Mahogany	Satin Chrome/Black	Chamfered	WCA DPN SC-B	-	WCA 45SS1 SC-B
Antique Mahogany	Satin Chrome/White	Chamfered	WCA DPN SC-W	-	WCA 45SS1 SC-W
Antique Mahogany	Red/White	Chamfered	-	WCA 45N W	-
Antique Mahogany	Antique Brass/Black	Ovolo	WOA DPN AB-B	-	WOA 45SS1 AB-B
Antique Mahogany	Red/Black	Ovolo	-	WOA 45N B	-
Antique Mahogany	Bright Chrome/Black	Ovolo	WOA DPN BC-B	-	WOA 45SS1 BC-B
Antique Mahogany	Bright Chrome/White	Ovolo	WOA DPN BC-W	-	WOA 45SS1 BC-W
Antique Mahogany	Polished Brass/Black	Ovolo	WOA DPN PB-B	-	WOA 45SS1 PB-B
Antique Mahogany	Polished Brass/White	Ovolo	WOA DPN PB-W	-	WOA 45SS1 PB-W
Antique Mahogany	Satin Chrome/Black	Ovolo	WOA DPN SC-B	-	WOA 45SS1 SC-B
Antique Mahogany	Satin Chrome/White	Ovolo	WOA DPN SC-W	-	WOA 45SS1 SC-W
Antique Mahogany	Red/White	Ovolo	-	WOA 45N W	-
Dark Oak	Antique Brass/Black	Chamfered	WCD DPN AB-B	-	WCD 45SS1 AB-B
Dark Oak	Bright Chrome/Black	Chamfered	WCD DPN BC-B	-	WCD 45SS1 BC-B
Dark Oak	Bright Chrome/White	Chamfered	WCD DPN BC-W	-	WCD 45SS1 BC-W
Dark Oak	Red/Black	Chamfered	-	WCD 45N B	-
Dark Oak	Polished Brass/Black	Chamfered	WCD DPN PB-B	-	WCD 45SS1 PB-B
Dark Oak	Polished Brass/White	Chamfered	WCD DPN PB-W	-	WCD 45SS1 PB-W
Dark Oak	Satin Chrome/Black	Chamfered	WCD DPN SC-B	-	WCD 45SS1 SC-B
Dark Oak	Satin Chrome/White	Chamfered	WCD DPN SC-W	-	WCD 45SS1 SC-W
Dark Oak	Red/White	Chamfered	-	WCD 45N W	-
Dark Oak	Antique Brass/Black	Ovolo	WOD DPN AB-B	-	WOD 45SS1 AB-B
Dark Oak	Bright Chrome/Black	Ovolo	WOD DPN BC-B	-	WOD 45SS1 BC-B
Dark Oak	Bright Chrome/White	Ovolo	WOD DPN BC-W	-	WOD 45SS1 BC-W
Dark Oak	Red/Black	Ovolo	-	WOD 45N B	-
Dark Oak	Polished Brass/Black	Ovolo	WOD DPN PB-B	-	WOD 45SS1 PB-B
Dark Oak	Polished Brass/White	Ovolo	WOD DPN PB-W	-	WOD 45SS1 PB-W
Dark Oak	Satin Chrome/Black	Ovolo	WOD DPN SC-B	-	WOD 45SS1 SC-B
Dark Oak	Satin Chrome/White	Ovolo	WOD DPN SC-W	-	WOD 45SS1 SC-W
Dark Oak	Red/White	Ovolo	-	WOD 45N W	-
	Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm
	Minimum Wall Box Depth:		25mm	25mm	35mm
	Technical Insert Ref:		DPN	45N	45SS1

Woods

Double Pole Switches



WCL DPN AB-B



WOL 45SS1 PB-W

WOODS RANGE

Frame / Front Plate	Insert Finish/ Surround Colour	Edge	 1 gang 20AX Double Pole Red Rocker + Neon	 1 gang 45A Double Pole Red Rocker + Neon	 45A Double Pole Red Rocker + Neon + 13A Switched Socket
Light Oak	Antique Brass/Black	Chamfered	WCL DPN AB-B	-	WCL 45SS1 AB-B
Light Oak	Red/Black	Chamfered	-	WCL 45N B	-
Light Oak	Bright Chrome/Black	Chamfered	WCL DPN BC-B	-	WCL 45SS1 BC-B
Light Oak	Bright Chrome/White	Chamfered	WCL DPN BC-W	-	WCL 45SS1 BC-W
Light Oak	Red/White	-	-	WCL 45N W	-
Light Oak	Polished Brass/Black	Chamfered	WCL DPN PB-B	-	WCL 45SS1 PB-B
Light Oak	Polished Brass/White	Chamfered	WCL DPN PB-W	-	WCL 45SS1 PB-W
Light Oak	Satin Chrome/Black	Chamfered	WCL DPN SC-B	-	WCL 45SS1 SC-B
Light Oak	Red/Black	Chamfered	-	WOL 45N B	-
Light Oak	Satin Chrome/White	Chamfered	WCL DPN SC-W	-	WCL 45SS1 SC-W
Light Oak	Red/White	Chamfered	-	WOL 45N W	-
Light Oak	Antique Brass/Black	Ovolo	WOL DPN AB-B	-	WOL 45SS1 AB-B
Light Oak	Bright Chrome/Black	Ovolo	WOL DPN BC-B	-	WOL 45SS1 BC-B
Light Oak	Bright Chrome/White	Ovolo	WOL DPN BC-W	-	WOL 45SS1 BC-W
Light Oak	Polished Brass/Black	Ovolo	WOL DPN PB-B	-	WOL 45SS1 PB-B
Light Oak	Polished Brass/White	Ovolo	WOL DPN PB-W	-	WOL 45SS1 PB-W
Light Oak	Satin Chrome/Black	Ovolo	WOL DPN SC-B	-	WOL 45SS1 SC-B
Light Oak	Satin Chrome/White	Ovolo	WOL DPN SC-W	-	WOL 45SS1 SC-W
Medium Oak	Antique Brass/Black	Chamfered	WCM DPN AB-B	-	WCM 45SS1 AB-B
Medium Oak	Red/Black	Chamfered	-	WCM 45N B	-
Medium Oak	Bright Chrome/Black	Chamfered	WCM DPN BC-B	-	WCM 45SS1 BC-B
Medium Oak	Bright Chrome/White	Chamfered	WCM DPN BC-W	-	WCM 45SS1 BC-W
Medium Oak	Red/White	Chamfered	-	WCM 45N W	-
Medium Oak	Polished Brass/Black	Chamfered	WCM DPN PB-B	-	WCM 45SS1 PB-B
Medium Oak	Polished Brass/White	Chamfered	WCM DPN PB-W	-	WCM 45SS1 PB-W
Medium Oak	Satin Chrome/Black	Chamfered	WCM DPN SC-B	-	WCM 45SS1 SC-B
Medium Oak	Red/Black	Chamfered	-	WOM 45N B	-
Medium Oak	Satin Chrome/White	Chamfered	WCM DPN SC-W	-	WCM 45SS1 SC-W
Medium Oak	Red/White	Chamfered	-	WOM 45N W	-
Medium Oak	Antique Brass/Black	Ovolo	WOM DPN AB-B	-	WOM 45SS1 AB-B
Medium Oak	Bright Chrome/Black	Ovolo	WOM DPN BC-B	-	WOM 45SS1 BC-B
Medium Oak	Bright Chrome/White	Ovolo	WOM DPN BC-W	-	WOM 45SS1 BC-W
Medium Oak	Polished Brass/Black	Ovolo	WOM DPN PB-B	-	WOM 45SS1 PB-B
Medium Oak	Polished Brass/White	Ovolo	WOM DPN PB-W	-	WOM 45SS1 PB-W
Medium Oak	Satin Chrome/Black	Ovolo	WOM DPN SC-B	-	WOM 45SS1 SC-B
Medium Oak	Satin Chrome/White	Ovolo	WOM DPN SC-W	-	WOM 45SS1 SC-W
Nominal Size:			88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:			25mm	25mm	35mm
Technical Insert Ref:			DPN	45N	45SS1

Woods

Connection Units



WOD SPN SC-B



WCD FO BC-W



WCM SPN SC-W



WOM FO BC-B



1 gang 13A
Double Pole
Fused Spur +
Neon



1 gang 13A
Fuse Only



1 gang 13A
Double Pole
Fused Spur +
Neon



1 gang 13A
Fuse Only

Front Plate	Insert Finish/ Surround Colour	Edge	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Fuse Only
Antique Mahogany	Antique Brass/Black	Chamfered	WCA SPN AB-B	WCA FO AB-B
Antique Mahogany	Bright Chrome/Black	Chamfered	WCA SPN BC-B	WCA FO BC-B
Antique Mahogany	Bright Chrome/White	Chamfered	WCA SPN BC-W	WCA FO BC-W
Antique Mahogany	Polished Brass/Black	Chamfered	WCA SPN PB-B	WCA FO PB-B
Antique Mahogany	Polished Brass/White	Chamfered	WCA SPN PB-W	WCA FO PB-W
Antique Mahogany	Satin Chrome/Black	Chamfered	WCA SPN SC-B	WCA FO SC-B
Antique Mahogany	Satin Chrome/White	Chamfered	WCA SPN SC-W	WCA FO SC-W
Antique Mahogany	Antique Brass/Black	Ovolo	WOA SPN AB-B	WOA FO AB-B
Antique Mahogany	Bright Chrome/Black	Ovolo	WOA SPN BC-B	WOA FO BC-B
Antique Mahogany	Bright Chrome/White	Ovolo	WOA SPN BC-W	WOA FO BC-W
Antique Mahogany	Polished Brass/Black	Ovolo	WOA SPN PB-B	WOA FO PB-B
Antique Mahogany	Polished Brass/White	Ovolo	WOA SPN PB-W	WOA FO PB-W
Antique Mahogany	Satin Chrome/Black	Ovolo	WOA SPN SC-B	WOA FO SC-B
Antique Mahogany	Satin Chrome/White	Ovolo	WOA SPN SC-W	WOA FO SC-W
Dark Oak	Antique Brass/Black	Chamfered	WCD SPN AB-B	WCD FO AB-B
Dark Oak	Bright Chrome/Black	Chamfered	WCD SPN BC-B	WCD FO BC-B
Dark Oak	Bright Chrome/White	Chamfered	WCD SPN BC-W	WCD FO BC-W
Dark Oak	Polished Brass/Black	Chamfered	WCD SPN PB-B	WCD FO PB-B
Dark Oak	Polished Brass/White	Chamfered	WCD SPN PB-W	WCD FO PB-W
Dark Oak	Satin Chrome/Black	Chamfered	WCD SPN SC-B	WCD FO SC-B
Dark Oak	Satin Chrome/White	Chamfered	WCD SPN SC-W	WCD FO SC-W
Dark Oak	Antique Brass/Black	Ovolo	WOD SPN AB-B	WOD FO AB-B
Dark Oak	Bright Chrome/Black	Ovolo	WOD SPN BC-B	WOD FO BC-B
Dark Oak	Bright Chrome/White	Ovolo	WOD SPN BC-W	WOD FO BC-W
Dark Oak	Polished Brass/Black	Ovolo	WOD SPN PB-B	WOD FO PB-B
Dark Oak	Polished Brass/White	Ovolo	WOD SPN PB-W	WOD FO PB-W
Dark Oak	Satin Chrome/Black	Ovolo	WOD SPN SC-B	WOD FO SC-B
Dark Oak	Satin Chrome/White	Ovolo	WOD SPN SC-W	WOD FO SC-W
	Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm
	Minimum Wall Box Depth:		35mm	35mm
	Technical Insert Ref:		SPN	FO

Front Plate	Insert Finish/ Surround Colour	Edge	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Fuse Only
Light Oak	Antique Brass/Black	Chamfered	WCL SPN AB-B	WCL FO AB-B
Light Oak	Bright Chrome/Black	Chamfered	WCL SPN BC-B	WCL FO BC-B
Light Oak	Bright Chrome/White	Chamfered	WCL SPN BC-W	WCL FO BC-W
Light Oak	Polished Brass/Black	Chamfered	WCL SPN PB-B	WCL FO PB-B
Light Oak	Polished Brass/White	Chamfered	WCL SPN PB-W	WCL FO PB-W
Light Oak	Satin Chrome/Black	Chamfered	WCL SPN SC-B	WCL FO SC-B
Light Oak	Satin Chrome/White	Chamfered	WCL SPN SC-W	WCL FO SC-W
Light Oak	Antique Brass/Black	Ovolo	WOL SPN AB-B	WOL FO AB-B
Light Oak	Bright Chrome/Black	Ovolo	WOL SPN BC-B	WOL FO BC-B
Light Oak	Bright Chrome/White	Ovolo	WOL SPN BC-W	WOL FO BC-W
Light Oak	Polished Brass/Black	Ovolo	WOL SPN PB-B	WOL FO PB-B
Light Oak	Polished Brass/White	Ovolo	WOL SPN PB-W	WOL FO PB-W
Light Oak	Satin Chrome/Black	Ovolo	WOL SPN SC-B	WOL FO SC-B
Light Oak	Satin Chrome/White	Ovolo	WOL SPN SC-W	WOL FO SC-W
Medium Oak	Antique Brass/Black	Chamfered	WCM SPN AB-B	WCM FO AB-B
Medium Oak	Bright Chrome/Black	Chamfered	WCM SPN BC-B	WCM FO BC-B
Medium Oak	Bright Chrome/White	Chamfered	WCM SPN BC-W	WCM FO BC-W
Medium Oak	Polished Brass/Black	Chamfered	WCM SPN PB-B	WCM FO PB-B
Medium Oak	Polished Brass/White	Chamfered	WCM SPN PB-W	WCM FO PB-W
Medium Oak	Satin Chrome/Black	Chamfered	WCM SPN SC-B	WCM FO SC-B
Medium Oak	Satin Chrome/White	Chamfered	WCM SPN SC-W	WCM FO SC-W
Medium Oak	Antique Brass/Black	Ovolo	WOM SPN AB-B	WOM FO AB-B
Medium Oak	Bright Chrome/Black	Ovolo	WOM SPN BC-B	WOM FO BC-B
Medium Oak	Bright Chrome/White	Ovolo	WOM SPN BC-W	WOM FO BC-W
Medium Oak	Polished Brass/Black	Ovolo	WOM SPN PB-B	WOM FO PB-B
Medium Oak	Polished Brass/White	Ovolo	WOM SPN PB-W	WOM FO PB-W
Medium Oak	Satin Chrome/Black	Ovolo	WOM SPN SC-B	WOM FO SC-B
Medium Oak	Satin Chrome/White	Ovolo	WOM SPN SC-W	WOM FO SC-W
	Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm
	Minimum Wall Box Depth:		35mm	35mm
	Technical Insert Ref:		SPN	FO

Woods

LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



WCD 1XLEDITB100 PB



WCA 3XLEDITB100 SC




WOM 3XLEDITB100 AB




WOL 4XLEDITB100 SC




1 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer



2 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer



3 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer



4 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer

Front Plate	Insert Finish	Edge	1 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer	2 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer	3 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer	4 gang 100W LED Trailing/Leading Edge On/Off Rotary 2 Way Switching Dimmer
Antique Mahogany	Antique Brass	Chamfered	WCA 1XLEDITB100 AB	WCA 2XLEDITB100 AB	WCA 3XLEDITB100 AB	WCA 4XLEDITB100 AB
Antique Mahogany	Bright Chrome	Chamfered	WCA 1XLEDITB100 BC	WCA 2XLEDITB100 BC	WCA 3XLEDITB100 BC	WCA 4XLEDITB100 BC
Antique Mahogany	Polished Brass	Chamfered	WCA 1XLEDITB100 PB	WCA 2XLEDITB100 PB	WCA 3XLEDITB100 PB	WCA 4XLEDITB100 PB
Antique Mahogany	Satin Chrome	Chamfered	WCA 1XLEDITB100 SC	WCA 2XLEDITB100 SC	WCA 3XLEDITB100 SC	WCA 4XLEDITB100 SC
Antique Mahogany	Antique Brass	Ovolo	WOA 1XLEDITB100 AB	WOA 2XLEDITB100 AB	WOA 3XLEDITB100 AB	WOA 4XLEDITB100 AB
Antique Mahogany	Bright Chrome	Ovolo	WOA 1XLEDITB100 BC	WOA 2XLEDITB100 BC	WOA 3XLEDITB100 BC	WOA 4XLEDITB100 BC
Antique Mahogany	Polished Brass	Ovolo	WOA 1XLEDITB100 PB	WOA 2XLEDITB100 PB	WOA 3XLEDITB100 PB	WOA 4XLEDITB100 PB
Antique Mahogany	Satin Chrome	Ovolo	WOA 1XLEDITB100 SC	WOA 2XLEDITB100 SC	WOA 3XLEDITB100 SC	WOA 4XLEDITB100 SC
Dark Oak	Antique Brass	Chamfered	WCD 1XLEDITB100 AB	WCD 2XLEDITB100 AB	WCD 3XLEDITB100 AB	WCD 4XLEDITB100 AB
Dark Oak	Bright Chrome	Chamfered	WCD 1XLEDITB100 BC	WCD 2XLEDITB100 BC	WCD 3XLEDITB100 BC	WCD 4XLEDITB100 BC
Dark Oak	Polished Brass	Chamfered	WCD 1XLEDITB100 PB	WCD 2XLEDITB100 PB	WCD 3XLEDITB100 PB	WCD 4XLEDITB100 PB
Dark Oak	Satin Chrome	Chamfered	WCD 1XLEDITB100 SC	WCD 2XLEDITB100 SC	WCD 3XLEDITB100 SC	WCD 4XLEDITB100 SC
Dark Oak	Antique Brass	Ovolo	WOD 1XLEDITB100 AB	WOD 2XLEDITB100 AB	WOD 3XLEDITB100 AB	WOD 4XLEDITB100 AB
Dark Oak	Bright Chrome	Ovolo	WOD 1XLEDITB100 BC	WOD 2XLEDITB100 BC	WOD 3XLEDITB100 BC	WOD 4XLEDITB100 BC
Dark Oak	Polished Brass	Ovolo	WOD 1XLEDITB100 PB	WOD 2XLEDITB100 PB	WOD 3XLEDITB100 PB	WOD 4XLEDITB100 PB
Dark Oak	Satin Chrome	Ovolo	WOD 1XLEDITB100 SC	WOD 2XLEDITB100 SC	WOD 3XLEDITB100 SC	WOD 4XLEDITB100 SC
Light Oak	Antique Brass	Chamfered	WCL 1XLEDITB100 AB	WCL 2XLEDITB100 AB	WCL 3XLEDITB100 AB	WCL 4XLEDITB100 AB
Light Oak	Bright Chrome	Chamfered	WCL 1XLEDITB100 BC	WCL 2XLEDITB100 BC	WCL 3XLEDITB100 BC	WCL 4XLEDITB100 BC
Light Oak	Polished Brass	Chamfered	WCL 1XLEDITB100 PB	WCL 2XLEDITB100 PB	WCL 3XLEDITB100 PB	WCL 4XLEDITB100 PB
Light Oak	Satin Chrome	Chamfered	WCL 1XLEDITB100 SC	WCL 2XLEDITB100 SC	WCL 3XLEDITB100 SC	WCL 4XLEDITB100 SC
Light Oak	Antique Brass	Ovolo	WOL 1XLEDITB100 AB	WOL 2XLEDITB100 AB	WOL 3XLEDITB100 AB	WOL 4XLEDITB100 AB
Light Oak	Bright Chrome	Ovolo	WOL 1XLEDITB100 BC	WOL 2XLEDITB100 BC	WOL 3XLEDITB100 BC	WOL 4XLEDITB100 BC
Light Oak	Polished Brass	Ovolo	WOL 1XLEDITB100 PB	WOL 2XLEDITB100 PB	WOL 3XLEDITB100 PB	WOL 4XLEDITB100 PB
Light Oak	Satin Chrome	Ovolo	WOL 1XLEDITB100 SC	WOL 2XLEDITB100 SC	WOL 3XLEDITB100 SC	WOL 4XLEDITB100 SC
Medium Oak	Antique Brass	Chamfered	WCM 1XLEDITB100 AB	WCM 2XLEDITB100 AB	WCM 3XLEDITB100 AB	WCM 4XLEDITB100 AB
Medium Oak	Bright Chrome	Chamfered	WCM 1XLEDITB100 BC	WCM 2XLEDITB100 BC	WCM 3XLEDITB100 BC	WCM 4XLEDITB100 BC
Medium Oak	Polished Brass	Chamfered	WCM 1XLEDITB100 PB	WCM 2XLEDITB100 PB	WCM 3XLEDITB100 PB	WCM 4XLEDITB100 PB
Medium Oak	Satin Chrome	Chamfered	WCM 1XLEDITB100 SC	WCM 2XLEDITB100 SC	WCM 3XLEDITB100 SC	WCM 4XLEDITB100 SC
Medium Oak	Antique Brass	Ovolo	WOM 1XLEDITB100 AB	WOM 2XLEDITB100 AB	WOM 3XLEDITB100 AB	WOM 4XLEDITB100 AB
Medium Oak	Bright Chrome	Ovolo	WOM 1XLEDITB100 BC	WOM 2XLEDITB100 BC	WOM 3XLEDITB100 BC	WOM 4XLEDITB100 BC
Medium Oak	Polished Brass	Ovolo	WOM 1XLEDITB100 PB	WOM 2XLEDITB100 PB	WOM 3XLEDITB100 PB	WOM 4XLEDITB100 PB
Medium Oak	Satin Chrome	Ovolo	WOM 1XLEDITB100 SC	WOM 2XLEDITB100 SC	WOM 3XLEDITB100 SC	WOM 4XLEDITB100 SC
Nominal Size:			88.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:			35mm	35mm	35mm	35mm
Technical Insert Ref:			1XLEDITB	2XLEDITB	3XLEDITB	4XLEDITB

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.
 NOTE: Please refer to the Dimmer Technical Section for the max Wattage.
 NOTE: Please contact our Technical Department for compatibility.

Woods

Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



WCA 1X40 SC



WCD 3X40 PB




WCM 3X40 SC




WOA 1X40 BC




1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Max 300W per gang



3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Max 300W per gang



4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Max 250W gang

Front Plate	Insert Finish	Edge				
Antique Mahogany	Antique Brass	Chamfered	WCA 1X40 AB	WCA 2X40 AB	WCA 3X40 AB	WCA 4X40 AB
Antique Mahogany	Bright Chrome	Chamfered	WCA 1X40 BC	WCA 2X40 BC	WCA 3X40 BC	WCA 4X40 BC
Antique Mahogany	Polished Brass	Chamfered	WCA 1X40 PB	WCA 2X40 PB	WCA 3X40 PB	WCA 4X40 PB
Antique Mahogany	Satin Chrome	Chamfered	WCA 1X40 SC	WCA 2X40 SC	WCA 3X40 SC	WCA 4X40 SC
Antique Mahogany	Antique Brass	Ovolo	WOA 1X40 AB	WOA 2X40 AB	WOA 3X40 AB	WOA 4X40 AB
Antique Mahogany	Bright Chrome	Ovolo	WOA 1X40 BC	WOA 2X40 BC	WOA 3X40 BC	WOA 4X40 BC
Antique Mahogany	Polished Brass	Ovolo	WOA 1X40 PB	WOA 2X40 PB	WOA 3X40 PB	WOA 4X40 PB
Antique Mahogany	Satin Chrome	Ovolo	WOA 1X40 SC	WOA 2X40 SC	WOA 3X40 SC	WOA 4X40 SC
Dark Oak	Antique Brass	Chamfered	WCD 1X40 AB	WCD 2X40 AB	WCD 3X40 AB	WCD 4X40 AB
Dark Oak	Bright Chrome	Chamfered	WCD 1X40 BC	WCD 2X40 BC	WCD 3X40 BC	WCD 4X40 BC
Dark Oak	Polished Brass	Chamfered	WCD 1X40 PB	WCD 2X40 PB	WCD 3X40 PB	WCD 4X40 PB
Dark Oak	Satin Chrome	Chamfered	WCD 1X40 SC	WCD 2X40 SC	WCD 3X40 SC	WCD 4X40 SC
Dark Oak	Antique Brass	Ovolo	WOD 1X40 AB	WOD 2X40 AB	WOD 3X40 AB	WOD 4X40 AB
Dark Oak	Bright Chrome	Ovolo	WOD 1X40 BC	WOD 2X40 BC	WOD 3X40 BC	WOD 4X40 BC
Dark Oak	Polished Brass	Ovolo	WOD 1X40 PB	WOD 2X40 PB	WOD 3X40 PB	WOD 4X40 PB
Dark Oak	Satin Chrome	Ovolo	WOD 1X40 SC	WOD 2X40 SC	WOD 3X40 SC	WOD 4X40 SC
Light Oak	Antique Brass	Chamfered	WCL 1X40 AB	WCL 2X40 AB	WCL 3X40 AB	WCL 4X40 AB
Light Oak	Bright Chrome	Chamfered	WCL 1X40 BC	WCL 2X40 BC	WCL 3X40 BC	WCL 4X40 BC
Light Oak	Polished Brass	Chamfered	WCL 1X40 PB	WCL 2X40 PB	WCL 3X40 PB	WCL 4X40 PB
Light Oak	Satin Chrome	Chamfered	WCL 1X40 SC	WCL 2X40 SC	WCL 3X40 SC	WCL 4X40 SC
Light Oak	Antique Brass	Ovolo	WOL 1X40 AB	WOL 2X40 AB	WOL 3X40 AB	WOL 4X40 AB
Light Oak	Bright Chrome	Ovolo	WOL 1X40 BC	WOL 2X40 BC	WOL 3X40 BC	WOL 4X40 BC
Light Oak	Polished Brass	Ovolo	WOL 1X40 PB	WOL 2X40 PB	WOL 3X40 PB	WOL 4X40 PB
Light Oak	Satin Chrome	Ovolo	WOL 1X40 SC	WOL 2X40 SC	WOL 3X40 SC	WOL 4X40 SC
Medium Oak	Antique Brass	Chamfered	WCM 1X40 AB	WCM 2X40 AB	WCM 3X40 AB	WCM 4X40 AB
Medium Oak	Bright Chrome	Chamfered	WCM 1X40 BC	WCM 2X40 BC	WCM 3X40 BC	WCM 4X40 BC
Medium Oak	Polished Brass	Chamfered	WCM 1X40 PB	WCM 2X40 PB	WCM 3X40 PB	WCM 4X40 PB
Medium Oak	Satin Chrome	Chamfered	WCM 1X40 SC	WCM 2X40 SC	WCM 3X40 SC	WCM 4X40 SC
Medium Oak	Antique Brass	Ovolo	WOM 1X40 AB	WOM 2X40 AB	WOM 3X40 AB	WOM 4X40 AB
Medium Oak	Bright Chrome	Ovolo	WOM 1X40 BC	WOM 2X40 BC	WOM 3X40 BC	WOM 4X40 BC
Medium Oak	Polished Brass	Ovolo	WOM 1X40 PB	WOM 2X40 PB	WOM 3X40 PB	WOM 4X40 PB
Medium Oak	Satin Chrome	Ovolo	WOM 1X40 SC	WOM 2X40 SC	WOM 3X40 SC	WOM 4X40 SC
	Nominal Size:		88.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm
	Minimum Wall Box Depth:		35mm	35mm	35mm	35mm
	Technical Insert Ref:		1X40	WD2X40	W3X40	W4X40

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps - dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Woods

Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



WCA 1X2V SC



1 gang 200VA
Inductive Leading
Edge Push On/Off
Rotary 2 Way Switching
Dimmer

Front Plate	Insert Finish	Edge	
Antique Mahogany	Antique Brass	Chamfered	WCA 1X2V AB
Antique Mahogany	Bright Chrome	Chamfered	WCA 1X2V BC
Antique Mahogany	Polished Brass	Chamfered	WCA 1X2V PB
Antique Mahogany	Satin Chrome	Chamfered	WCA 1X2V SC
Antique Mahogany	Antique Brass	Ovolo	WOA 1X2V AB
Antique Mahogany	Bright Chrome	Ovolo	WOA 1X2V BC
Antique Mahogany	Polished Brass	Ovolo	WOA 1X2V PB
Antique Mahogany	Satin Chrome	Ovolo	WOA 1X2V SC
Dark Oak	Antique Brass	Chamfered	WCD 1X2V AB
Dark Oak	Bright Chrome	Chamfered	WCD 1X2V BC
Dark Oak	Polished Brass	Chamfered	WCD 1X2V PB
Dark Oak	Satin Chrome	Chamfered	WCD 1X2V SC
Dark Oak	Antique Brass	Ovolo	WOD 1X2V AB
Dark Oak	Bright Chrome	Ovolo	WOD 1X2V BC
Dark Oak	Polished Brass	Ovolo	WOD 1X2V PB
Dark Oak	Satin Chrome	Ovolo	WOD 1X2V SC
Light Oak	Antique Brass	Chamfered	WCL 1X2V AB
Light Oak	Bright Chrome	Chamfered	WCL 1X2V BC
Light Oak	Polished Brass	Chamfered	WCL 1X2V PB
Light Oak	Satin Chrome	Chamfered	WCL 1X2V SC
Light Oak	Antique Brass	Ovolo	WOL 1X2V AB
Light Oak	Bright Chrome	Ovolo	WOL 1X2V BC
Light Oak	Polished Brass	Ovolo	WOL 1X2V PB
Light Oak	Satin Chrome	Ovolo	WOL 1X2V SC
Medium Oak	Antique Brass	Chamfered	WCM 1X2V AB
Medium Oak	Bright Chrome	Chamfered	WCM 1X2V BC
Medium Oak	Polished Brass	Chamfered	WCM 1X2V PB
Medium Oak	Satin Chrome	Chamfered	WCM 1X2V SC
Medium Oak	Antique Brass	Ovolo	WOM 1X2V AB
Medium Oak	Bright Chrome	Ovolo	WOM 1X2V BC
Medium Oak	Polished Brass	Ovolo	WOM 1X2V PB
Medium Oak	Satin Chrome	Ovolo	WOM 1X2V SC
Nominal Size:			88.0mm x 88.0mm
Minimum Wall Box Depth:			35mm
Technical Insert Ref:			1X2V

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Woods

Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



WOL 1XTE BC



WOA 2XTE AB



WCA 3XTE SC




WOM 4XTE AB




1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer



2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer (Max 200W per gang)



3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer



4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer (Max 200W per gang)

Front Plate	Insert Finish	Edge	1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer (Max 200W per gang)	3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer (Max 200W per gang)
Antique Mahogany	Antique Brass	Chamfered	WCA 1XTE AB	WCA 2XTE AB	WCA 3XTE AB	WCA 4XTE AB
Antique Mahogany	Bright Chrome	Chamfered	WCA 1XTE BC	WCA 2XTE BC	WCA 3XTE BC	WCA 4XTE BC
Antique Mahogany	Polished Brass	Chamfered	WCA 1XTE PB	WCA 2XTE PB	WCA 3XTE PB	WCA 4XTE PB
Antique Mahogany	Satin Chrome	Chamfered	WCA 1XTE SC	WCA 2XTE SC	WCA 3XTE SC	WCA 4XTE SC
Antique Mahogany	Antique Brass	Ovolo	WOA 1XTE AB	WOA 2XTE AB	WOA 3XTE AB	WOA 4XTE AB
Antique Mahogany	Bright Chrome	Ovolo	WOA 1XTE BC	WOA 2XTE BC	WOA 3XTE BC	WOA 4XTE BC
Antique Mahogany	Polished Brass	Ovolo	WOA 1XTE PB	WOA 2XTE PB	WOA 3XTE PB	WOA 4XTE PB
Antique Mahogany	Satin Chrome	Ovolo	WOA 1XTE SC	WOA 2XTE SC	WOA 3XTE SC	WOA 4XTE SC
Dark Oak	Antique Brass	Chamfered	WCD 1XTE AB	WCD 2XTE AB	WCD 3XTE AB	WCD 4XTE AB
Dark Oak	Bright Chrome	Chamfered	WCD 1XTE BC	WCD 2XTE BC	WCD 3XTE BC	WCD 4XTE BC
Dark Oak	Polished Brass	Chamfered	WCD 1XTE PB	WCD 2XTE PB	WCD 3XTE PB	WCD 4XTE PB
Dark Oak	Satin Chrome	Chamfered	WCD 1XTE SC	WCD 2XTE SC	WCD 3XTE SC	WCD 4XTE SC
Dark Oak	Antique Brass	Ovolo	WOD 1XTE AB	WOD 2XTE AB	WOD 3XTE AB	WOD 4XTE AB
Dark Oak	Bright Chrome	Ovolo	WOD 1XTE BC	WOD 2XTE BC	WOD 3XTE BC	WOD 4XTE BC
Dark Oak	Polished Brass	Ovolo	WOD 1XTE PB	WOD 2XTE PB	WOD 3XTE PB	WOD 4XTE PB
Dark Oak	Satin Chrome	Ovolo	WOD 1XTE SC	WOD 2XTE SC	WOD 3XTE SC	WOD 4XTE SC
Light Oak	Antique Brass	Chamfered	WCL 1XTE AB	WCL 2XTE AB	WCL 3XTE AB	WCL 4XTE AB
Light Oak	Bright Chrome	Chamfered	WCL 1XTE BC	WCL 2XTE BC	WCL 3XTE BC	WCL 4XTE BC
Light Oak	Polished Brass	Chamfered	WCL 1XTE PB	WCL 2XTE PB	WCL 3XTE PB	WCL 4XTE PB
Light Oak	Satin Chrome	Chamfered	WCL 1XTE SC	WCL 2XTE SC	WCL 3XTE SC	WCL 4XTE SC
Light Oak	Antique Brass	Ovolo	WOL 1XTE AB	WOL 2XTE AB	WOL 3XTE AB	WOL 4XTE AB
Light Oak	Bright Chrome	Ovolo	WOL 1XTE BC	WOL 2XTE BC	WOL 3XTE BC	WOL 4XTE BC
Light Oak	Polished Brass	Ovolo	WOL 1XTE PB	WOL 2XTE PB	WOL 3XTE PB	WOL 4XTE PB
Light Oak	Satin Chrome	Ovolo	WOL 1XTE SC	WOL 2XTE SC	WOL 3XTE SC	WOL 4XTE SC
Medium Oak	Antique Brass	Chamfered	WCM 1XTE AB	WCM 2XTE AB	WCM 3XTE AB	WCM 4XTE AB
Medium Oak	Bright Chrome	Chamfered	WCM 1XTE BC	WCM 2XTE BC	WCM 3XTE BC	WCM 4XTE BC
Medium Oak	Polished Brass	Chamfered	WCM 1XTE PB	WCM 2XTE PB	WCM 3XTE PB	WCM 4XTE PB
Medium Oak	Satin Chrome	Chamfered	WCM 1XTE SC	WCM 2XTE SC	WCM 3XTE SC	WCM 4XTE SC
Medium Oak	Antique Brass	Ovolo	WOM 1XTE AB	WOM 2XTE AB	WOM 3XTE AB	WOM 4XTE AB
Medium Oak	Bright Chrome	Ovolo	WOM 1XTE BC	WOM 2XTE BC	WOM 3XTE BC	WOM 4XTE BC
Medium Oak	Polished Brass	Ovolo	WOM 1XTE PB	WOM 2XTE PB	WOM 3XTE PB	WOM 4XTE PB
Medium Oak	Satin Chrome	Ovolo	WOM 1XTE SC	WOM 2XTE SC	WOM 3XTE SC	WOM 4XTE SC
		Nominal Size:	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 88.0mm	146.0mm x 88.0mm
		Minimum Wall Box Depth:	35mm	35mm	35mm	35mm
		Technical Insert Ref:	1XTE	W2XTE	3XTE	W4XTE

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Woods

EuroFix Apertured Plates complete with Grid




WCA EURO2



WOA EURO4



2 Module EuroFix
50x50mm Apertured
Plate with Grid



4 Module EuroFix
100x50mm Apertured
Plate with Grid

Front Plate	Edge	2 Module EuroFix 50x50mm Apertured Plate with Grid	4 Module EuroFix 100x50mm Apertured Plate with Grid
Antique Mahogany	Chamfered	WCA EURO2	WCA EURO4
Antique Mahogany	Ovolo	WOA EURO2	WOA EURO4
Light Oak	Chamfered	WCL EURO2	WCL EURO4
Light Oak	Ovolo	WOL EURO2	WOL EURO4
Medium Oak	Chamfered	WCM EURO2	WCM EURO4
Medium Oak	Ovolo	WOM EURO2	WOM EURO4
Dark Oak	Chamfered	WCD EURO2	WCD EURO4
Dark Oak	Ovolo	WOD EURO2	WOD EURO4
Nominal Size:		88.0mm x 88.0mm	146.0mm x 88.0mm
Minimum Wall Box Depth:		As Per Inserts	As Per Inserts
Technical Insert Ref:		EURO2	EURO4

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.

Woods

Blank Plates



WCA BPS

Front Plate	Edge	Single Blank Plate	Double Blank Plate
Antique Mahogany	Chamfered	WCA BPS	WCA BPD
Antique Mahogany	Ovolo	WOA BPS	WOA BPD
Dark Oak	Chamfered	WCD BPS	WCD BPD
Dark Oak	Ovolo	WOD BPS	WOD BPD
Light Oak	Chamfered	WCL BPS	WCL BPD
Light Oak	Ovolo	WOL BPS	WOL BPD
Medium Oak	Chamfered	WCM BPS	WCM BPD
Medium Oak	Ovolo	WOM BPS	WOM BPD
	Nominal Size:	88.0mm x 88.0mm	146.0mm x 88.0mm
	Minimum Wall Box Depth:	Any Box	Any Box
	Technical Insert Ref:	BPS	BPD

Mounting Box Surround



Single



Double

Wood Colour	Single Surface Mounting Box Surround Depth 30mm	Double Surface Mounting Box Surround Depth 30mm
Antique Mahogany	WA BFS	WA BFD
Dark Oak	WD BFS	WD BFD
Light Oak	WL BFS	WL BFD
Medium Oak	WM BFS	WM BFD
	Nominal Size:	90x90x30mm
	Minimum Wall Box Depth:	25mm
	Technical Insert Ref:	WBFS
		148x90x30mm
		25mm
		WBFD