




# Climbing equipment

(technical specification)

J57012



1- **Galvanised, painted steel posts 95x95mm**, guarantee long term durability.



2- **The 125mm diameter posts** are made of lacquered galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The caps are made of injection moulded polyamide.




3- **The 125mm round posts** are made of laminated timber, which have not been treated with chrome or arsenic. Splinter-free, the laminate provides great strength and dimensional stability. The posts are protected from wear and tear caused by fungi and insects.



4- **Injection moulded polyamide fixings** are made of lacquered galvanised steel.




5- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



6- **The platforms** are made from a 12.5mm thick textured and non-slip compact material (HPL).



7- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



8- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



9- **The 16mm diameter ropes** are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



10-**The net fittings** are made of polyamide and are used to link three cords together.



11-**The steps** are made with a non-slip rubber overmould.




12-**The sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



13-**The Kayak slide** is made of rotomoulded polyethylene.



14-The **caps** are made of rotary moulded polyethylene.



15-The **climbing holds** are made of polyamide for its strength and rigidity.



16-The **fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.