
SHELDON BENCH SBN321



SBN321/D-GG/HI/GL



CODING METHOD PRODUCT FIXING SLAT METAL FINISH OTHER SBN321 D-GG HI GL

NOTE-

- Site Engineer to determine suitable fixing method.
- Option D can be resin bonded to a firm engineered finished grade.

SHELDON BENCH SBN321

PRO	DDUCT DIMENSIONS HEIGHT	450 mm		LENG	TH 1800 mm WIDTH 475	mm	WEIC	НТ	105 Kg CAPACITY			CENTER LINE RADIUS	3500 mm
	Direct Embedment/Root Fix	Α			Treated Redwood Class 3 Unstained	TRC3	C3 🔽 🛨	Aluminium Powder Coated	APC	2	Concrete Colour - Light Grey	LG	
	Below Finished Grade Base Fix	В			Treated Redwood Class 3 Stained Dark Oak	TRC3-DO	Galvanised	GL	o o	Concrete Colour - White	WT		
	Surface Mount	С			Treated Redwood Class 4 Unstained	TRC4	TRC4	Galvanised and Powder Coated	GPC 🔽	00	Concrete Colour - Buff	BF	
Z	Plinth Mount - Buff Exposed Aggregate	D-BEA	V	A A	Treated Redwood Class 4 Stained Dark Oak	TRC4-DO		Zinc Plated and Powder Coated	PPC	H	Concrete Colour - Black	ВК	
PŢ	Plinth Mount - Buff Granite	D-BG	V	2	Treated Softwood Unstained	TS	TS V V V V V V V V V V V V V V V V V V V	Stainless Steel	SS-304/316 	2	Concrete Colour - Red	RD	
0	Plinth Mount - Grey Granite	D-GG	V	¥	Douglas Fir	DF		Арех Тор	AT	Ž	Concrete Colour - Standard Grey	SG	
N N	Free Standing	FS		₩	FSC Hardwood Iroko	н		Chamfer Top	СТ	Ŭ	Concrete Colour - Non Standard	NS	
※	Free Standing with Base Weight	FS-BW		SI.	Recycled Plastic - Black	RP-BK		Dome Top	DT		Concrete Finish - Dressed Finish	DS	
	Wall Mount	WM			Recycled Plastic - Grey	RP-GY		0	Flat Top	FT	ISH.	Concrete Finish - Satin Shine	SH
	Non Standard	NS			Recycled Plastic - Green	RP-GN		ř	Open Top	ОТ	E Z	Concrete Finish - Deluxe Polish (top)	DP
	To BREEAM Standard	B06/B08			Recycled Plastic - Brown	RP-BR			Slant Top	ST		Concrete Finish - Textured Finish	TF




^{*} Technical drawings not to scale

SHELDON BENCH SBN321-3200



\$BN321-3200/D-GG/HI/GL



1360 mm



* Technical drawings not to scale

NOTE-

FINISHED GRADE

- Site Engineer to determine suitable fixing method.
- Option D can be resin bonded to a firm engineered finished grade.

SHELDON BENCH SBN321-3200


1360 mm

PRO	DDUCT DIMENSIONS HEIGHT	450 mm		LENG	TH 3200 mm WIDTH 475 m	mm	WEIG	ЭНТ	191 Kg CAPACITY			CENTER LINE RADIUS	3500 mm
	Direct Embedment/Root Fix	Α			Treated Redwood Class 3 Unstained		Aluminium Powder Coated	APC	LOUR	Concrete Colour - Light Grey	LG		
	Below Finished Grade Base Fix	В			Treated Redwood Class 3 Stained Dark Oak		Galvanised	GL 🔽		Concrete Colour - White	WT		
	Surface Mount	С			Treated Redwood Class 4 Unstained	TRC4	C4 🔽 🗀	Galvanised and Powder Coated	GPC 🔽	CRETE CO	Concrete Colour - Buff	BF	
Z	Plinth Mount - Buff Exposed Aggregate	D-BEA	V	¥	Treated Redwood Class 4 Stained Dark Oak	TRC4-DO	ETA	Zinc Plated and Powder Coated	PPC		Concrete Colour - Black	ВК	
PTIC	Plinth Mount - Buff Granite	D-BG	V	置	Treated Softwood Unstained	TS	TS S	Stainless Steel	\$\$-304/316		Concrete Colour - Red	RD	
0	Plinth Mount - Grey Granite	D-GG	V	₽	Douglas Fir	DF 🔽	Арех Тор	AT	Ž	Concrete Colour - Standard Grey	SG		
N N	Free Standing	FS		SLAT	FSC Hardwood Iroko	н		Chamfer Top	СТ	Ö	Concrete Colour - Non Standard	NS	
i i	Free Standing with Base Weight	FS-BW			Recycled Plastic - Black	RP-BK		Dome Top	DT		Concrete Finish - Dressed Finish	DS	
	Wall Mount	WM			Recycled Plastic - Grey	RP-GY P-GN	Flat Top	FT	도 도	Concrete Finish - Satin Shine	SH		
	Non Standard	NS			Recycled Plastic - Green			Ĕ	Open Top	ОТ	Ζ	Concrete Finish - Deluxe Polish (top)	DP
	To BREEAM Standard	B06/B08			Recycled Plastic - Brown	RP-BR			Slant Top	ST		Concrete Finish - Textured Finish	TF

450




SHELDON BENCH SBN321-1200





SBN321-1200/D-GG/TRC3-DO/GL



CODING METHOD SLAT MATERIAL METAL FINISH

D-GG TRC3-DO SBN321-1200

GL

* Technical drawings not to scale

- Site Engineer to determine suitable fixing method.
- Option D can be resin bonded to a firm engineered finished grade.

SHELDON BENCH SBN321-1200

PRO	DUCT DIMENSIONS HEIGHT	450 mm		LENGT	TH 1200 mm WIDTH 475	mm	WEIG	GHT	95 Kg CAPACITY				CENTER LINE RADIUS	3500 mm
	Direct Embedment/Root Fix	Α			Treated Redwood Class 3 Unstained	TRC3	Aluminium Powder Coated	APC	~	Concrete Colour - Light Grey		LG		
	Below Finished Grade Base Fix	В			Treated Redwood Class 3 Stained Dark Oak	TRC3-DO	$\overline{}$		Galvanised	GL 🔽	<u>o</u>	Concrete Colour - White		WT
	Surface Mount	С			Treated Redwood Class 4 Unstained	TRC4 TRC4-DO	Galvanised and Powder Coated	GPC 🔽	00	Concrete Colour - Buff		BF		
Z	Plinth Mount - Buff Exposed Aggregate	D-BEA		A	Treated Redwood Class 4 Stained Dark Oak		\checkmark	¥	Zinc Plated and Powder Coated	PPC	H	Concrete Colour - Black		BK
Ĕ	Plinth Mount - Buff Granite	D-BG			Treated Softwood Unstained	TS			Stainless Steel	SS-304/316 	2	Concrete Colour - Red		RD
0	Plinth Mount - Grey Granite	D-GG		¥	Douglas Fir	DF	$\overline{\mathbf{V}}$		Apex Top AT		Ž	Concrete Colour - Standard Grey		SG
Ĭ	Free Standing	FS		4	FSC Hardwood Iroko				Chamfer Top	СТ	Ŭ	Concrete Colour - Non Standard		NS
준	Free Standing with Base Weight	FS-BW		2	Recycled Plastic - Black		Dome Top	DT		Concrete Finish - Dre	essed Finish	DS		
	Wall Mount	WM			Recycled Plastic - Grey	RP-GY		9	Flat Top	FT	IS	Concrete Finish - Sat	ncrete Finish - Satin Shine	
	Non Standard	NS			Recycled Plastic - Green	RP-GN		F	Open Top	ОТ	E E	Concrete Finish - Del	luxe Polish (top)	DP
	To BREEAM Standard	B06/B08			Recycled Plastic - Brown	RP-BR			Slant Top	ST		Concrete Finish - Tex	ctured Finish	TF

