


SCS304/B/TRC3-DO/GL/6



SCS304/B/TRC3-DO/GL/6






* Technical drawings not to scale

NOTE-

- Site Engineer to determine suitable fixing method.
- Fixing bolts by others 14 mm dia. holes (use M12 bolts).
- Size of concrete foundation and concrete mix to be determined on site, taking ground conditions into account and local wind and snow loads.
- Cycle rack shown is the Malford MCR200.



SHELDON CYCLE SHELTER - SEDUM ROOF SCS304

PRO	DDUCT DIMENSIONS HEIGHT	3017 mm	n	LENG	TH 4200 mm WIDTH 2440	mm							
NO	Direct Embedment/Root Fix	Α			Treated Redwood Class 3 Unstained	TRC3	TRC3 V TRC3-DO V TRC4 V TRC4-DO V TS DF V	Aluminium Powder Coated	APC	쏨	Concrete Colour - Light Grey	LG	
	Below Finished Grade Base Fix	В			Treated Redwood Class 3 Stained Dark Oak	TRC3-DO		SIZ	Galvanised	GL 🔽	o O	Concrete Colour - White	WT
	Surface Mount	С			Treated Redwood Class 4 Unstained	TRC4		Galvanised and Powder Coated	GPC 🔽	ပ္ပ	Concrete Colour - Buff	BF	
	Plinth Mount - Buff Exposed Aggregate	D-BEA		¥	Treated Redwood Class 4 Stained Dark Oak	TRC4-DO			Zinc Plated and Powder Coated	PPC	CRETE	Concrete Colour - Black	BK
F	Plinth Mount - Buff Granite	D-BG			Treated Softwood Unstained	TS		8	Stainless Steel	SS-304/316		Concrete Colour - Red	RD
0	Plinth Mount - Grey Granite	D-GG		I ₹	Douglas Fir	DF		Apex Top	AT	NO NO	Concrete Colour - Standard Grey	SG	
FIXING	Free Standing	FS		₽	FSC Hardwood Iroko	HI		☑ ⊔	Chamfer Top	СТ	Ŭ	Concrete Colour - Non Standard	NS
	Free Standing with Base Weight	FS-BW		S	Recycled Plastic - Black	RP-BK	Dome Top	DT		Concrete Finish - Dressed Finish	DS		
	Wall Mount	WM			Recycled Plastic - Grey	RP-GY		9	Flat Top	FT	프	Concrete Finish - Satin Shine	SH
	Non Standard	NS			Recycled Plastic - Green	RP-GN			Open Top	OT Z		Concrete Finish - Deluxe Polish (top)	DP
	To BREEAM Standard	B06/B08			Recycled Plastic - Brown	RP-BR			Slant Top	ST		Concrete Finish - Textured Finish	TF

